


Hartlepool PCT (5D9) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hartlepool PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All Cases	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	ASR	95% CI			
C15 Oesophagus	7	13.1	(8.5-17.7)	4	5.1	(2.7-7.6)	10	8.5	(6.1-10.9)		
C16 Stomach	13	24.6	(18.5-30.7)	6	7.7	(4.7-10.7)	18	15.4	(12.2-18.6)		
C18-20 Colorectal	36	72.9	(62.1-83.7)	23	35.2	(28.4-42.1)	59	52.2	(46.1-58.3)		
C25 Pancreas	6	12.2	(7.8-16.6)	5	5.9	(3.4-8.5)	11	9.2	(6.6-11.8)		
C33-C34 Lung	50	99.5	(86.9-112.1)	36	55.9	(47.3-64.6)	86	74.9	(67.6-82.1)		
C43 Melanoma	3	6.8	(3.1-10.4)	5	9.1	(5.3-12.8)	8	7.7	(5.2-10.2)		
C50 Breast	-	-	-	53	100.1	(87.5-112.8)	-	-	-		
C53 Cervix	-	-	-	8	16.1	(10.9-21.2)	-	-	-		
C54-C55 Uterus	-	-	-	8	12.2	(8.1-16.2)	-	-	-		
C56 Ovary	-	-	-	12	23.2	(17.2-29.3)	-	-	-		
C61 Prostate	42	85.5	(73.5-97.4)	-	-	-	-	-	-		
C64 Kidney	8	16.7	(11.6-21.9)	3	5.4	(2.6-8.1)	12	10.5	(7.7-13.3)		
C67 Bladder	15	31.9	(24.5-39.3)	5	6.3	(3.7-8.9)	20	16.7	(13.4-20.1)		
C71 Brain	4	9.9	(5.7-14.0)	2	4.8	(2.0-7.6)	7	7.2	(4.7-9.6)		
C81-96 Haematol	15	31.2	(24.0-38.5)	11	18.8	(13.7-24.0)	26	24.9	(20.5-29.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hartlepool PCT (5D9) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hartlepool PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male Deaths	Male Mortality Rate			Female Deaths	Female Mortality Rate			All Deaths	All Mortality Rate		
		ASM	95% CI			ASM	95% CI			ASM	95% CI	
C15 Oesophagus	8	16.6	(11.4-21.8)		3	4.6	(2.3-6.9)		12	9.7	(7.1-12.3)	
C16 Stomach	8	14.8	(10.1-19.5)		6	8.3	(5.1-11.5)		14	11.4	(8.6-14.1)	
C18-20 Colorectal	16	32.5	(25.1-39.9)		13	18.1	(13.5-22.6)		29	24.2	(20.2-28.3)	
C25 Pancreas	6	11.4	(7.2-15.6)		4	4.7	(2.5-6.9)		10	8.0	(5.7-10.4)	
C33-C34 Lung	46	91.1	(79.1-103.1)		33	50.8	(42.6-59.1)		79	68.4	(61.4-75.3)	
C43 Melanoma	1	1.9	(0.0-3.8)		2	2.7	(0.9-4.6)		3	2.3	(1.0-3.6)	
C50 Breast	-	-			17	27.9	(21.6-34.2)		-	-		
C53 Cervix	-	-			2	4.1	(1.6-6.5)		-	-		
C54-C55 Uterus	-	-			3	3.9	(1.6-6.1)		-	-		
C56 Ovary	-	-			6	11.3	(7.2-15.4)		-	-		
C61 Prostate	15	32.4	(24.6-40.2)		-	-			-	-		
C64 Kidney	4	7.2	(3.8-10.6)		2	2.7	(0.9-4.6)		5	4.6	(2.8-6.4)	
C67 Bladder	9	18.8	(12.9-24.7)		2	3.2	(1.3-5.1)		11	8.2	(6.0-10.4)	
C71 Brain	3	7.1	(3.6-10.6)		2	3.5	(1.1-5.9)		5	5.3	(3.2-7.4)	
C81-96 Haematol	7	14.7	(9.8-19.5)		7	11.3	(7.4-15.3)		14	12.7	(9.7-15.8)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hartlepool PCT (5D9) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Hartlepool PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	242	565.0	492.8	(464.4-521.3)	209	454.3	353.2	(330.6-375.8)	451	507.7	408.4	(391.0-425.7)					
C18-20 Colorectal	36	85.1	72.9	(62.1-83.7)	23	50.0	35.2	(28.4-42.1)	59	66.9	52.2	(46.1-58.3)					
C33-C34 Lung	50	116.9	99.5	(86.9-112.1)	36	78.7	55.9	(47.3-64.6)	86	97.1	74.9	(67.6-82.1)					
C50 Breast	-	-	-	-	53	114.8	100.1	(87.5-112.8)	-	-	-	-					
C61 Prostate	42	98.2	85.5	(73.5-97.4)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	(0.6-1.4)	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Hartlepool PCT (5D9) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Hartlepool PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	151	353.1	308.3	(285.6-330.9)	124	268.7	187.6	(171.9-203.4)	275	309.4	235.4	(222.6-248.2)					
C18-20 Colorectal	16	36.5	32.5	(25.1-39.9)	13	29.1	18.1	(13.5-22.6)	29	32.7	24.2	(20.2-28.3)					
C33-C34 Lung	46	107.6	91.1	(79.1-103.1)	33	71.3	50.8	(42.6-59.1)	79	88.8	68.4	(61.4-75.3)					
C50 Breast	-	-	-	-	17	37.4	27.9	(21.6-34.2)	-	-	-	-					
C61 Prostate	15	34.6	32.4	(24.6-40.2)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Hartlepool PCT (5D9)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Middlesbrough PCT (5KM) - Incidence



Middlesbrough PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	17	18.1	(14.2-22.0)	6	5.3	(3.3-7.3)	23	11.1	(9.0-13.2)
C16 Stomach	22	22.7	(18.4-27.0)	12	8.4	(6.2-10.7)	34	14.8	(12.6-17.1)
C18-20 Colorectal	71	74.9	(67.0-82.8)	53	41.6	(36.3-46.9)	124	57.0	(52.4-61.6)
C25 Pancreas	16	16.4	(12.7-20.1)	11	8.9	(6.4-11.3)	27	12.2	(10.1-14.3)
C33-C34 Lung	89	93.2	(84.4-102.1)	75	60.9	(54.4-67.4)	164	74.7	(69.4-79.9)
C43 Melanoma	6	7.5	(4.9-10.2)	10	10.1	(7.2-13.0)	16	8.9	(6.9-10.8)
C50 Breast	-	-	-	107	107.2	(97.8-116.6)	-	-	-
C53 Cervix	-	-	-	13	13.2	(9.9-16.4)	-	-	-
C54-C55 Uterus	-	-	-	13	13.0	(9.8-16.2)	-	-	-
C56 Ovary	-	-	-	19	18.9	(15.0-22.8)	-	-	-
C61 Prostate	91	93.6	(84.9-102.4)	-	-	-	-	-	-
C64 Kidney	11	12.2	(8.9-15.4)	6	5.3	(3.3-7.4)	17	8.6	(6.7-10.5)
C67 Bladder	19	20.6	(16.4-24.8)	10	7.5	(5.3-9.7)	29	12.9	(10.8-15.1)
C71 Brain	9	10.7	(7.6-13.8)	6	6.2	(3.9-8.4)	16	8.4	(6.5-10.2)
C81-96 Haematol	30	32.6	(27.3-37.9)	24	21.5	(17.5-25.6)	54	26.4	(23.2-29.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Middlesbrough PCT (5KM) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Middlesbrough PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	16	16.9	(13.2-20.7)	6	4.6	(2.9-6.3)	22	10.4	(8.4-12.4)
C16 Stomach	15	15.2	(11.8-18.6)	7	4.6	(3.0-6.1)	23	9.4	(7.6-11.1)
C18-20 Colorectal	32	33.5	(28.2-38.7)	25	17.7	(14.4-21.0)	57	25.0	(22.0-27.9)
C25 Pancreas	16	16.6	(12.9-20.3)	9	7.2	(5.0-9.4)	25	11.4	(9.4-13.5)
C33-C34 Lung	84	88.1	(79.5-96.7)	62	49.5	(43.7-55.3)	146	66.2	(61.2-71.1)
C43 Melanoma	2	2.7	(1.2-4.3)	3	3.0	(1.4-4.5)	5	2.7	(1.7-3.8)
C50 Breast	-	-	-	35	31.0	(26.2-35.8)	-	-	-
C53 Cervix	-	-	-	5	4.3	(2.4-6.1)	-	-	-
C54-C55 Uterus	-	-	-	2	1.5	(0.6-2.4)	-	-	-
C56 Ovary	-	-	-	11	10.2	(7.4-12.9)	-	-	-
C61 Prostate	24	25.8	(21.0-30.6)	-	-	-	-	-	-
C64 Kidney	7	7.7	(5.1-10.2)	3	2.3	(1.0-3.5)	10	4.8	(3.4-6.2)
C67 Bladder	11	12.1	(8.7-15.4)	7	4.4	(2.9-5.9)	18	7.1	(5.6-8.6)
C71 Brain	5	5.0	(2.9-7.1)	4	4.4	(2.5-6.3)	9	4.6	(3.2-6.0)
C81-96 Haematol	18	20.0	(15.8-24.1)	17	13.7	(10.6-16.9)	35	16.1	(13.6-18.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Middlesbrough PCT (5KM) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Middlesbrough PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male				Female				All								
	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI					
C00-C96 exc C44	465	540.6	494.1	(473.7-514.6)	427	460.5	380.8	(363.8-397.7)	892	499.0	425.6	(412.7-438.4)					
C18-20 Colorectal	71	82.8	74.9	(67.0-82.8)	53	56.7	41.6	(36.3-46.9)	124	69.2	57.0	(52.4-61.6)					
C33-C34 Lung	89	103.3	93.2	(84.4-102.1)	75	80.8	60.9	(54.4-67.4)	164	91.6	74.7	(69.4-79.9)					
C50 Breast	-	-	-	-	107	115.7	107.2	(97.8-116.6)	-	-	-	-					
C61 Prostate	91	105.4	93.6	(84.9-102.4)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male				Female				All			
	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male				Female				All			
	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI	Cases	Crude Rate	Incidence Rate ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Middlesbrough (5KM) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Middlesbrough										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male				Female				All								
	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI					
C00-C96 exc C44	283	329.4	300.6	(284.7-316.6)	239	257.7	192.3	(180.8-203.8)	522	292.2	236.7	(227.3-246.0)					
C18-20 Colorectal	32	37.5	33.5	(28.2-38.7)	25	26.5	17.7	(14.4-21.0)	57	31.8	25.0	(22.0-27.9)					
C33-C34 Lung	84	97.2	88.1	(79.5-96.7)	62	67.2	49.5	(43.7-55.3)	146	81.7	66.2	(61.2-71.1)					
C50 Breast	-	-	-	-	35	37.7	31.0	(26.2-35.8)	-	-	-	-					
C61 Prostate	24	27.5	25.8	(21.0-30.6)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male				Female				All			
	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male				Female				All			
	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI	Deaths	Crude Rate	Incidence Rate ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Middlesbrough PCT (5KM)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Hambleton & Richmondshire PCT (5KH) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hambleton & Richmondshire PCT							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	8	10.7	(7.4-14.1)	6	5.6	(3.5-7.7)	14	8.0	(6.1-9.9)
C16 Stomach	12	16.0	(11.9-20.1)	5	4.6	(2.6-6.6)	17	10.0	(7.8-12.2)
C18-20 Colorectal	38	52.3	(44.8-59.9)	29	30.5	(25.1-35.8)	66	40.5	(36.0-45.0)
C25 Pancreas	7	9.8	(6.5-13.1)	6	5.8	(3.6-7.9)	13	7.6	(5.7-9.5)
C33-C34 Lung	41	55.2	(47.5-62.8)	27	29.2	(24.0-34.5)	67	40.3	(35.9-44.7)
C43 Melanoma	9	13.2	(9.2-17.2)	10	13.6	(9.7-17.6)	19	13.6	(10.8-16.5)
C50 Breast	-	-	-	90	125.6	(113.6-137.6)	-	-	-
C53 Cervix	-	-	-	5	7.3	(4.4-10.2)	-	-	-
C54-C55 Uterus	-	-	-	10	13.6	(9.7-17.4)	-	-	-
C56 Ovary	-	-	-	11	14.7	(10.7-18.7)	-	-	-
C61 Prostate	76	105.2	(94.5-115.8)	-	-	-	-	-	-
C64 Kidney	8	12.3	(8.5-16.2)	4	4.8	(2.7-7.0)	12	8.4	(6.3-10.6)
C67 Bladder	14	18.8	(14.4-23.3)	5	5.9	(3.6-8.2)	20	11.4	(9.1-13.7)
C71 Brain	6	8.7	(5.5-11.9)	5	7.3	(4.2-10.5)	11	7.8	(5.6-10.0)
C81-96 Haematol	23	35.2	(28.7-41.6)	16	20.1	(15.4-24.8)	40	27.2	(23.3-31.1)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hambleton & Richmondshire PCT							Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate	95% CI	Deaths	Mortality Rate	95% CI	Deaths	Mortality Rate	95% CI
		ASM			ASM			ASM	
C15 Oesophagus	10	13.3	(9.5-17.1)	6	5.0	(3.0-6.9)	15	8.9	(6.8-11.0)
C16 Stomach	5	6.4	(3.9-8.9)	4	3.6	(1.9-5.3)	9	4.9	(3.4-6.4)
C18-20 Colorectal	16	21.9	(17.0-26.9)	11	10.3	(7.4-13.2)	27	15.4	(12.7-18.0)
C25 Pancreas	7	9.9	(6.6-13.2)	8	8.1	(5.4-10.9)	15	8.9	(6.8-11.0)
C33-C34 Lung	38	51.1	(43.7-58.5)	26	28.0	(23.0-33.1)	64	37.5	(33.3-41.7)
C43 Melanoma	2	3.0	(1.1-4.9)	2	2.4	(0.7-4.1)	4	2.6	(1.4-3.8)
C50 Breast	-	-	-	29	37.8	(31.4-44.3)	-	-	-
C53 Cervix	-	-	-	3	2.5	(1.0-3.9)	-	-	-
C54-C55 Uterus	-	-	-	3	3.4	(1.6-5.1)	-	-	-
C56 Ovary	-	-	-	9	11.0	(7.7-14.2)	-	-	-
C61 Prostate	18	23.8	(18.8-28.8)	-	-	-	-	-	-
C64 Kidney	2	3.6	(1.5-5.7)	2	1.9	(0.6-3.3)	4	2.7	(1.5-3.9)
C67 Bladder	6	7.2	(4.5-9.9)	3	3.1	(1.5-4.7)	9	4.6	(3.3-6.0)
C71 Brain	3	5.1	(2.7-7.5)	2	3.8	(1.4-6.2)	6	4.3	(2.7-5.9)
C81-96 Haematol	11	16.4	(12.1-20.7)	11	11.6	(8.3-15.0)	22	14.0	(11.3-16.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Hambleton & Richmondshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	291	498.9	411.1	(389.7-432.4)	264	454.9	328.7	(309.9-347.4)	556	476.9	361.0	(347.1-374.8)					
C18-20 Colorectal	38	64.4	52.3	(44.8-59.9)	29	49.2	30.5	(25.1-35.8)	66	56.8	40.5	(36.0-45.0)					
C33-C34 Lung	41	69.6	55.2	(47.5-62.8)	27	46.1	29.2	(24.0-34.5)	67	57.9	40.3	(35.9-44.7)					
C50 Breast	-	-	-	-	90	154.1	125.6	(113.6-137.6)	-	-	-	-					
C61 Prostate	76	130.2	105.2	(94.5-115.8)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Hambleton & Richmondshire PCT (5KH) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Hambleton & Richmondshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	148	253.9	204.6	(189.7-219.5)	141	243.3	155.6	(143.3-167.8)	290	248.6	174.0	(164.8-183.3)					
C18-20 Colorectal	16	26.7	21.9	(17.0-26.9)	11	19.3	10.3	(7.4-13.2)	27	23.0	15.4	(12.7-18.0)					
C33-C34 Lung	38	64.4	51.1	(43.7-58.5)	26	45.1	28.0	(23.0-33.1)	64	54.8	37.5	(33.3-41.7)					
C50 Breast	0	0.0	0.0	(0.0-0.0)	29	49.5	37.8	(31.4-44.3)	-	-	-	-					
C61 Prostate	18	30.5	23.8	(18.8-28.8)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002




Northern and Yorkshire
Cancer Registry and Information Service



Sedgefield PCT (5KE) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




Sedgefield PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	5	8.8	(5.2-12.5)	5	5.6	(3.2-8.0)	9	7.4	(5.2-9.6)		
C16 Stomach	10	20.3	(14.7-25.9)	7	8.7	(5.6-11.8)	17	13.9	(10.9-17.0)		
C18-20 Colorectal	37	72.3	(61.8-82.9)	24	36.0	(29.3-42.8)	61	52.5	(46.5-58.6)		
C25 Pancreas	4	7.8	(4.4-11.1)	4	6.7	(3.7-9.7)	8	7.0	(4.8-9.2)		
C33-C34 Lung	54	103.6	(91.1-116.2)	35	55.6	(47.0-64.2)	90	75.3	(68.2-82.5)		
C43 Melanoma	4	9.6	(5.4-13.7)	6	11.5	(7.3-15.7)	10	10.5	(7.6-13.4)		
C50 Breast	-	-	-	57	105.8	(93.1-118.4)	-	-	-		
C53 Cervix	-	-	-	7	15.0	(10.0-20.1)	-	-	-		
C54-C55 Uterus	-	-	-	8	14.7	(10.1-19.4)	-	-	-		
C56 Ovary	-	-	-	12	20.4	(15.0-25.8)	-	-	-		
C61 Prostate	36	68.0	(57.9-78.1)	-	-	-	-	-	-		
C64 Kidney	5	10.2	(6.2-14.3)	4	5.5	(2.8-8.1)	9	7.7	(5.4-10.1)		
C67 Bladder	12	23.1	(17.1-29.1)	6	7.9	(4.8-11.0)	18	14.2	(11.2-17.3)		
C71 Brain	5	9.9	(5.9-13.9)	3	4.4	(1.8-7.0)	7	7.0	(4.7-9.4)		
C81-96 Haematol	14	29.9	(22.7-37.0)	14	24.3	(18.2-30.5)	28	26.4	(21.8-30.9)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Sedgefield PCT (5KE) - Mortality



Sedgefield PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	6	10.6	(6.6-14.5)	4	5.0	(2.8-7.2)	10	7.6	(5.4-9.8)
C16 Stomach	7	13.2	(8.7-17.7)	4	5.4	(3.0-7.8)	11	8.7	(6.3-11.0)
C18-20 Colorectal	15	28.9	(22.1-35.7)	12	15.9	(11.7-20.1)	27	21.8	(18.0-25.6)
C25 Pancreas	5	8.6	(5.0-12.2)	4	6.0	(3.1-8.9)	8	6.9	(4.7-9.1)
C33-C34 Lung	46	86.4	(75.0-97.8)	30	45.9	(38.2-53.5)	76	62.5	(56.1-69.0)
C43 Melanoma	1	2.9	(0.7-5.0)	2	3.2	(1.1-5.3)	3	3.1	(1.6-4.6)
C50 Breast	-	-	-	18	28.9	(22.6-35.2)	-	-	-
C53 Cervix	-	-	-	2	3.7	(1.4-6.0)	-	-	-
C54-C55 Uterus	-	-	-	2	3.0	(0.9-5.0)	-	-	-
C56 Ovary	-	-	-	8	12.9	(8.7-17.1)	-	-	-
C61 Prostate	14	26.5	(20.0-33.0)	-	-	-	-	-	-
C64 Kidney	2	4.8	(2.0-7.6)	1	2.1	(0.5-3.7)	4	3.2	(1.7-4.7)
C67 Bladder	4	8.8	(5.0-12.5)	2	2.9	(1.2-4.5)	7	5.2	(3.4-7.0)
C71 Brain	3	6.4	(3.2-9.6)	3	4.2	(1.8-6.6)	6	5.3	(3.3-7.3)
C81-96 Haematol	6	13.7	(8.8-18.5)	8	11.9	(8.0-15.8)	14	12.5	(9.5-15.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Sedgefield PCT (5KE) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Sedgefield PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	227	532.6	447.1	(420.6-473.7)	225	499.6	373.4	(350.5-396.3)	452	515.6	399.2	(382.3-416.2)					
C18-20 Colorectal	37	86.8	72.3	(61.8-82.9)	24	54.2	36.0	(29.3-42.8)	61	70.0	52.5	(46.5-58.6)					
C33-C34 Lung	54	127.6	103.6	(91.1-116.2)	35	78.6	55.6	(47.0-64.2)	90	102.4	75.3	(68.2-82.5)					
C50 Breast	-	-	-	-	57	127.0	105.8	(93.1-118.4)	-	-	-	-					
C61 Prostate	36	84.5	68.0	(57.9-78.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Sedgefield PCT (5KE) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Sedgefield PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	137	321.0	265.5	(245.2-285.9)	128	283.3	189.9	(174.4-205.5)	264	301.6	219.9	(207.7-232.1)					
C18-20 Colorectal	15	34.3	28.9	(22.1-35.7)	12	27.1	15.9	(11.7-20.1)	27	30.6	21.8	(18.0-25.6)					
C33-C34 Lung	46	107.5	86.4	(75.0-97.8)	30	67.1	45.9	(38.2-53.5)	76	86.7	62.5	(56.1-69.0)					
C50 Breast	-	-	-	-	18	40.0	28.9	(22.6-35.2)	-	-	-	-					
C61 Prostate	14	31.9	26.5	(20.0-33.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Sedgefield PCT (5KE)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Easington PCT (5KD) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Easington PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	7	12.6	(8.3-16.9)	4	5.1	(2.7-7.5)	11	8.6	(6.2-11.0)		
C16 Stomach	18	30.7	(24.1-37.2)	9	12.2	(8.5-16.0)	27	20.6	(17.0-24.2)		
C18-20 Colorectal	31	56.8	(47.6-66.0)	24	31.8	(25.8-37.8)	55	43.6	(38.3-49.0)		
C25 Pancreas	6	10.3	(6.4-14.2)	6	7.6	(4.7-10.4)	12	8.9	(6.6-11.3)		
C33-C34 Lung	55	96.3	(84.7-108.0)	38	54.3	(46.2-62.5)	93	71.5	(64.8-78.2)		
C43 Melanoma	3	6.2	(3.0-9.4)	5	10.5	(6.4-14.5)	8	8.3	(5.7-10.9)		
C50 Breast	-	-	-	63	110.7	(98.0-123.4)	-	-	-		
C53 Cervix	-	-	-	6	12.1	(7.8-16.4)	-	-	-		
C54-C55 Uterus	-	-	-	9	14.6	(10.1-19.1)	-	-	-		
C56 Ovary	-	-	-	15	26.1	(19.9-32.3)	-	-	-		
C61 Prostate	45	79.2	(68.6-89.7)	-	-	-	-	-	-		
C64 Kidney	7	13.5	(9.0-17.9)	4	7.0	(3.8-10.2)	12	9.5	(7.0-12.1)		
C67 Bladder	9	16.3	(11.5-21.1)	5	6.0	(3.5-8.4)	14	10.6	(8.0-13.1)		
C71 Brain	4	8.3	(4.7-11.9)	5	8.8	(5.1-12.5)	9	8.6	(6.0-11.2)		
C81-96 Haematol	14	24.5	(18.6-30.4)	14	21.3	(16.0-26.5)	28	22.8	(18.9-26.8)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Easington PCT (5KD) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Easington PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	5	8.9	(5.2-12.6)	4	4.4	(2.3-6.5)	8	6.6	(4.5-8.7)
C16 Stomach	14	23.7	(18.0-29.3)	7	8.4	(5.4-11.4)	21	15.1	(12.1-18.1)
C18-20 Colorectal	14	24.3	(18.4-30.2)	10	14.0	(9.9-18.1)	24	18.8	(15.3-22.3)
C25 Pancreas	5	10.1	(6.2-13.9)	6	7.2	(4.5-10.0)	11	8.7	(6.4-11.0)
C33-C34 Lung	48	84.8	(73.9-95.7)	31	44.2	(36.9-51.5)	80	60.9	(54.7-67.0)
C43 Melanoma	1	2.3	(0.4-4.2)	1	1.7	(0.2-3.2)	2	2.0	(0.8-3.2)
C50 Breast	-	-	-	18	25.8	(20.0-31.5)	-	-	-
C53 Cervix	-	-	-	2	2.4	(0.6-4.2)	-	-	-
C54-C55 Uterus	-	-	-	2	3.0	(1.2-4.8)	-	-	-
C56 Ovary	-	-	-	8	11.8	(8.0-15.7)	-	-	-
C61 Prostate	15	27.3	(21.0-33.7)	-	-	-	-	-	-
C64 Kidney	4	6.8	(3.6-10.0)	2	2.8	(1.1-4.5)	6	4.5	(2.8-6.2)
C67 Bladder	5	9.8	(6.0-13.6)	3	3.3	(1.4-5.1)	8	6.1	(4.1-8.0)
C71 Brain	4	7.2	(3.8-10.5)	4	5.3	(2.7-7.9)	7	6.4	(4.2-8.5)
C81-96 Haematol	9	15.4	(10.9-19.9)	7	9.0	(5.8-12.2)	16	11.9	(9.2-14.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Easington PCT (5KD) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Easington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	234	510.5	423.5	(398.7-448.3)	237	486.2	370.0	(347.7-392.4)	470	498.0	387.8	(371.6-404.0)					
C18-20 Colorectal	30.6	66.9	56.8	(47.6-66.0)	24	49.3	31.8	(25.8-37.8)	55	57.8	43.6	(41.1-51.7)					
C33-C34 Lung	55	119.8	96.3	(84.7-108.0)	38	77.6	54.3	(46.2-62.5)	93	98.0	71.5	(58.1-70.6)					
C50 Breast	-	-	-	-	63	129.8	110.7	(98.0-123.4)	-	-	-	-					
C61 Prostate	45	97.9	79.2	(68.6-89.7)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Easington PCT (5KD) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Easington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	149	325.2	264.6	(245.1-284.0)	125	257.5	171.3	(157.1-185.5)	274	290.3	210.6	(199.1-222.1)					
C18-20 Colorectal	14	29.7	24.3	(18.4-30.2)	10	21.4	14.0	(9.9-18.1)	24	25.4	18.8	(15.3-22.3)					
C33-C34 Lung	48	105.8	84.8	(73.9-95.7)	31	64.5	44.2	(36.9-51.5)	80	84.5	60.9	(54.7-67.0)					
C50 Breast	-	-	-	-	18	36.1	25.8	(20.0-31.5)	-	-	-	-					
C61 Prostate	15	33.2	27.3	(21.0-33.7)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Easington PCT (5KD)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Darlington PCT (5J9) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




Darlington PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	8	14.5	(10.0-19.0)	6	7.4	(4.5-10.4)	14	10.6	(8.0-13.2)		
C16 Stomach	10	16.9	(12.1-21.7)	7	7.3	(4.7-9.9)	17	11.3	(8.8-13.9)		
C18-20 Colorectal	36	62.8	(53.5-72.1)	28	33.9	(27.8-39.9)	65	46.4	(41.1-51.7)		
C25 Pancreas	5	8.7	(5.2-12.3)	6	7.9	(4.8-11.0)	11	8.2	(5.9-10.5)		
C33-C34 Lung	48	80.5	(70.2-90.9)	40	54.3	(46.2-62.4)	88	64.3	(58.1-70.6)		
C43 Melanoma	7	13.8	(9.3-18.3)	11	17.8	(12.7-22.8)	18	15.9	(12.5-19.3)		
C50 Breast	-	-	-	72	116.7	(104.0-129.4)	-	-	-		
C53 Cervix	-	-	-	8	14.6	(9.9-19.2)	-	-	-		
C54-C55 Uterus	-	-	-	10	14.3	(10.0-18.5)	-	-	-		
C56 Ovary	-	-	-	10	15.7	(11.1-20.3)	-	-	-		
C61 Prostate	53	88.7	(77.8-99.5)	-	-	-	-	-	-		
C64 Kidney	5	8.9	(5.4-12.5)	4	4.7	(2.4-6.9)	9	6.7	(4.7-8.8)		
C67 Bladder	15	26.2	(20.2-32.3)	7	8.4	(5.3-11.4)	21	16.3	(13.1-19.5)		
C71 Brain	6	10.9	(6.9-14.9)	3	5.5	(2.6-8.3)	9	8.0	(5.6-10.4)		
C81-96 Haematol	21	38.9	(31.3-46.4)	20	29.6	(23.3-35.9)	41	33.5	(28.7-38.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Darlington PCT (5J9) - Mortality



Darlington PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	7	12.2	(8.1-16.2)	6	6.4	(3.8-9.1)	13	8.9	(6.6-11.2)
C16 Stomach	7	11.7	(7.7-15.7)	6	5.4	(3.4-7.5)	13	8.0	(5.9-10.0)
C18-20 Colorectal	20	34.1	(27.3-40.9)	13	13.9	(10.2-17.5)	33	22.3	(18.7-25.9)
C25 Pancreas	5	8.2	(4.8-11.6)	7	8.3	(5.3-11.3)	12	8.4	(6.1-10.6)
C33-C34 Lung	43	72.0	(62.2-81.7)	32	42.6	(35.6-49.6)	75	54.4	(48.7-60.2)
C43 Melanoma	2	3.4	(1.3-5.6)	0	0.7	(0.0-1.7)	2	1.9	(0.8-3.0)
C50 Breast	-	-	-	22	28.6	(22.7-34.4)	-	-	-
C53 Cervix	-	-	-	3	4.4	(1.9-6.9)	-	-	-
C54-C55 Uterus	-	-	-	3	4.7	(2.3-7.2)	-	-	-
C56 Ovary	-	-	-	5	7.6	(4.6-10.6)	-	-	-
C61 Prostate	14	22.7	(17.3-28.0)	-	-	-	-	-	-
C64 Kidney	3	5.9	(3.1-8.7)	2	2.8	(1.0-4.5)	6	4.2	(2.6-5.8)
C67 Bladder	6	10.3	(6.6-14.1)	4	4.8	(2.5-7.1)	10	7.1	(5.0-9.2)
C71 Brain	4	6.8	(3.6-10.0)	2	2.9	(0.9-4.9)	5	4.8	(2.9-6.6)
C81-96 Haematol	11	18.5	(13.5-23.6)	9	13.2	(9.1-17.3)	20	15.3	(12.2-18.4)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Darlington PCT (5J9) - Incidence

Darlington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	256	542.6	446.5	(421.6-471.3)	266	521.9	380.4	(358.4-402.4)	522	531.9	402.4	(386.3-418.5)					
C18-20 Colorectal	36	77.2	62.8	(53.5-72.1)	28	55.3	33.9	(27.8-39.9)	65	65.8	46.4	(41.1-51.7)					
C33-C34 Lung	48	101.7	80.5	(70.2-90.9)	40	77.6	54.3	(46.2-62.4)	88	89.2	64.3	(58.1-70.6)					
C50 Breast	-	-	-	-	72	141.8	116.7	(104.0-129.4)	-	-	-	-					
C61 Prostate	53	112.3	88.7	(77.8-99.5)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Darlington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Darlington PCT (5J9) - Mortality

Darlington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	151	320.1	257.2	(238.6-275.9)	142	278.6	174.1	(160.1-188.1)	293	298.5	207.9	(196.8-219.1)					
C18-20 Colorectal	20	42.8	34.1	(27.3-40.9)	13	25.9	13.9	(10.2-17.5)	33	34.0	22.3	(18.7-25.9)					
C33-C34 Lung	43	90.7	72.0	(62.2-81.7)	32	63.5	42.6	(35.6-49.6)	75	76.6	54.4	(48.7-60.2)					
C50 Breast	-	-	-	-	22	42.7	28.6	(22.7-34.4)	-	-	-	-					
C61 Prostate	14	30.5	22.7	(17.3-28.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Darlington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Darlington PCT (5J9)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002




Northern and Yorkshire
Cancer Registry and Information Service



Durham Dales PCT (5J8) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham Dales PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI
C15 Oesophagus	5	8.9	(5.2-12.6)		4	5.2	(2.8-7.6)		9	7.0	(4.9-9.2)
C16 Stomach	11	20.5	(15.1-26.0)		8	10.4	(7.0-13.8)		20	14.5	(11.5-17.5)
C18-20 Colorectal	34	65.3	(55.3-75.2)		27	36.8	(30.2-43.5)		61	49.6	(43.8-55.4)
C25 Pancreas	5	9.8	(6.0-13.6)		5	5.6	(3.2-8.0)		10	7.7	(5.5-9.9)
C33-C34 Lung	49	89.9	(78.5-101.3)		32	44.8	(37.3-52.3)		81	63.9	(57.5-70.4)
C43 Melanoma	7	14.3	(9.5-19.1)		7	14.1	(9.2-19.0)		14	14.0	(10.6-17.4)
C50 Breast	-	-	-		70	118.5	(105.4-131.6)		-	-	-
C53 Cervix	-	-	-		5	8.3	(4.8-11.9)		-	-	-
C54-C55 Uterus	-	-	-		9	15.8	(11.0-20.6)		-	-	-
C56 Ovary	-	-	-		11	17.0	(12.0-21.9)		-	-	-
C61 Prostate	36	64.9	(55.3-74.6)		-	-	-		-	-	-
C64 Kidney	7	13.4	(8.8-17.9)		7	10.4	(6.5-14.3)		14	11.7	(8.8-14.6)
C67 Bladder	12	22.1	(16.5-27.8)		5	6.8	(4.0-9.6)		17	13.6	(10.6-16.6)
C71 Brain	4	9.3	(5.4-13.2)		3	6.7	(3.2-10.2)		8	7.9	(5.3-10.5)
C81-96 Haematol	14	27.7	(21.0-34.3)		14	21.9	(16.2-27.5)		28	24.0	(19.8-28.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham Dales PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	4	8.8	(5.1-12.5)	4	4.3	(2.1-6.5)	8	6.5	(4.4-8.5)
C16 Stomach	10	18.0	(12.9-23.1)	5	6.0	(3.4-8.6)	15	10.9	(8.3-13.5)
C18-20 Colorectal	20	38.0	(30.5-45.6)	14	16.9	(12.6-21.2)	34	26.8	(22.6-31.0)
C25 Pancreas	5	8.7	(5.1-12.3)	6	7.0	(4.3-9.7)	11	7.9	(5.7-10.2)
C33-C34 Lung	45	81.0	(70.3-91.8)	26	36.2	(29.6-42.9)	71	55.2	(49.2-61.1)
C43 Melanoma	1	2.8	(0.7-4.9)	0	0.3	(0.0-0.8)	2	1.5	(0.5-2.6)
C50 Breast	-	-	-	21	30.0	(23.8-36.3)	-	-	-
C53 Cervix	-	-	-	3	4.5	(1.9-7.0)	-	-	-
C54-C55 Uterus	-	-	-	2	3.0	(0.9-5.1)	-	-	-
C56 Ovary	-	-	-	7	11.0	(7.1-14.9)	-	-	-
C61 Prostate	15	25.9	(19.9-32.0)	-	-	-	-	-	-
C64 Kidney	3	4.9	(2.2-7.6)	3	3.7	(1.6-5.9)	5	4.4	(2.6-6.1)
C67 Bladder	5	9.4	(5.7-13.1)	3	3.6	(1.7-5.5)	8	5.5	(3.8-7.3)
C71 Brain	2	4.1	(1.5-6.7)	3	5.2	(2.2-8.1)	5	4.7	(2.7-6.6)
C81-96 Haematol	10	18.6	(13.2-24.0)	7	9.9	(6.3-13.6)	16	13.4	(10.3-16.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Durham Dales PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	221	530.4	418.7	(393.7-443.8)	240	539.6	370.2	(347.6-392.8)	461	535.1	385.3	(368.8-401.7)					
C18-20 Colorectal	34	81.9	65.3	(55.3-75.2)	27	61.2	36.8	(30.2-43.5)	61	71.2	49.6	(43.8-55.4)					
C33-C34 Lung	49	117.9	89.9	(78.5-101.3)	32	71.5	44.8	(37.3-52.3)	81	93.9	63.9	(57.5-70.4)					
C50 Breast	-	-	-	-	70	158.3	118.5	(105.4-131.6)	-	-	-	-					
C61 Prostate	36	85.8	64.9	(55.3-74.6)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Durham Dales PCT (5J8) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Durham Dales PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	143	343.6	265.9	(246.1-285.6)	130	292.7	176.2	(161.4-191.0)	274	317.3	212.8	(201.0-224.7)					
C18-20 Colorectal	20	47.9	38.0	(30.5-45.6)	14	31.0	16.9	(12.6-21.2)	34	39.2	26.8	(22.6-31.0)					
C33-C34 Lung	45	106.9	81.0	(70.3-91.8)	26	58.5	36.2	(29.6-42.9)	71	81.9	55.2	(49.2-61.1)					
C50 Breast	-	-	-	-	21	47.7	30.0	(23.8-36.3)	-	-	-	-					
C61 Prostate	15	35.0	25.9	(19.9-32.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




North Tees PCT (5E1) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tees PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male		Female		All		Incidence		
	Cases	Incidence Rate ASR 95% CI	Cases	Incidence Rate ASR 95% CI	Cases	Incidence Rate ASR 95% CI	ASR	95% CI	
C15 Oesophagus	11	11.9 (8.7-15.1)	8	6.6 (4.5-8.7)	19	9.1 (7.3-11.0)	9.1	(7.3-11.0)	
C16 Stomach	17	17.2 (13.5-21.0)	12	8.6 (6.3-10.9)	28	12.5 (10.4-14.6)	12.5	(10.4-14.6)	
C18-20 Colorectal	62	66.5 (59.0-73.9)	49	41.1 (35.8-46.4)	112	52.1 (47.7-56.5)	52.1	(47.7-56.5)	
C25 Pancreas	9	9.9 (7.1-12.8)	12	9.0 (6.6-11.4)	21	9.7 (7.8-11.6)	9.7	(7.8-11.6)	
C33-C34 Lung	77	80.7 (72.6-88.9)	70	58.2 (51.9-64.6)	147	67.9 (62.9-72.9)	67.9	(62.9-72.9)	
C43 Melanoma	5	5.9 (3.7-8.2)	9	8.7 (6.1-11.3)	14	7.3 (5.6-9.0)	7.3	(5.6-9.0)	
C50 Breast	-	-	111	108.6 (99.3-117.8)	-	-	-	-	
C53 Cervix	-	-	11	11.4 (8.3-14.4)	-	-	-	-	
C54-C55 Uterus	-	-	13	12.6 (9.5-15.7)	-	-	-	-	
C56 Ovary	-	-	14	14.0 (10.6-17.4)	-	-	-	-	
C61 Prostate	77	79.2 (71.2-87.1)	-	-	-	-	-	-	
C64 Kidney	11	12.3 (9.1-15.5)	8	6.8 (4.6-9.1)	19	9.5 (7.5-11.4)	9.5	(7.5-11.4)	
C67 Bladder	22	22.7 (18.4-27.1)	7	5.4 (3.5-7.3)	28	12.8 (10.6-14.9)	12.8	(10.6-14.9)	
C71 Brain	7	8.0 (5.4-10.6)	5	5.5 (3.3-7.6)	13	6.6 (5.0-8.3)	6.6	(5.0-8.3)	
C81-96 Haematol	32	34.6 (29.2-40.0)	25	22.2 (18.1-26.2)	57	28.1 (24.7-31.4)	28.1	(24.7-31.4)	


Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tees PCT (5E1) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tees PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	13	13.7	(10.3-17.1)	8	6.4	(4.4-8.5)	21	9.8	(7.8-11.7)
C16 Stomach	10	10.5	(7.5-13.4)	9	6.6	(4.6-8.6)	19	8.5	(6.7-10.2)
C18-20 Colorectal	27	28.7	(23.8-33.6)	21	15.6	(12.5-18.7)	48	21.2	(18.5-23.9)
C25 Pancreas	9	9.5	(6.7-12.3)	11	8.4	(6.2-10.7)	21	9.1	(7.3-10.9)
C33-C34 Lung	71	74.3	(66.4-82.1)	64	52.6	(46.6-58.6)	134	61.9	(57.1-66.6)
C43 Melanoma	1	0.9	(0.0-1.7)	2	1.7	(0.5-2.8)	3	1.3	(0.6-2.0)
C50 Breast	-	-	-	30	26.6	(22.1-31.0)	-	-	-
C53 Cervix	-	-	-	3	3.0	(1.5-4.5)	-	-	-
C54-C55 Uterus	-	-	-	4	3.5	(1.9-5.1)	-	-	-
C56 Ovary	-	-	-	10	9.4	(6.7-12.1)	-	-	-
C61 Prostate	23	25.1	(20.4-29.7)	-	-	-	-	-	-
C64 Kidney	7	7.2	(4.7-9.7)	5	4.2	(2.5-5.9)	12	5.6	(4.2-7.1)
C67 Bladder	9	9.6	(6.8-12.4)	3	2.3	(1.2-3.4)	13	5.2	(3.9-6.5)
C71 Brain	5	5.5	(3.3-7.6)	4	4.5	(2.6-6.4)	9	5.0	(3.5-6.4)
C81-96 Haematol	20	21.4	(17.1-25.6)	14	11.8	(9.0-14.7)	34	16.2	(13.7-18.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tees PCT (5E1) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Tees PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	400	460.8	422.7	(404.0-441.4)	409	449.4	363.6	(347.2-379.9)	809	455.0	385.7	(373.6-397.9)					
C18-20 Colorectal	62	71.8	66.5	(59.0-73.9)	49	54.3	41.1	(35.8-46.4)	112	62.9	52.1	(47.7-56.5)					
C33-C34 Lung	77	88.4	80.7	(72.6-88.9)	70	76.8	58.2	(51.9-64.6)	147	82.4	67.9	(62.9-72.9)					
C50 Breast	-	-	-	-	111	122.5	108.6	(99.3-117.8)	-	-	-	-					
C61 Prostate	77	89.1	79.2	(71.2-87.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

North Tees PCT (5E1) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Tees PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	248	284.9	262.2	(247.5-277.0)	231	253.8	188.0	(176.6-199.3)	478	269.0	219.3	(210.3-228.3)					
C18-20 Colorectal	27	31.1	28.7	(23.8-33.6)	21	22.7	15.6	(12.5-18.7)	48	26.8	21.2	(18.5-23.9)					
C33-C34 Lung	71	81.2	74.3	(66.4-82.1)	64	70.2	52.6	(46.6-58.6)	134	75.6	61.9	(57.1-66.6)					
C50 Breast	-	-	-	-	30	32.8	26.6	(22.1-31.0)	-	-	-	-					
C61 Prostate	23	26.9	25.1	(20.4-29.7)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

North Tees PCT (5E1)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Langbaurgh PCT (5KN) - Incidence



Langbaurgh PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	7	12.9	(8.7-17.1)	6	6.9	(4.2-9.7)	13	9.6	(7.2-12.0)
C16 Stomach	10	16.9	(12.1-21.6)	10	11.0	(7.7-14.3)	20	13.2	(10.5-15.9)
C18-20 Colorectal	39	65.3	(56.0-74.6)	25	29.6	(24.0-35.2)	64	45.2	(40.1-50.3)
C25 Pancreas	5	8.2	(5.0-11.4)	7	8.7	(5.6-11.8)	12	8.5	(6.3-10.7)
C33-C34 Lung	42	69.0	(59.5-78.5)	27	36.6	(30.1-43.1)	69	49.1	(43.8-54.5)
C43 Melanoma	4	9.1	(5.2-13.0)	5	9.1	(5.5-12.8)	10	9.2	(6.5-11.9)
C50 Breast	-	-	-	70	108.6	(96.7-120.6)	-	-	-
C53 Cervix	-	-	-	5	9.3	(5.6-13.0)	-	-	-
C54-C55 Uterus	-	-	-	9	13.3	(9.2-17.4)	-	-	-
C56 Ovary	-	-	-	15	24.3	(18.5-30.1)	-	-	-
C61 Prostate	60	99.8	(88.4-111.3)	-	-	-	-	-	-
C64 Kidney	6	11.0	(7.1-14.9)	5	7.5	(4.4-10.6)	11	9.0	(6.5-11.4)
C67 Bladder	12	21.1	(15.7-26.5)	5	5.2	(3.0-7.4)	17	11.7	(9.1-14.3)
C71 Brain	5	9.9	(6.1-13.7)	3	5.1	(2.4-7.9)	8	7.3	(5.0-9.5)
C81-96 Haematol	19	33.0	(26.2-39.8)	16	21.3	(16.3-26.4)	34	26.8	(22.6-30.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Langbaurgh PCT (5KN) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Langbaurgh PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	8	14.0	(9.6-18.4)	4	4.4	(2.3-6.4)	12	8.2	(6.0-10.3)
C16 Stomach	7	11.3	(7.5-15.1)	7	7.7	(5.0-10.5)	14	9.1	(6.9-11.4)
C18-20 Colorectal	20	32.4	(25.9-38.9)	13	13.8	(10.2-17.5)	32	22.2	(18.6-25.7)
C25 Pancreas	5	8.1	(4.9-11.4)	7	8.0	(5.1-10.9)	12	8.2	(6.0-10.4)
C33-C34 Lung	40	65.8	(56.5-75.1)	26	31.9	(26.1-37.8)	65	45.4	(40.3-50.5)
C43 Melanoma	1	2.1	(0.3-3.9)	1	1.9	(0.3-3.5)	2	2.1	(0.8-3.3)
C50 Breast	-	-	-	26	35.2	(28.7-41.7)	-	-	-
C53 Cervix	-	-	-	3	3.5	(1.4-5.5)	-	-	-
C54-C55 Uterus	-	-	-	3	3.3	(1.4-5.2)	-	-	-
C56 Ovary	-	-	-	7	10.0	(6.4-13.6)	-	-	-
C61 Prostate	16	27.0	(21.0-33.1)	-	-	-	-	-	-
C64 Kidney	4	6.8	(3.8-9.8)	3	3.9	(1.7-6.1)	7	5.1	(3.4-6.9)
C67 Bladder	7	12.6	(8.4-16.8)	4	4.2	(2.3-6.2)	11	7.7	(5.6-9.8)
C71 Brain	4	7.2	(4.0-10.4)	2	3.9	(1.6-6.2)	6	5.5	(3.5-7.4)
C81-96 Haematol	10	16.9	(12.0-21.8)	9	10.5	(7.3-13.8)	19	13.8	(10.9-16.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Langbaurgh PCT (5KN) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Langbaurgh PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 exc C44	252	537.5	430.7	(406.5-454.8)	241	479.0	341.5	(320.9-362.1)	493	507.2	373.4	(358.1-388.7)					
C18-20 Colorectal	39	83.1	65.3	(56.0-74.6)	25	49.8	29.6	(24.0-35.2)	64	65.9	45.2	(40.1-50.3)					
C33-C34 Lung	42	89.1	69.0	(59.5-78.5)	27	54.1	36.6	(30.1-43.1)	69	71.0	49.1	(43.8-54.5)					
C50 Breast	-	-	-	-	70	139.7	108.6	(96.7-120.6)	-	-	-	-					
C61 Prostate	60	128.3	99.8	(88.4-111.3)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Langbaurgh PCT (5KN) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Langbaurgh PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 exc C44	149	317.6	251.5	(233.1-269.9)	136	270.3	169.4	(155.7-183.1)	285	293.1	201.6	(190.7-212.4)					
C18-20 Colorectal	20	41.8	32.4	(25.9-38.9)	13	25.5	13.8	(10.2-17.5)	32	33.3	22.2	(18.6-25.7)					
C33-C34 Lung	40	84.4	65.8	(56.5-75.1)	26	51.0	31.9	(26.1-37.8)	65	67.1	45.4	(40.3-50.5)					
C50 Breast	-	-	-	-	26	51.4	35.2	(28.7-41.7)	-	-	-	-					
C61 Prostate	16	34.5	27.0	(21.0-33.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Langbaurgh PCT (5KN)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

