


Hartlepool PCT (5D9) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




Hartlepool PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	7	13.1	(8.5-17.7)	4	5.1	(2.7-7.6)	10	8.5	(6.1-10.9)		
C16 Stomach	13	24.6	(18.5-30.7)	6	7.7	(4.7-10.7)	18	15.4	(12.2-18.6)		
C18-20 Colorectal	36	72.9	(62.1-83.7)	23	35.2	(28.4-42.1)	59	52.2	(46.1-58.3)		
C25 Pancreas	6	12.2	(7.8-16.6)	5	5.9	(3.4-8.5)	11	9.2	(6.6-11.8)		
C33-C34 Lung	50	99.5	(86.9-112.1)	36	55.9	(47.3-64.6)	86	74.9	(67.6-82.1)		
C43 Melanoma	3	6.8	(3.1-10.4)	5	9.1	(5.3-12.8)	8	7.7	(5.2-10.2)		
C50 Breast	-	-	-	53	100.1	(87.5-112.8)	-	-	-		
C53 Cervix	-	-	-	8	16.1	(10.9-21.2)	-	-	-		
C54-C55 Uterus	-	-	-	8	12.2	(8.1-16.2)	-	-	-		
C56 Ovary	-	-	-	12	23.2	(17.2-29.3)	-	-	-		
C61 Prostate	42	85.5	(73.5-97.4)	-	-	-	-	-	-		
C64 Kidney	8	16.7	(11.6-21.9)	3	5.4	(2.6-8.1)	12	10.5	(7.7-13.3)		
C67 Bladder	15	31.9	(24.5-39.3)	5	6.3	(3.7-8.9)	20	16.7	(13.4-20.1)		
C71 Brain	4	9.9	(5.7-14.0)	2	4.8	(2.0-7.6)	7	7.2	(4.7-9.6)		
C81-96 Haematol	15	31.2	(24.0-38.5)	11	18.8	(13.7-24.0)	26	24.9	(20.5-29.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hartlepool PCT (5D9) - Mortality



Hartlepool PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male Deaths	Male Mortality Rate			Female Deaths	Female Mortality Rate			All Deaths	All Mortality Rate		
		ASM	95% CI			ASM	95% CI			ASM	95% CI	
C15 Oesophagus	8	16.6	(11.4-21.8)		3	4.6	(2.3-6.9)		12	9.7	(7.1-12.3)	
C16 Stomach	8	14.8	(10.1-19.5)		6	8.3	(5.1-11.5)		14	11.4	(8.6-14.1)	
C18-20 Colorectal	16	32.5	(25.1-39.9)		13	18.1	(13.5-22.6)		29	24.2	(20.2-28.3)	
C25 Pancreas	6	11.4	(7.2-15.6)		4	4.7	(2.5-6.9)		10	8.0	(5.7-10.4)	
C33-C34 Lung	46	91.1	(79.1-103.1)		33	50.8	(42.6-59.1)		79	68.4	(61.4-75.3)	
C43 Melanoma	1	1.9	(0.0-3.8)		2	2.7	(0.9-4.6)		3	2.3	(1.0-3.6)	
C50 Breast	-	-			17	27.9	(21.6-34.2)		-	-		
C53 Cervix	-	-			2	4.1	(1.6-6.5)		-	-		
C54-C55 Uterus	-	-			3	3.9	(1.6-6.1)		-	-		
C56 Ovary	-	-			6	11.3	(7.2-15.4)		-	-		
C61 Prostate	15	32.4	(24.6-40.2)		-	-			-	-		
C64 Kidney	4	7.2	(3.8-10.6)		2	2.7	(0.9-4.6)		5	4.6	(2.8-6.4)	
C67 Bladder	9	18.8	(12.9-24.7)		2	3.2	(1.3-5.1)		11	8.2	(6.0-10.4)	
C71 Brain	3	7.1	(3.6-10.6)		2	3.5	(1.1-5.9)		5	5.3	(3.2-7.4)	
C81-96 Haematol	7	14.7	(9.8-19.5)		7	11.3	(7.4-15.3)		14	12.7	(9.7-15.8)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hartlepool PCT (5D9) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Hartlepool PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	242	565.0	492.8	(464.4-521.3)	209	454.3	353.2	(330.6-375.8)	451	507.7	408.4	(391.0-425.7)					
C18-20 Colorectal	36	85.1	72.9	(62.1-83.7)	23	50.0	35.2	(28.4-42.1)	59	66.9	52.2	(46.1-58.3)					
C33-C34 Lung	50	116.9	99.5	(86.9-112.1)	36	78.7	55.9	(47.3-64.6)	86	97.1	74.9	(67.6-82.1)					
C50 Breast	-	-	-	-	53	114.8	100.1	(87.5-112.8)	-	-	-	-					
C61 Prostate	42	98.2	85.5	(73.5-97.4)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	(0.6-1.4)	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Hartlepool PCT (5D9) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Hartlepool PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	151	353.1	308.3	(285.6-330.9)	124	268.7	187.6	(171.9-203.4)	275	309.4	235.4	(222.6-248.2)					
C18-20 Colorectal	16	36.5	32.5	(25.1-39.9)	13	29.1	18.1	(13.5-22.6)	29	32.7	24.2	(20.2-28.3)					
C33-C34 Lung	46	107.6	91.1	(79.1-103.1)	33	71.3	50.8	(42.6-59.1)	79	88.8	68.4	(61.4-75.3)					
C50 Breast	-	-	-	-	17	37.4	27.9	(21.6-34.2)	-	-	-	-					
C61 Prostate	15	34.6	32.4	(24.6-40.2)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Hartlepool PCT (5D9)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

