


North Tees PCT (5E1) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tees PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male		Female		All		Incidence		
	Cases	ASR 95% CI	Cases	ASR 95% CI	Cases	ASR 95% CI	ASR	95% CI	
C15 Oesophagus	11	11.9 (8.7-15.1)	8	6.6 (4.5-8.7)	19	9.1 (7.3-11.0)	9.1	(7.3-11.0)	
C16 Stomach	17	17.2 (13.5-21.0)	12	8.6 (6.3-10.9)	28	12.5 (10.4-14.6)	12.5	(10.4-14.6)	
C18-20 Colorectal	62	66.5 (59.0-73.9)	49	41.1 (35.8-46.4)	112	52.1 (47.7-56.5)	52.1	(47.7-56.5)	
C25 Pancreas	9	9.9 (7.1-12.8)	12	9.0 (6.6-11.4)	21	9.7 (7.8-11.6)	9.7	(7.8-11.6)	
C33-C34 Lung	77	80.7 (72.6-88.9)	70	58.2 (51.9-64.6)	147	67.9 (62.9-72.9)	67.9	(62.9-72.9)	
C43 Melanoma	5	5.9 (3.7-8.2)	9	8.7 (6.1-11.3)	14	7.3 (5.6-9.0)	7.3	(5.6-9.0)	
C50 Breast	-	-	111	108.6 (99.3-117.8)	-	-	-	-	
C53 Cervix	-	-	11	11.4 (8.3-14.4)	-	-	-	-	
C54-C55 Uterus	-	-	13	12.6 (9.5-15.7)	-	-	-	-	
C56 Ovary	-	-	14	14.0 (10.6-17.4)	-	-	-	-	
C61 Prostate	77	79.2 (71.2-87.1)	-	-	-	-	-	-	
C64 Kidney	11	12.3 (9.1-15.5)	8	6.8 (4.6-9.1)	19	9.5 (7.5-11.4)	9.5	(7.5-11.4)	
C67 Bladder	22	22.7 (18.4-27.1)	7	5.4 (3.5-7.3)	28	12.8 (10.6-14.9)	12.8	(10.6-14.9)	
C71 Brain	7	8.0 (5.4-10.6)	5	5.5 (3.3-7.6)	13	6.6 (5.0-8.3)	6.6	(5.0-8.3)	
C81-96 Haematol	32	34.6 (29.2-40.0)	25	22.2 (18.1-26.2)	57	28.1 (24.7-31.4)	28.1	(24.7-31.4)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tees PCT (5E1) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tees PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	13	13.7	(10.3-17.1)	8	6.4	(4.4-8.5)	21	9.8	(7.8-11.7)
C16 Stomach	10	10.5	(7.5-13.4)	9	6.6	(4.6-8.6)	19	8.5	(6.7-10.2)
C18-20 Colorectal	27	28.7	(23.8-33.6)	21	15.6	(12.5-18.7)	48	21.2	(18.5-23.9)
C25 Pancreas	9	9.5	(6.7-12.3)	11	8.4	(6.2-10.7)	21	9.1	(7.3-10.9)
C33-C34 Lung	71	74.3	(66.4-82.1)	64	52.6	(46.6-58.6)	134	61.9	(57.1-66.6)
C43 Melanoma	1	0.9	(0.0-1.7)	2	1.7	(0.5-2.8)	3	1.3	(0.6-2.0)
C50 Breast	-	-	-	30	26.6	(22.1-31.0)	-	-	-
C53 Cervix	-	-	-	3	3.0	(1.5-4.5)	-	-	-
C54-C55 Uterus	-	-	-	4	3.5	(1.9-5.1)	-	-	-
C56 Ovary	-	-	-	10	9.4	(6.7-12.1)	-	-	-
C61 Prostate	23	25.1	(20.4-29.7)	-	-	-	-	-	-
C64 Kidney	7	7.2	(4.7-9.7)	5	4.2	(2.5-5.9)	12	5.6	(4.2-7.1)
C67 Bladder	9	9.6	(6.8-12.4)	3	2.3	(1.2-3.4)	13	5.2	(3.9-6.5)
C71 Brain	5	5.5	(3.3-7.6)	4	4.5	(2.6-6.4)	9	5.0	(3.5-6.4)
C81-96 Haematol	20	21.4	(17.1-25.6)	14	11.8	(9.0-14.7)	34	16.2	(13.7-18.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tees PCT (5E1) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Tees PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	400	460.8	422.7	(404.0-441.4)	409	449.4	363.6	(347.2-379.9)	809	455.0	385.7	(373.6-397.9)					
C18-20 Colorectal	62	71.8	66.5	(59.0-73.9)	49	54.3	41.1	(35.8-46.4)	112	62.9	52.1	(47.7-56.5)					
C33-C34 Lung	77	88.4	80.7	(72.6-88.9)	70	76.8	58.2	(51.9-64.6)	147	82.4	67.9	(62.9-72.9)					
C50 Breast	-	-	-	-	111	122.5	108.6	(99.3-117.8)	-	-	-	-					
C61 Prostate	77	89.1	79.2	(71.2-87.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

North Tees PCT (5E1) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Tees PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	248	284.9	262.2	(247.5-277.0)	231	253.8	188.0	(176.6-199.3)	478	269.0	219.3	(210.3-228.3)					
C18-20 Colorectal	27	31.1	28.7	(23.8-33.6)	21	22.7	15.6	(12.5-18.7)	48	26.8	21.2	(18.5-23.9)					
C33-C34 Lung	71	81.2	74.3	(66.4-82.1)	64	70.2	52.6	(46.6-58.6)	134	75.6	61.9	(57.1-66.6)					
C50 Breast	-	-	-	-	30	32.8	26.6	(22.1-31.0)	-	-	-	-					
C61 Prostate	23	26.9	25.1	(20.4-29.7)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tees PCT (5E1)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

