


Durham Dales PCT (5J8) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham Dales PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI
C15 Oesophagus	5	8.9	(5.2-12.6)		4	5.2	(2.8-7.6)		9	7.0	(4.9-9.2)
C16 Stomach	11	20.5	(15.1-26.0)		8	10.4	(7.0-13.8)		20	14.5	(11.5-17.5)
C18-20 Colorectal	34	65.3	(55.3-75.2)		27	36.8	(30.2-43.5)		61	49.6	(43.8-55.4)
C25 Pancreas	5	9.8	(6.0-13.6)		5	5.6	(3.2-8.0)		10	7.7	(5.5-9.9)
C33-C34 Lung	49	89.9	(78.5-101.3)		32	44.8	(37.3-52.3)		81	63.9	(57.5-70.4)
C43 Melanoma	7	14.3	(9.5-19.1)		7	14.1	(9.2-19.0)		14	14.0	(10.6-17.4)
C50 Breast	-	-	-		70	118.5	(105.4-131.6)		-	-	-
C53 Cervix	-	-	-		5	8.3	(4.8-11.9)		-	-	-
C54-C55 Uterus	-	-	-		9	15.8	(11.0-20.6)		-	-	-
C56 Ovary	-	-	-		11	17.0	(12.0-21.9)		-	-	-
C61 Prostate	36	64.9	(55.3-74.6)		-	-	-		-	-	-
C64 Kidney	7	13.4	(8.8-17.9)		7	10.4	(6.5-14.3)		14	11.7	(8.8-14.6)
C67 Bladder	12	22.1	(16.5-27.8)		5	6.8	(4.0-9.6)		17	13.6	(10.6-16.6)
C71 Brain	4	9.3	(5.4-13.2)		3	6.7	(3.2-10.2)		8	7.9	(5.3-10.5)
C81-96 Haematol	14	27.7	(21.0-34.3)		14	21.9	(16.2-27.5)		28	24.0	(19.8-28.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham Dales PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male Deaths	Male Mortality Rate			Female Deaths	Female Mortality Rate			All Deaths	All Mortality Rate		
		ASM	95% CI			ASM	95% CI			ASM	95% CI	
C15 Oesophagus	4	8.8	(5.1-12.5)		4	4.3	(2.1-6.5)		8	6.5	(4.4-8.5)	
C16 Stomach	10	18.0	(12.9-23.1)		5	6.0	(3.4-8.6)		15	10.9	(8.3-13.5)	
C18-20 Colorectal	20	38.0	(30.5-45.6)		14	16.9	(12.6-21.2)		34	26.8	(22.6-31.0)	
C25 Pancreas	5	8.7	(5.1-12.3)		6	7.0	(4.3-9.7)		11	7.9	(5.7-10.2)	
C33-C34 Lung	45	81.0	(70.3-91.8)		26	36.2	(29.6-42.9)		71	55.2	(49.2-61.1)	
C43 Melanoma	1	2.8	(0.7-4.9)		0	0.3	(0.0-0.8)		2	1.5	(0.5-2.6)	
C50 Breast	-	-	-		21	30.0	(23.8-36.3)		-	-	-	
C53 Cervix	-	-	-		3	4.5	(1.9-7.0)		-	-	-	
C54-C55 Uterus	-	-	-		2	3.0	(0.9-5.1)		-	-	-	
C56 Ovary	-	-	-		7	11.0	(7.1-14.9)		-	-	-	
C61 Prostate	15	25.9	(19.9-32.0)		-	-	-		-	-	-	
C64 Kidney	3	4.9	(2.2-7.6)		3	3.7	(1.6-5.9)		5	4.4	(2.6-6.1)	
C67 Bladder	5	9.4	(5.7-13.1)		3	3.6	(1.7-5.5)		8	5.5	(3.8-7.3)	
C71 Brain	2	4.1	(1.5-6.7)		3	5.2	(2.2-8.1)		5	4.7	(2.7-6.6)	
C81-96 Haematol	10	18.6	(13.2-24.0)		7	9.9	(6.3-13.6)		16	13.4	(10.3-16.5)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Durham Dales PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	221	530.4	418.7	(393.7-443.8)	240	539.6	370.2	(347.6-392.8)	461	535.1	385.3	(368.8-401.7)					
C18-20 Colorectal	34	81.9	65.3	(55.3-75.2)	27	61.2	36.8	(30.2-43.5)	61	71.2	49.6	(43.8-55.4)					
C33-C34 Lung	49	117.9	89.9	(78.5-101.3)	32	71.5	44.8	(37.3-52.3)	81	93.9	63.9	(57.5-70.4)					
C50 Breast	-	-	-	-	70	158.3	118.5	(105.4-131.6)	-	-	-	-					
C61 Prostate	36	85.8	64.9	(55.3-74.6)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Durham Dales PCT (5J8) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Durham Dales PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	143	343.6	265.9	(246.1-285.6)	130	292.7	176.2	(161.4-191.0)	274	317.3	212.8	(201.0-224.7)					
C18-20 Colorectal	20	47.9	38.0	(30.5-45.6)	14	31.0	16.9	(12.6-21.2)	34	39.2	26.8	(22.6-31.0)					
C33-C34 Lung	45	106.9	81.0	(70.3-91.8)	26	58.5	36.2	(29.6-42.9)	71	81.9	55.2	(49.2-61.1)					
C50 Breast	-	-	-	-	21	47.7	30.0	(23.8-36.3)	-	-	-	-					
C61 Prostate	15	35.0	25.9	(19.9-32.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham Dales PCT (5J8)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

