


Darlington PCT (5J9) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Darlington PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	8	14.5	(10.0-19.0)	6	7.4	(4.5-10.4)	14	10.6	(8.0-13.2)		
C16 Stomach	10	16.9	(12.1-21.7)	7	7.3	(4.7-9.9)	17	11.3	(8.8-13.9)		
C18-20 Colorectal	36	62.8	(53.5-72.1)	28	33.9	(27.8-39.9)	65	46.4	(41.1-51.7)		
C25 Pancreas	5	8.7	(5.2-12.3)	6	7.9	(4.8-11.0)	11	8.2	(5.9-10.5)		
C33-C34 Lung	48	80.5	(70.2-90.9)	40	54.3	(46.2-62.4)	88	64.3	(58.1-70.6)		
C43 Melanoma	7	13.8	(9.3-18.3)	11	17.8	(12.7-22.8)	18	15.9	(12.5-19.3)		
C50 Breast	-	-	-	72	116.7	(104.0-129.4)	-	-	-		
C53 Cervix	-	-	-	8	14.6	(9.9-19.2)	-	-	-		
C54-C55 Uterus	-	-	-	10	14.3	(10.0-18.5)	-	-	-		
C56 Ovary	-	-	-	10	15.7	(11.1-20.3)	-	-	-		
C61 Prostate	53	88.7	(77.8-99.5)	-	-	-	-	-	-		
C64 Kidney	5	8.9	(5.4-12.5)	4	4.7	(2.4-6.9)	9	6.7	(4.7-8.8)		
C67 Bladder	15	26.2	(20.2-32.3)	7	8.4	(5.3-11.4)	21	16.3	(13.1-19.5)		
C71 Brain	6	10.9	(6.9-14.9)	3	5.5	(2.6-8.3)	9	8.0	(5.6-10.4)		
C81-96 Haematol	21	38.9	(31.3-46.4)	20	29.6	(23.3-35.9)	41	33.5	(28.7-38.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Darlington PCT (5J9) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Darlington PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	7	12.2	(8.1-16.2)	6	6.4	(3.8-9.1)	13	8.9	(6.6-11.2)
C16 Stomach	7	11.7	(7.7-15.7)	6	5.4	(3.4-7.5)	13	8.0	(5.9-10.0)
C18-20 Colorectal	20	34.1	(27.3-40.9)	13	13.9	(10.2-17.5)	33	22.3	(18.7-25.9)
C25 Pancreas	5	8.2	(4.8-11.6)	7	8.3	(5.3-11.3)	12	8.4	(6.1-10.6)
C33-C34 Lung	43	72.0	(62.2-81.7)	32	42.6	(35.6-49.6)	75	54.4	(48.7-60.2)
C43 Melanoma	2	3.4	(1.3-5.6)	0	0.7	(0.0-1.7)	2	1.9	(0.8-3.0)
C50 Breast	-	-	-	22	28.6	(22.7-34.4)	-	-	-
C53 Cervix	-	-	-	3	4.4	(1.9-6.9)	-	-	-
C54-C55 Uterus	-	-	-	3	4.7	(2.3-7.2)	-	-	-
C56 Ovary	-	-	-	5	7.6	(4.6-10.6)	-	-	-
C61 Prostate	14	22.7	(17.3-28.0)	-	-	-	-	-	-
C64 Kidney	3	5.9	(3.1-8.7)	2	2.8	(1.0-4.5)	6	4.2	(2.6-5.8)
C67 Bladder	6	10.3	(6.6-14.1)	4	4.8	(2.5-7.1)	10	7.1	(5.0-9.2)
C71 Brain	4	6.8	(3.6-10.0)	2	2.9	(0.9-4.9)	5	4.8	(2.9-6.6)
C81-96 Haematol	11	18.5	(13.5-23.6)	9	13.2	(9.1-17.3)	20	15.3	(12.2-18.4)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Darlington PCT (5J9) - Incidence

Darlington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	256	542.6	446.5	(421.6-471.3)	266	521.9	380.4	(358.4-402.4)	522	531.9	402.4	(386.3-418.5)					
C18-20 Colorectal	36	77.2	62.8	(53.5-72.1)	28	55.3	33.9	(27.8-39.9)	65	65.8	46.4	(41.1-51.7)					
C33-C34 Lung	48	101.7	80.5	(70.2-90.9)	40	77.6	54.3	(46.2-62.4)	88	89.2	64.3	(58.1-70.6)					
C50 Breast	-	-	-	-	72	141.8	116.7	(104.0-129.4)	-	-	-	-					
C61 Prostate	53	112.3	88.7	(77.8-99.5)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Darlington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Darlington PCT (5J9) - Mortality

Darlington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	151	320.1	257.2	(238.6-275.9)	142	278.6	174.1	(160.1-188.1)	293	298.5	207.9	(196.8-219.1)					
C18-20 Colorectal	20	42.8	34.1	(27.3-40.9)	13	25.9	13.9	(10.2-17.5)	33	34.0	22.3	(18.7-25.9)					
C33-C34 Lung	43	90.7	72.0	(62.2-81.7)	32	63.5	42.6	(35.6-49.6)	75	76.6	54.4	(48.7-60.2)					
C50 Breast	-	-	-	-	22	42.7	28.6	(22.7-34.4)	-	-	-	-					
C61 Prostate	14	30.5	22.7	(17.3-28.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Darlington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

