


# Sedgefield PCT (5KE) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Sedgefield PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	5	8.8	(5.2-12.5)	5	5.6	(3.2-8.0)	9	7.4	(5.2-9.6)		
C16 Stomach	10	20.3	(14.7-25.9)	7	8.7	(5.6-11.8)	17	13.9	(10.9-17.0)		
C18-20 Colorectal	37	72.3	(61.8-82.9)	24	36.0	(29.3-42.8)	61	52.5	(46.5-58.6)		
C25 Pancreas	4	7.8	(4.4-11.1)	4	6.7	(3.7-9.7)	8	7.0	(4.8-9.2)		
C33-C34 Lung	54	103.6	(91.1-116.2)	35	55.6	(47.0-64.2)	90	75.3	(68.2-82.5)		
C43 Melanoma	4	9.6	(5.4-13.7)	6	11.5	(7.3-15.7)	10	10.5	(7.6-13.4)		
C50 Breast	-	-	-	57	105.8	(93.1-118.4)	-	-	-		
C53 Cervix	-	-	-	7	15.0	(10.0-20.1)	-	-	-		
C54-C55 Uterus	-	-	-	8	14.7	(10.1-19.4)	-	-	-		
C56 Ovary	-	-	-	12	20.4	(15.0-25.8)	-	-	-		
C61 Prostate	36	68.0	(57.9-78.1)	-	-	-	-	-	-		
C64 Kidney	5	10.2	(6.2-14.3)	4	5.5	(2.8-8.1)	9	7.7	(5.4-10.1)		
C67 Bladder	12	23.1	(17.1-29.1)	6	7.9	(4.8-11.0)	18	14.2	(11.2-17.3)		
C71 Brain	5	9.9	(5.9-13.9)	3	4.4	(1.8-7.0)	7	7.0	(4.7-9.4)		
C81-96 Haematol	14	29.9	(22.7-37.0)	14	24.3	(18.2-30.5)	28	26.4	(21.8-30.9)		

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Sedgefield PCT (5KE) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Sedgefield PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	6	10.6	(6.6-14.5)	4	5.0	(2.8-7.2)	10	7.6	(5.4-9.8)
C16 Stomach	7	13.2	(8.7-17.7)	4	5.4	(3.0-7.8)	11	8.7	(6.3-11.0)
C18-20 Colorectal	15	28.9	(22.1-35.7)	12	15.9	(11.7-20.1)	27	21.8	(18.0-25.6)
C25 Pancreas	5	8.6	(5.0-12.2)	4	6.0	(3.1-8.9)	8	6.9	(4.7-9.1)
C33-C34 Lung	46	86.4	(75.0-97.8)	30	45.9	(38.2-53.5)	76	62.5	(56.1-69.0)
C43 Melanoma	1	2.9	(0.7-5.0)	2	3.2	(1.1-5.3)	3	3.1	(1.6-4.6)
C50 Breast	-	-	-	18	28.9	(22.6-35.2)	-	-	-
C53 Cervix	-	-	-	2	3.7	(1.4-6.0)	-	-	-
C54-C55 Uterus	-	-	-	2	3.0	(0.9-5.0)	-	-	-
C56 Ovary	-	-	-	8	12.9	(8.7-17.1)	-	-	-
C61 Prostate	14	26.5	(20.0-33.0)	-	-	-	-	-	-
C64 Kidney	2	4.8	(2.0-7.6)	1	2.1	(0.5-3.7)	4	3.2	(1.7-4.7)
C67 Bladder	4	8.8	(5.0-12.5)	2	2.9	(1.2-4.5)	7	5.2	(3.4-7.0)
C71 Brain	3	6.4	(3.2-9.6)	3	4.2	(1.8-6.6)	6	5.3	(3.3-7.3)
C81-96 Haematol	6	13.7	(8.8-18.5)	8	11.9	(8.0-15.8)	14	12.5	(9.5-15.5)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Sedgefield PCT (5KE) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Sedgefield PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	227	532.6	<b>447.1</b>	(420.6-473.7)	225	499.6	<b>373.4</b>	(350.5-396.3)	452	515.6	<b>399.2</b>	(382.3-416.2)					
C18-20 Colorectal	37	86.8	<b>72.3</b>	(61.8-82.9)	24	54.2	<b>36.0</b>	(29.3-42.8)	61	70.0	<b>52.5</b>	(46.5-58.6)					
C33-C34 Lung	54	127.6	<b>103.6</b>	(91.1-116.2)	35	78.6	<b>55.6</b>	(47.0-64.2)	90	102.4	<b>75.3</b>	(68.2-82.5)					
C50 Breast	-	-	-	-	57	127.0	<b>105.8</b>	(93.1-118.4)	-	-	-	-					
C61 Prostate	36	84.5	<b>68.0</b>	(57.9-78.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2485	519.6	<b>445.7</b>	(437.7-453.6)	2408	475.8	<b>362.6</b>	(355.8-369.5)	4894	497.1	<b>393.6</b>	(388.5-398.7)					
C18-20 Colorectal	372	77.8	<b>66.4</b>	(63.4-69.5)	271	53.5	<b>36.0</b>	(33.9-38.0)	643	65.3	<b>49.6</b>	(47.9-51.4)					
C33-C34 Lung	479	100.1	<b>83.9</b>	(80.4-87.3)	364	71.9	<b>50.7</b>	(48.2-53.1)	842	85.6	<b>64.5</b>	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	<b>111.5</b>	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	<b>86.5</b>	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)					
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-					

# Sedgefield PCT (5KE) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Sedgefield PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	137	321.0	<b>265.5</b>	(245.2-285.9)	128	283.3	<b>189.9</b>	(174.4-205.5)	264	301.6	<b>219.9</b>	(207.7-232.1)					
C18-20 Colorectal	15	34.3	<b>28.9</b>	(22.1-35.7)	12	27.1	<b>15.9</b>	(11.7-20.1)	27	30.6	<b>21.8</b>	(18.0-25.6)					
C33-C34 Lung	46	107.5	<b>86.4</b>	(75.0-97.8)	30	67.1	<b>45.9</b>	(38.2-53.5)	76	86.7	<b>62.5</b>	(56.1-69.0)					
C50 Breast	-	-	-	-	18	40.0	<b>28.9</b>	(22.6-35.2)	-	-	-	-					
C61 Prostate	14	31.9	<b>26.5</b>	(20.0-33.0)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1490	311.4	<b>264.5</b>	(258.4-270.6)	1336	263.9	<b>179.1</b>	(174.5-183.6)	2825	287.0	<b>213.8</b>	(210.2-217.5)					
C18-20 Colorectal	172	36.0	<b>30.7</b>	(28.6-32.7)	127	25.1	<b>15.2</b>	(13.9-16.5)	299	30.4	<b>22.0</b>	(20.9-23.2)					
C33-C34 Lung	437	91.3	<b>76.5</b>	(73.3-79.8)	318	62.7	<b>43.1</b>	(40.9-45.4)	754	76.6	<b>57.1</b>	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	<b>30.5</b>	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	<b>25.7</b>	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)					
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Sedgefield PCT (5KE)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

