


Hambleton & Richmondshire PCT (5KH) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hambleton & Richmondshire PCT							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	8	10.7	(7.4-14.1)	6	5.6	(3.5-7.7)	14	8.0	(6.1-9.9)
C16 Stomach	12	16.0	(11.9-20.1)	5	4.6	(2.6-6.6)	17	10.0	(7.8-12.2)
C18-20 Colorectal	38	52.3	(44.8-59.9)	29	30.5	(25.1-35.8)	66	40.5	(36.0-45.0)
C25 Pancreas	7	9.8	(6.5-13.1)	6	5.8	(3.6-7.9)	13	7.6	(5.7-9.5)
C33-C34 Lung	41	55.2	(47.5-62.8)	27	29.2	(24.0-34.5)	67	40.3	(35.9-44.7)
C43 Melanoma	9	13.2	(9.2-17.2)	10	13.6	(9.7-17.6)	19	13.6	(10.8-16.5)
C50 Breast	-	-	-	90	125.6	(113.6-137.6)	-	-	-
C53 Cervix	-	-	-	5	7.3	(4.4-10.2)	-	-	-
C54-C55 Uterus	-	-	-	10	13.6	(9.7-17.4)	-	-	-
C56 Ovary	-	-	-	11	14.7	(10.7-18.7)	-	-	-
C61 Prostate	76	105.2	(94.5-115.8)	-	-	-	-	-	-
C64 Kidney	8	12.3	(8.5-16.2)	4	4.8	(2.7-7.0)	12	8.4	(6.3-10.6)
C67 Bladder	14	18.8	(14.4-23.3)	5	5.9	(3.6-8.2)	20	11.4	(9.1-13.7)
C71 Brain	6	8.7	(5.5-11.9)	5	7.3	(4.2-10.5)	11	7.8	(5.6-10.0)
C81-96 Haematol	23	35.2	(28.7-41.6)	16	20.1	(15.4-24.8)	40	27.2	(23.3-31.1)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Hambleton & Richmondshire PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	10	13.3	(9.5-17.1)	6	5.0	(3.0-6.9)	15	8.9	(6.8-11.0)
C16 Stomach	5	6.4	(3.9-8.9)	4	3.6	(1.9-5.3)	9	4.9	(3.4-6.4)
C18-20 Colorectal	16	21.9	(17.0-26.9)	11	10.3	(7.4-13.2)	27	15.4	(12.7-18.0)
C25 Pancreas	7	9.9	(6.6-13.2)	8	8.1	(5.4-10.9)	15	8.9	(6.8-11.0)
C33-C34 Lung	38	51.1	(43.7-58.5)	26	28.0	(23.0-33.1)	64	37.5	(33.3-41.7)
C43 Melanoma	2	3.0	(1.1-4.9)	2	2.4	(0.7-4.1)	4	2.6	(1.4-3.8)
C50 Breast	-	-	-	29	37.8	(31.4-44.3)	-	-	-
C53 Cervix	-	-	-	3	2.5	(1.0-3.9)	-	-	-
C54-C55 Uterus	-	-	-	3	3.4	(1.6-5.1)	-	-	-
C56 Ovary	-	-	-	9	11.0	(7.7-14.2)	-	-	-
C61 Prostate	18	23.8	(18.8-28.8)	-	-	-	-	-	-
C64 Kidney	2	3.6	(1.5-5.7)	2	1.9	(0.6-3.3)	4	2.7	(1.5-3.9)
C67 Bladder	6	7.2	(4.5-9.9)	3	3.1	(1.5-4.7)	9	4.6	(3.3-6.0)
C71 Brain	3	5.1	(2.7-7.5)	2	3.8	(1.4-6.2)	6	4.3	(2.7-5.9)
C81-96 Haematol	11	16.4	(12.1-20.7)	11	11.6	(8.3-15.0)	22	14.0	(11.3-16.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Hambleton & Richmondshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	291	498.9	411.1	(389.7-432.4)	264	454.9	328.7	(309.9-347.4)	556	476.9	361.0	(347.1-374.8)					
C18-20 Colorectal	38	64.4	52.3	(44.8-59.9)	29	49.2	30.5	(25.1-35.8)	66	56.8	40.5	(36.0-45.0)					
C33-C34 Lung	41	69.6	55.2	(47.5-62.8)	27	46.1	29.2	(24.0-34.5)	67	57.9	40.3	(35.9-44.7)					
C50 Breast	-	-	-	-	90	154.1	125.6	(113.6-137.6)	-	-	-	-					
C61 Prostate	76	130.2	105.2	(94.5-115.8)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	2485	519.6	445.7	(437.7-453.6)	2408	475.8	362.6	(355.8-369.5)	4894	497.1	393.6	(388.5-398.7)					
C18-20 Colorectal	372	77.8	66.4	(63.4-69.5)	271	53.5	36.0	(33.9-38.0)	643	65.3	49.6	(47.9-51.4)					
C33-C34 Lung	479	100.1	83.9	(80.4-87.3)	364	71.9	50.7	(48.2-53.1)	842	85.6	64.5	(62.5-66.5)					
C50 Breast	-	-	-	-	666	131.6	111.5	(107.6-115.5)	-	-	-	-					
C61 Prostate	497	103.8	86.5	(83.0-89.9)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Hambleton & Richmondshire PCT (5KH) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Hambleton & Richmondshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	148	253.9	204.6	(189.7-219.5)	141	243.3	155.6	(143.3-167.8)	290	248.6	174.0	(164.8-183.3)					
C18-20 Colorectal	16	26.7	21.9	(17.0-26.9)	11	19.3	10.3	(7.4-13.2)	27	23.0	15.4	(12.7-18.0)					
C33-C34 Lung	38	64.4	51.1	(43.7-58.5)	26	45.1	28.0	(23.0-33.1)	64	54.8	37.5	(33.3-41.7)					
C50 Breast	0	0.0	0.0	(0.0-0.0)	29	49.5	37.8	(31.4-44.3)	-	-	-	-					
C61 Prostate	18	30.5	23.8	(18.8-28.8)	-	-	-	-	-	-	-	-					

Cancer Care Alliance										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	1490	311.4	264.5	(258.4-270.6)	1336	263.9	179.1	(174.5-183.6)	2825	287.0	213.8	(210.2-217.5)					
C18-20 Colorectal	172	36.0	30.7	(28.6-32.7)	127	25.1	15.2	(13.9-16.5)	299	30.4	22.0	(20.9-23.2)					
C33-C34 Lung	437	91.3	76.5	(73.3-79.8)	318	62.7	43.1	(40.9-45.4)	754	76.6	57.1	(55.3-59.0)					
C50 Breast	-	-	-	-	207	40.9	30.5	(28.5-32.5)	-	-	-	-					
C61 Prostate	146	30.6	25.7	(23.8-27.6)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Hambleton & Richmondshire PCT (5KH)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

