


# Langbaurgh PCT (5KN) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Langbaurgh PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	7	12.9	(8.7-17.1)	6	6.9	(4.2-9.7)	13	9.6	(7.2-12.0)
C16 Stomach	10	16.9	(12.1-21.6)	10	11.0	(7.7-14.3)	20	13.2	(10.5-15.9)
C18-20 Colorectal	39	65.3	(56.0-74.6)	25	29.6	(24.0-35.2)	64	45.2	(40.1-50.3)
C25 Pancreas	5	8.2	(5.0-11.4)	7	8.7	(5.6-11.8)	12	8.5	(6.3-10.7)
C33-C34 Lung	42	69.0	(59.5-78.5)	27	36.6	(30.1-43.1)	69	49.1	(43.8-54.5)
C43 Melanoma	4	9.1	(5.2-13.0)	5	9.1	(5.5-12.8)	10	9.2	(6.5-11.9)
C50 Breast	-	-	-	70	108.6	(96.7-120.6)	-	-	-
C53 Cervix	-	-	-	5	9.3	(5.6-13.0)	-	-	-
C54-C55 Uterus	-	-	-	9	13.3	(9.2-17.4)	-	-	-
C56 Ovary	-	-	-	15	24.3	(18.5-30.1)	-	-	-
C61 Prostate	60	99.8	(88.4-111.3)	-	-	-	-	-	-
C64 Kidney	6	11.0	(7.1-14.9)	5	7.5	(4.4-10.6)	11	9.0	(6.5-11.4)
C67 Bladder	12	21.1	(15.7-26.5)	5	5.2	(3.0-7.4)	17	11.7	(9.1-14.3)
C71 Brain	5	9.9	(6.1-13.7)	3	5.1	(2.4-7.9)	8	7.3	(5.0-9.5)
C81-96 Haematol	19	33.0	(26.2-39.8)	16	21.3	(16.3-26.4)	34	26.8	(22.6-30.9)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Langbaurgh PCT (5KN) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Langbaurgh PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	8	14.0	(9.6-18.4)	4	4.4	(2.3-6.4)	12	8.2	(6.0-10.3)
C16 Stomach	7	11.3	(7.5-15.1)	7	7.7	(5.0-10.5)	14	9.1	(6.9-11.4)
C18-20 Colorectal	20	32.4	(25.9-38.9)	13	13.8	(10.2-17.5)	32	22.2	(18.6-25.7)
C25 Pancreas	5	8.1	(4.9-11.4)	7	8.0	(5.1-10.9)	12	8.2	(6.0-10.4)
C33-C34 Lung	40	65.8	(56.5-75.1)	26	31.9	(26.1-37.8)	65	45.4	(40.3-50.5)
C43 Melanoma	1	2.1	(0.3-3.9)	1	1.9	(0.3-3.5)	2	2.1	(0.8-3.3)
C50 Breast	-	-	-	26	35.2	(28.7-41.7)	-	-	-
C53 Cervix	-	-	-	3	3.5	(1.4-5.5)	-	-	-
C54-C55 Uterus	-	-	-	3	3.3	(1.4-5.2)	-	-	-
C56 Ovary	-	-	-	7	10.0	(6.4-13.6)	-	-	-
C61 Prostate	16	27.0	(21.0-33.1)	-	-	-	-	-	-
C64 Kidney	4	6.8	(3.8-9.8)	3	3.9	(1.7-6.1)	7	5.1	(3.4-6.9)
C67 Bladder	7	12.6	(8.4-16.8)	4	4.2	(2.3-6.2)	11	7.7	(5.6-9.8)
C71 Brain	4	7.2	(4.0-10.4)	2	3.9	(1.6-6.2)	6	5.5	(3.5-7.4)
C81-96 Haematol	10	16.9	(12.0-21.8)	9	10.5	(7.3-13.8)	19	13.8	(10.9-16.7)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Langbaurgh PCT (5KN) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

Langbaurgh PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 exc C44	252	537.5	<b>430.7</b>	(406.5-454.8)	241	479.0	<b>341.5</b>	(320.9-362.1)	493	507.2	<b>373.4</b>	(358.1-388.7)					
C18-20 Colorectal	39	83.1	<b>65.3</b>	(56.0-74.6)	25	49.8	<b>29.6</b>	(24.0-35.2)	64	65.9	<b>45.2</b>	(40.1-50.3)					
C33-C34 Lung	42	89.1	<b>69.0</b>	(59.5-78.5)	27	54.1	<b>36.6</b>	(30.1-43.1)	69	71.0	<b>49.1</b>	(43.8-54.5)					
C50 Breast	-	-	-	-	70	139.7	<b>108.6</b>	(96.7-120.6)	-	-	-	-					
C61 Prostate	60	128.3	<b>99.8</b>	(88.4-111.3)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	2485	519.6	<b>445.7</b>	(437.7-453.6)	2408	475.8	<b>362.6</b>	(355.8-369.5)	4894	497.1	<b>393.6</b>	(388.5-398.7)
C18-20 Colorectal	372	77.8	<b>66.4</b>	(63.4-69.5)	271	53.5	<b>36.0</b>	(33.9-38.0)	643	65.3	<b>49.6</b>	(47.9-51.4)
C33-C34 Lung	479	100.1	<b>83.9</b>	(80.4-87.3)	364	71.9	<b>50.7</b>	(48.2-53.1)	842	85.6	<b>64.5</b>	(62.5-66.5)
C50 Breast	-	-	-	-	666	131.6	<b>111.5</b>	(107.6-115.5)	-	-	-	-
C61 Prostate	497	103.8	<b>86.5</b>	(83.0-89.9)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-

# Langbaurgh PCT (5KN) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Langbaurgh PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 exc C44	149	317.6	<b>251.5</b>	(233.1-269.9)	136	270.3	<b>169.4</b>	(155.7-183.1)	285	293.1	<b>201.6</b>	(190.7-212.4)					
C18-20 Colorectal	20	41.8	<b>32.4</b>	(25.9-38.9)	13	25.5	<b>13.8</b>	(10.2-17.5)	32	33.3	<b>22.2</b>	(18.6-25.7)					
C33-C34 Lung	40	84.4	<b>65.8</b>	(56.5-75.1)	26	51.0	<b>31.9</b>	(26.1-37.8)	65	67.1	<b>45.4</b>	(40.3-50.5)					
C50 Breast	-	-	-	-	26	51.4	<b>35.2</b>	(28.7-41.7)	-	-	-	-					
C61 Prostate	16	34.5	<b>27.0</b>	(21.0-33.1)	-	-	-	-	-	-	-	-					

Cancer Care Alliance												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	1490	311.4	<b>264.5</b>	(258.4-270.6)	1336	263.9	<b>179.1</b>	(174.5-183.6)	2825	287.0	<b>213.8</b>	(210.2-217.5)
C18-20 Colorectal	172	36.0	<b>30.7</b>	(28.6-32.7)	127	25.1	<b>15.2</b>	(13.9-16.5)	299	30.4	<b>22.0</b>	(20.9-23.2)
C33-C34 Lung	437	91.3	<b>76.5</b>	(73.3-79.8)	318	62.7	<b>43.1</b>	(40.9-45.4)	754	76.6	<b>57.1</b>	(55.3-59.0)
C50 Breast	-	-	-	-	207	40.9	<b>30.5</b>	(28.5-32.5)	-	-	-	-
C61 Prostate	146	30.6	<b>25.7</b>	(23.8-27.6)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Langbaurgh PCT (5KN)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

