


North Lincolnshire PCT (5EF) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Lincolnshire PCT							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	12	13.6	(10.1-17.0)	8	5.9	(4.0-7.9)	20	9.2	(7.4-11.1)
C16 Stomach	19	20.6	(16.3-24.8)	9	7.4	(5.1-9.8)	27	12.9	(10.7-15.2)
C18-20 Colorectal	54	59.6	(52.4-66.8)	41	34.7	(29.6-39.8)	95	45.6	(41.3-49.8)
C25 Pancreas	8	8.2	(5.6-10.9)	9	7.4	(5.1-9.7)	17	7.8	(6.0-9.5)
C33-C34 Lung	68	74.5	(66.5-82.6)	39	33.9	(28.9-39.0)	107	51.4	(47.0-55.9)
C43 Melanoma	5	6.5	(3.9-9.0)	11	12.2	(8.8-15.6)	16	9.3	(7.2-11.4)
C50 Breast	-	-	-	101	108.0	(98.2-117.8)	-	-	-
C53 Cervix	-	-	-	11	13.6	(9.9-17.2)	-	-	-
C54-C55 Uterus	-	-	-	18	17.8	(14.0-21.7)	-	-	-
C56 Ovary	-	-	-	19	20.3	(16.1-24.5)	-	-	-
C61 Prostate	68	72.9	(65.1-80.8)	-	-	-	-	-	-
C64 Kidney	10	11.2	(8.0-14.3)	4	4.0	(2.1-5.9)	13	7.3	(5.5-9.1)
C67 Bladder	21	22.6	(18.2-26.9)	7	5.0	(3.3-6.8)	28	12.5	(10.4-14.6)
C71 Brain	7	8.4	(5.5-11.2)	5	5.6	(3.2-8.0)	11	6.8	(5.0-8.7)
C81-96 Haematol	43	50.8	(43.9-57.8)	27	24.9	(20.4-29.3)	70	36.8	(32.8-40.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Lincolnshire PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	13	13.8	(10.3-17.2)	9	6.8	(4.7-8.9)	22	9.8	(7.9-11.7)
C16 Stomach	14	14.7	(11.2-18.3)	7	5.2	(3.3-7.1)	20	9.1	(7.3-10.9)
C18-20 Colorectal	29	32.6	(27.2-37.9)	25	18.2	(14.7-21.6)	54	24.6	(21.6-27.7)
C25 Pancreas	8	8.8	(6.1-11.6)	9	6.7	(4.6-8.8)	17	7.8	(6.1-9.5)
C33-C34 Lung	64	69.3	(61.6-77.0)	37	32.3	(27.4-37.3)	101	48.0	(43.6-52.3)
C43 Melanoma	2	2.7	(1.1-4.3)	2	2.2	(0.8-3.5)	5	2.5	(1.5-3.6)
C50 Breast	-	-	-	33	28.1	(23.5-32.8)	-	-	-
C53 Cervix	-	-	-	5	4.6	(2.6-6.7)	-	-	-
C54-C55 Uterus	-	-	-	4	2.6	(1.3-3.9)	-	-	-
C56 Ovary	-	-	-	14	13.8	(10.5-17.2)	-	-	-
C61 Prostate	28	30.1	(25.0-35.1)	-	-	-	-	-	-
C64 Kidney	7	7.5	(4.9-10.1)	2	1.9	(0.7-3.2)	9	4.5	(3.1-5.9)
C67 Bladder	11	12.3	(9.1-15.6)	6	3.6	(2.2-5.0)	17	7.1	(5.5-8.6)
C71 Brain	5	5.9	(3.5-8.3)	4	4.2	(2.3-6.2)	9	5.0	(3.5-6.5)
C81-96 Haematol	22	26.0	(21.1-30.9)	15	12.2	(9.2-15.1)	37	18.2	(15.5-20.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Lincolnshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	379	515.4	422.6	(403.3-442.0)	349	454.6	335.4	(318.7-352.1)	728	484.4	367.1	(354.8-379.5)					
C18-20 Colorectal	54	73.7	59.6	(52.4-66.8)	41	53.2	34.7	(29.6-39.8)	95	63.2	45.6	(41.3-49.8)					
C33-C34 Lung	68	92.8	74.5	(66.5-82.6)	39	50.9	33.9	(28.9-39.0)	107	71.4	51.4	(47.0-55.9)					
C50 Breast	-	-	-	-	101	132.2	108.0	(98.2-117.8)	-	-	-	-					
C61 Prostate	68	92.8	72.9	(65.1-80.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

North Lincolnshire PCT (5EF) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Lincolnshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	248	336.7	271.9	(256.5-287.3)	202	263.9	167.3	(156.2-178.3)	450	299.6	210.4	(201.4-219.3)					
C18-20 Colorectal	29	40.0	32.6	(27.2-37.9)	25	32.3	18.2	(14.7-21.6)	54	36.1	24.6	(21.6-27.7)					
C33-C34 Lung	64	87.0	69.3	(61.6-77.0)	37	48.5	32.3	(27.4-37.3)	101	67.4	48.0	(43.6-52.3)					
C50 Breast	-	-	-	-	33	42.5	28.1	(23.5-32.8)	-	-	-	-					
C61 Prostate	28	38.6	30.1	(25.0-35.1)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



West Hull PCT (5E6) - Incidence




West Hull PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	10	15.1	(10.9-19.2)	5	5.4	(3.1-7.7)	16	9.7	(7.4-11.9)
C16 Stomach	16	21.7	(16.8-26.5)	8	7.1	(4.7-9.5)	25	13.3	(10.8-15.8)
C18-20 Colorectal	47	65.5	(56.9-74.1)	33	31.5	(26.2-36.9)	80	47.0	(42.2-51.9)
C25 Pancreas	9	14.0	(9.9-18.2)	9	9.6	(6.5-12.7)	18	11.7	(9.1-14.2)
C33-C34 Lung	81	116.2	(104.6-127.7)	50	54.9	(47.5-62.4)	131	82.3	(75.7-88.9)
C43 Melanoma	4	5.5	(2.9-8.1)	5	7.2	(4.3-10.2)	9	6.3	(4.4-8.3)
C50 Breast	-	-	-	75	104.2	(92.9-115.5)	-	-	-
C53 Cervix	-	-	-	10	15.0	(10.7-19.3)	-	-	-
C54-C55 Uterus	-	-	-	10	13.6	(9.6-17.6)	-	-	-
C56 Ovary	-	-	-	16	19.1	(14.5-23.7)	-	-	-
C61 Prostate	52	70.1	(61.5-78.8)	-	-	-	-	-	-
C64 Kidney	5	8.1	(5.0-11.2)	5	6.1	(3.4-8.7)	10	6.9	(4.9-8.9)
C67 Bladder	16	21.9	(16.9-26.8)	9	7.8	(5.3-10.3)	25	13.7	(11.1-16.2)
C71 Brain	5	6.9	(4.1-9.8)	4	6.3	(3.6-9.1)	9	6.5	(4.5-8.5)
C81-96 Haematol	29	42.6	(35.5-49.6)	25	28.5	(23.0-34.1)	54	34.8	(30.5-39.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Hull PCT (5E6) - Mortality



West Hull PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	13	19.2	(14.4-23.9)	7	6.6	(4.1-9.2)	20	12.3	(9.7-14.8)			
C16 Stomach	11	14.5	(10.6-18.4)	5	4.2	(2.4-6.0)	16	8.5	(6.5-10.4)			
C18-20 Colorectal	19	26.1	(20.8-31.4)	16	13.8	(10.4-17.1)	36	19.1	(16.1-22.1)			
C25 Pancreas	8	11.2	(7.6-14.9)	8	8.9	(5.9-11.9)	16	9.9	(7.6-12.2)			
C33-C34 Lung	72	101.6	(90.8-112.3)	46	48.9	(42.0-55.8)	118	72.5	(66.3-78.6)			
C43 Melanoma	1	2.0	(0.4-3.6)	1	1.2	(0.1-2.2)	2	1.5	(0.6-2.5)			
C50 Breast	-	-	-	21	24.7	(19.5-30.0)	-	-	-			
C53 Cervix	-	-	-	3	4.2	(1.9-6.5)	-	-	-			
C54-C55 Uterus	-	-	-	3	3.3	(1.5-5.1)	-	-	-			
C56 Ovary	-	-	-	9	8.9	(6.1-11.8)	-	-	-			
C61 Prostate	19	24.6	(19.6-29.7)	-	-	-	-	-	-			
C64 Kidney	3	4.2	(2.0-6.4)	2	2.3	(0.8-3.8)	5	3.2	(1.9-4.5)			
C67 Bladder	10	14.8	(10.7-18.9)	7	5.7	(3.6-7.7)	18	9.5	(7.4-11.7)			
C71 Brain	4	6.4	(3.7-9.2)	3	4.8	(2.4-7.1)	8	5.5	(3.7-7.2)			
C81-96 Haematol	15	20.2	(15.5-24.9)	13	12.9	(9.3-16.5)	27	15.9	(13.0-18.7)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Hull PCT (5E6) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

West Hull PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	326	512.7	462.8	(439.9-485.7)	305	458.9	357.9	(338.1-377.6)	630	485.2	397.9	(383.3-412.6)					
C18-20 Colorectal	47	74.0	65.5	(56.9-74.1)	33	50.0	31.5	(26.2-36.9)	80	61.7	47.0	(38.8-48.8)					
C33-C34 Lung	81	126.8	116.2	(104.6-127.7)	50	75.6	54.9	(47.5-62.4)	131	100.7	82.3	(74.1-88.0)					
C50 Breast	-	-	-	-	75	112.4	104.2	(92.9-115.5)	-	-	-	-					
C61 Prostate	52	82.1	70.1	(61.5-78.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)				
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)				
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)				
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-				
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-				

West Hull PCT (5E6) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002


West Hull PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	211	331.4	294.7	(276.5-312.8)	174	261.9	177.4	(164.3-190.6)	384	295.9	227.0	(216.3-237.8)					
C18-20 Colorectal	19	30.5	26.1	(20.8-31.4)	16	24.7	13.8	(10.4-17.1)	36	27.6	19.1	(16.1-22.1)					
C33-C34 Lung	72	112.7	101.6	(90.8-112.3)	46	69.9	48.9	(42.0-55.8)	118	90.8	72.5	(66.3-78.6)					
C50 Breast	-	-	-	-	21	31.6	24.7	(19.5-30.0)	-	-	-	-					
C61 Prostate	19	29.6	24.6	(19.6-29.7)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)				
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)				
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)				
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-				
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-				

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.




Eastern Hull PCT (5E5) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Eastern Hull PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	10	18.3	(13.2-23.3)	5	7.0	(4.2-9.8)	16	12.2	(9.4-15.0)
C16 Stomach	16	26.6	(20.7-32.6)	9	9.6	(6.5-12.6)	24	16.7	(13.7-19.8)
C18-20 Colorectal	35	55.9	(47.5-64.3)	28	35.1	(28.9-41.3)	63	43.8	(38.8-48.8)
C25 Pancreas	5	8.9	(5.4-12.4)	6	6.7	(4.1-9.3)	11	8.0	(5.8-10.2)
C33-C34 Lung	67	112.1	(99.9-124.3)	44	57.5	(49.5-65.5)	111	81.1	(74.1-88.0)
C43 Melanoma	2	3.3	(1.1-5.4)	3	5.3	(2.6-7.9)	5	4.4	(2.7-6.1)
C50 Breast	-	-	-	62	97.9	(86.5-109.2)	-	-	-
C53 Cervix	-	-	-	8	12.1	(8.2-16.0)	-	-	-
C54-C55 Uterus	-	-	-	8	12.1	(8.1-16.1)	-	-	-
C56 Ovary	-	-	-	12	18.1	(13.3-22.9)	-	-	-
C61 Prostate	45	74.1	(64.2-84.0)	-	-	-	-	-	-
C64 Kidney	8	13.8	(9.5-18.2)	4	6.7	(3.6-9.7)	12	9.8	(7.2-12.4)
C67 Bladder	13	22.1	(16.6-27.5)	7	8.4	(5.3-11.4)	20	14.1	(11.3-16.9)
C71 Brain	2	4.3	(1.8-6.7)	3	5.0	(2.5-7.5)	6	4.6	(2.9-6.4)
C81-96 Haematol	20	35.5	(28.5-42.6)	18	25.6	(20.1-31.1)	39	29.4	(25.2-33.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Hull PCT (5E5) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Eastern Hull PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	9	15.4	(10.8-19.9)	5	6.6	(4.0-9.2)	14	10.8	(8.2-13.3)
C16 Stomach	12	19.9	(14.6-25.1)	6	6.6	(4.1-9.2)	18	11.9	(9.4-14.5)
C18-20 Colorectal	18	29.3	(23.0-35.6)	12	14.8	(10.9-18.7)	30	20.8	(17.4-24.2)
C25 Pancreas	4	7.5	(4.3-10.7)	6	7.0	(4.3-9.7)	10	7.5	(5.4-9.5)
C33-C34 Lung	58	97.4	(86.0-108.9)	39	48.7	(41.5-55.9)	97	69.3	(62.9-75.6)
C43 Melanoma	1	2.5	(0.6-4.4)	1	1.5	(0.3-2.7)	3	2.0	(0.9-3.2)
C50 Breast	-	-	-	22	30.8	(24.7-36.8)	-	-	-
C53 Cervix	-	-	-	3	3.5	(1.4-5.5)	-	-	-
C54-C55 Uterus	-	-	-	3	4.5	(2.2-6.9)	-	-	-
C56 Ovary	-	-	-	7	9.4	(6.0-12.7)	-	-	-
C61 Prostate	15	24.9	(19.1-30.8)	-	-	-	-	-	-
C64 Kidney	3	5.7	(2.9-8.4)	3	4.8	(2.3-7.2)	7	5.1	(3.3-6.9)
C67 Bladder	8	13.0	(8.8-17.3)	3	3.1	(1.3-4.8)	10	6.9	(5.0-8.8)
C71 Brain	2	3.1	(1.1-5.2)	2	3.3	(1.3-5.2)	4	3.2	(1.8-4.6)
C81-96 Haematol	12	21.0	(15.6-26.4)	11	13.4	(9.7-17.2)	23	16.6	(13.5-19.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Hull PCT (5E5) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Eastern Hull PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	266	463.4	448.8	(424.3-473.3)	254	422.5	354.9	(334.3-375.5)	521	442.5	388.7	(373.3-404.1)					
C18-20 Colorectal	35	60.5	55.9	(47.5-64.3)	28	46.2	35.1	(28.9-41.3)	63	53.2	43.8	(38.8-48.8)					
C33-C34 Lung	67	116.2	112.1	(99.9-124.3)	44	73.7	57.5	(49.5-65.5)	111	94.5	81.1	(74.1-88.0)					
C50 Breast	-	-	-	-	62	102.6	97.9	(86.5-109.2)	-	-	-	-					
C61 Prostate	45	77.9	74.1	(64.2-84.0)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)		
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-		

Eastern Hull PCT (5E5) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002


Eastern Hull PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	172	298.5	290.8	(270.9-310.6)	154	255.8	190.6	(176.3-205.0)	326	276.6	231.1	(219.6-242.7)					
C18-20 Colorectal	18	30.6	29.3	(23.0-35.6)	12	20.6	14.8	(10.9-18.7)	30	25.5	20.8	(17.4-24.2)					
C33-C34 Lung	58	100.9	97.4	(86.0-108.9)	39	64.8	48.7	(41.5-55.9)	97	82.4	69.3	(62.9-75.6)					
C50 Breast	-	-	-	-	22	37.2	30.8	(24.7-36.8)	-	-	-	-					
C61 Prostate	15	25.7	24.9	(19.1-30.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)		
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.




Yorkshire Wolds & Coast (5E4) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Yorkshire Wolds & Coast							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	14	14.0	(10.7-17.3)	7	4.9	(3.2-6.7)	21	9.1	(7.3-10.9)
C16 Stomach	16	16.5	(12.9-20.2)	9	7.2	(5.0-9.4)	26	11.4	(9.3-13.4)
C18-20 Colorectal	54	54.5	(47.8-61.1)	39	30.2	(25.5-34.8)	93	40.9	(37.0-44.8)
C25 Pancreas	10	10.5	(7.6-13.5)	11	8.6	(6.2-11.1)	21	9.7	(7.8-11.6)
C33-C34 Lung	67	67.2	(59.9-74.6)	38	32.2	(27.3-37.0)	104	47.8	(43.5-52.0)
C43 Melanoma	8	9.3	(6.4-12.1)	10	10.6	(7.4-13.7)	18	9.8	(7.7-12.0)
C50 Breast	-	-	-	109	111.8	(101.9-121.6)	-	-	-
C53 Cervix	-	-	-	12	14.0	(10.3-17.7)	-	-	-
C54-C55 Uterus	-	-	-	19	17.7	(13.9-21.5)	-	-	-
C56 Ovary	-	-	-	18	17.0	(13.2-20.8)	-	-	-
C61 Prostate	72	69.2	(61.9-76.4)	-	-	-	-	-	-
C64 Kidney	11	11.3	(8.3-14.4)	5	4.8	(2.8-6.9)	16	7.9	(6.0-9.7)
C67 Bladder	24	23.6	(19.3-27.8)	7	5.3	(3.4-7.1)	32	13.2	(11.1-15.3)
C71 Brain	7	6.9	(4.5-9.2)	6	6.3	(3.9-8.7)	13	6.5	(4.9-8.2)
C81-96 Haematol	41	45.1	(38.7-51.5)	32	29.2	(24.3-34.1)	73	36.5	(32.5-40.4)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast (5E4) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Yorkshire Wolds & Coast		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	12	12.2	(9.1-15.3)	7	4.5	(2.9-6.1)	19	8.0	(6.3-9.6)			
C16 Stomach	12	11.7	(8.7-14.8)	5	2.9	(1.6-4.2)	16	6.9	(5.3-8.4)			
C18-20 Colorectal	27	26.9	(22.3-31.6)	18	12.3	(9.5-15.0)	46	18.7	(16.2-21.3)			
C25 Pancreas	10	10.2	(7.3-13.1)	10	7.4	(5.2-9.6)	20	8.8	(7.0-10.7)			
C33-C34 Lung	55	53.3	(46.9-59.7)	35	28.4	(23.9-32.8)	90	39.0	(35.2-42.8)			
C43 Melanoma	3	2.9	(1.2-4.6)	1	1.1	(0.1-2.0)	4	2.0	(1.0-3.0)			
C50 Breast	-	-	-	36	32.5	(27.4-37.6)	-	-	-			
C53 Cervix	-	-	-	4	3.6	(1.9-5.2)	-	-	-			
C54-C55 Uterus	-	-	-	5	3.7	(2.2-5.2)	-	-	-			
C56 Ovary	-	-	-	14	12.2	(9.2-15.2)	-	-	-			
C61 Prostate	30	27.8	(23.2-32.3)	-	-	-	-	-	-			
C64 Kidney	4	4.3	(2.5-6.2)	3	2.3	(1.0-3.6)	7	3.3	(2.2-4.4)			
C67 Bladder	11	10.1	(7.3-12.9)	4	2.1	(1.0-3.1)	14	5.3	(4.0-6.6)			
C71 Brain	5	5.9	(3.6-8.2)	5	5.5	(3.3-7.7)	11	5.7	(4.1-7.3)			
C81-96 Haematol	21	21.5	(17.2-25.7)	14	10.3	(7.7-12.8)	35	15.4	(13.0-17.7)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast PCT (5E4) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Yorkshire Wolds & Coast PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	381	543.8	388.9	(371.0-406.8)	371	504.9	340.9	(324.2-357.6)	752	523.9	357.0	(345.0-369.0)					
C18-20 Colorectal	54	76.9	54.5	(47.8-61.1)	39	52.8	30.2	(25.5-34.8)	93	64.5	40.9	(37.0-44.8)					
C33-C34 Lung	67	95.2	67.2	(59.9-74.6)	38	51.4	32.2	(27.3-37.0)	104	72.8	47.8	(43.5-52.0)					
C50 Breast	-	-	-	-	109	148.6	111.8	(101.9-121.6)	-	-	-	-					
C61 Prostate	72	102.9	69.2	(61.9-76.4)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Yorkshire Wolds & Coast PCT (5E4) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Yorkshire Wolds & Coast PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	231	330.3	228.4	(214.9-241.8)	202	274.6	159.3	(148.6-169.9)	433	301.8	187.3	(179.1-195.6)					
C18-20 Colorectal	27	38.9	26.9	(22.3-31.6)	18	25.0	12.3	(9.5-15.0)	46	31.8	18.7	(16.2-21.3)					
C33-C34 Lung	55	78.3	53.3	(46.9-59.7)	35	47.4	28.4	(23.9-32.8)	90	62.5	39.0	(35.2-42.8)					
C50 Breast	-	-	-	-	36	49.5	32.5	(27.4-37.6)	-	-	-	-					
C61 Prostate	30	42.3	27.8	(23.2-32.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast PCT (5E4)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




East Yorkshire PCT (5E3) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




East Yorkshire PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	13	12.2	(9.2-15.2)	9	6.2	(4.3-8.2)	22	9.1	(7.4-10.8)		
C16 Stomach	18	16.5	(13.0-20.0)	9	6.0	(4.2-7.9)	27	10.5	(8.7-12.3)		
C18-20 Colorectal	59	56.3	(49.9-62.8)	56	40.3	(35.2-45.3)	115	47.1	(43.1-51.0)		
C25 Pancreas	10	9.4	(6.7-12.0)	12	7.5	(5.4-9.5)	22	8.3	(6.7-10.0)		
C33-C34 Lung	68	62.9	(56.2-69.7)	44	32.5	(27.9-37.1)	112	44.9	(41.0-48.7)		
C43 Melanoma	9	9.6	(6.7-12.4)	11	10.2	(7.3-13.0)	20	9.9	(7.9-11.9)		
C50 Breast	-	-	-	126	114.6	(105.3-124.0)	-	-	-		
C53 Cervix	-	-	-	13	13.6	(10.2-17.0)	-	-	-		
C54-C55 Uterus	-	-	-	21	18.3	(14.7-22.0)	-	-	-		
C56 Ovary	-	-	-	26	24.4	(20.1-28.8)	-	-	-		
C61 Prostate	93	86.3	(78.4-94.2)	-	-	-	-	-	-		
C64 Kidney	9	8.9	(6.3-11.5)	8	6.9	(4.6-9.1)	17	7.8	(6.1-9.5)		
C67 Bladder	26	23.9	(19.8-28.1)	9	6.1	(4.3-8.0)	35	13.4	(11.3-15.4)		
C71 Brain	7	6.9	(4.6-9.3)	6	6.1	(3.9-8.3)	13	6.5	(4.9-8.0)		
C81-96 Haematol	40	40.6	(34.9-46.3)	33	27.1	(22.6-31.6)	73	32.8	(29.2-36.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3) - Mortality



East Yorkshire PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	14	12.8	(9.7-15.8)	9	6.1	(4.2-7.9)	23	9.2	(7.4-10.9)			
C16 Stomach	11	10.5	(7.8-13.3)	7	4.0	(2.6-5.5)	18	6.7	(5.3-8.1)			
C18-20 Colorectal	27	25.6	(21.2-30.0)	22	13.6	(10.8-16.3)	48	18.7	(16.2-21.1)			
C25 Pancreas	8	8.0	(5.6-10.4)	11	6.9	(5.0-8.8)	20	7.4	(5.9-8.9)			
C33-C34 Lung	59	54.6	(48.3-60.8)	39	28.1	(23.9-32.3)	98	38.6	(35.1-42.2)			
C43 Melanoma	2	2.4	(1.0-3.8)	2	1.8	(0.6-2.9)	4	2.1	(1.2-2.9)			
C50 Breast	-	-	-	36	27.9	(23.5-32.2)	-	-	-			
C53 Cervix	-	-	-	5	3.7	(2.1-5.3)	-	-	-			
C54-C55 Uterus	-	-	-	5	3.6	(2.1-5.1)	-	-	-			
C56 Ovary	-	-	-	15	12.3	(9.4-15.2)	-	-	-			
C61 Prostate	31	28.5	(24.0-33.0)	-	-	-	-	-	-			
C64 Kidney	5	4.5	(2.7-6.4)	5	3.9	(2.3-5.5)	10	4.2	(3.0-5.4)			
C67 Bladder	13	12.3	(9.3-15.2)	6	2.9	(1.8-4.0)	19	6.6	(5.2-7.9)			
C71 Brain	5	5.2	(3.2-7.1)	6	5.3	(3.2-7.3)	11	5.1	(3.7-6.5)			
C81-96 Haematol	21	20.3	(16.3-24.2)	18	12.1	(9.4-14.8)	39	15.5	(13.2-17.8)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

East Yorkshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	417	511.4	397.8	(380.5-415.1)	440	510.4	361.7	(345.6-377.8)	857	510.9	368.3	(356.9-379.8)	857	510.9	368.3	(356.9-379.8)	
C18-20 Colorectal	59	72.8	56.3	(49.9-62.8)	56	64.8	40.3	(35.2-45.3)	115	68.7	47.1	(43.1-51.0)	115	68.7	47.1	(43.1-51.0)	
C33-C34 Lung	68	83.3	62.9	(56.2-69.7)	44	50.6	32.5	(27.9-37.1)	112	66.5	44.9	(41.0-48.7)	112	66.5	44.9	(41.0-48.7)	
C50 Breast	-	-	-	-	126	146.8	114.6	(105.3-124.0)	-	-	-	-	-	-	-	-	
C61 Prostate	93	113.7	86.3	(78.4-94.2)	-	-	-	-	-	-	-	-	-	-	-	-	

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)	5114	498.3	368.0	(363.3-372.8)	
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)	652	63.5	44.3	(42.7-45.8)	
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)	789	76.8	54.3	(52.6-56.1)	
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-	-	-	-	-	
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	32093	492.4	384.5	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	4154	63.7	47.3	(46.6-47.9)	
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	5287	81.1	60.7	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	-	-	-	-	
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	-	-	-	-	

East Yorkshire PCT (5E3) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

East Yorkshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	238	291.4	222.1	(209.4-234.9)	224	260.6	156.0	(146.1-165.8)	462	275.6	180.2	(172.6-187.8)	462	275.6	180.2	(172.6-187.8)	
C18-20 Colorectal	27	32.6	25.6	(21.2-30.0)	22	25.3	13.6	(10.8-16.3)	48	28.9	18.7	(16.2-21.1)	48	28.9	18.7	(16.2-21.1)	
C33-C34 Lung	59	72.5	54.6	(48.3-60.8)	39	45.3	28.1	(23.9-32.3)	98	58.5	38.6	(35.1-42.2)	98	58.5	38.6	(35.1-42.2)	
C50 Breast	-	-	-	-	36	42.3	27.9	(23.5-32.2)	-	-	-	-	-	-	-	-	
C61 Prostate	31	38.5	28.5	(24.0-33.0)	-	-	-	-	-	-	-	-	-	-	-	-	

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)	2970	289.3	196.2	(192.9-199.5)	
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)	311	30.3	19.7	(18.7-20.7)	
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)	702	68.4	47.0	(45.4-48.6)	
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-	-	-	-	-	
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	18379	282.0	205.4	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	1881	28.9	20.3	(19.9-20.7)	
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	4719	72.4	53.3	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	-	-	-	-	
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002




Northern and Yorkshire
Cancer Registry and Information Service



North East Lincolnshire PCT (5AN) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North East Lincolnshire PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI			
C15 Oesophagus	12	13.0	(9.7-16.3)	8	6.0	(3.9-8.0)	20	9.3	(7.4-11.2)			
C16 Stomach	18	18.7	(14.7-22.6)	9	6.7	(4.6-8.8)	27	11.8	(9.7-13.9)			
C18-20 Colorectal	48	53.3	(46.5-60.1)	41	33.6	(28.7-38.5)	90	42.5	(38.4-46.6)			
C25 Pancreas	9	10.1	(7.1-13.1)	9	7.3	(4.9-9.6)	18	8.3	(6.5-10.1)			
C33-C34 Lung	68	72.9	(65.0-80.8)	40	34.2	(29.1-39.3)	108	50.8	(46.4-55.3)			
C43 Melanoma	5	6.1	(3.7-8.4)	9	10.0	(7.0-13.0)	15	8.0	(6.1-9.8)			
C50 Breast	-	-	-	116	119.3	(109.0-129.5)	-	-	-			
C53 Cervix	-	-	-	15	17.0	(13.0-20.9)	-	-	-			
C54-C55 Uterus	-	-	-	14	13.8	(10.4-17.2)	-	-	-			
C56 Ovary	-	-	-	18	18.7	(14.7-22.8)	-	-	-			
C61 Prostate	80	83.0	(74.8-91.3)	-	-	-	-	-	-			
C64 Kidney	10	11.2	(8.0-14.4)	7	6.9	(4.4-9.4)	16	9.0	(7.0-11.0)			
C67 Bladder	21	23.1	(18.7-27.6)	8	6.4	(4.3-8.5)	30	13.7	(11.4-16.0)			
C71 Brain	8	8.9	(6.0-11.8)	5	5.4	(3.2-7.6)	13	6.9	(5.2-8.7)			
C81-96 Haematol	30	34.9	(29.3-40.5)	21	19.9	(15.9-24.0)	52	26.9	(23.5-30.3)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North East Lincolnshire PCT							Mortality		
							Mean Annual Deaths 1998-2002		
ICD-10 Code	Male Mortality Rate			Female Mortality Rate			All Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	14	14.8	(11.3-18.3)	6	4.3	(2.7-5.9)	20	9.4	(7.5-11.3)
C16 Stomach	12	12.3	(9.2-15.4)	6	4.5	(2.8-6.2)	18	7.6	(6.0-9.2)
C18-20 Colorectal	27	28.7	(23.8-33.7)	20	14.7	(11.6-17.8)	47	20.8	(18.0-23.6)
C25 Pancreas	8	8.9	(6.1-11.7)	9	7.0	(4.7-9.3)	17	7.6	(5.9-9.3)
C33-C34 Lung	63	66.7	(59.2-74.2)	36	30.0	(25.3-34.7)	99	45.7	(41.6-49.9)
C43 Melanoma	2	1.8	(0.5-3.1)	2	2.1	(0.8-3.5)	4	1.8	(1.0-2.7)
C50 Breast	-	-	-	36	31.6	(26.6-36.6)	-	-	-
C53 Cervix	-	-	-	5	4.7	(2.7-6.8)	-	-	-
C54-C55 Uterus	-	-	-	4	2.5	(1.3-3.8)	-	-	-
C56 Ovary	-	-	-	13	12.4	(9.2-15.6)	-	-	-
C61 Prostate	30	30.8	(25.8-35.9)	-	-	-	-	-	-
C64 Kidney	5	5.4	(3.2-7.6)	4	3.5	(1.8-5.1)	9	4.5	(3.1-5.9)
C67 Bladder	10	10.4	(7.5-13.4)	7	5.1	(3.2-6.9)	17	7.3	(5.7-8.9)
C71 Brain	6	6.7	(4.2-9.2)	5	4.6	(2.6-6.6)	10	5.6	(4.0-7.1)
C81-96 Haematol	17	18.1	(14.2-22.1)	11	9.2	(6.6-11.8)	28	13.0	(10.8-15.3)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

North East Lincolnshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	376	490.6	410.7	(391.8-429.5)	371	457.3	348.2	(331.3-365.2)	748	473.5	368.9	(356.6-381.2)					
C18-20 Colorectal	48	63.1	53.3	(46.5-60.1)	41	50.7	33.6	(28.7-38.5)	90	56.7	42.5	(38.4-46.6)					
C33-C34 Lung	68	88.4	72.9	(65.0-80.8)	40	49.0	34.2	(29.1-39.3)	108	68.1	50.8	(46.4-55.3)					
C50 Breast	-	-	-	-	116	142.3	119.3	(109.0-129.5)	-	-	-	-					
C61 Prostate	80	104.3	83.0	(74.8-91.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	(0.4-1.0)	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

North East Lincolnshire PCT (5AN) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North East Lincolnshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	240	313.3	255.5	(240.8-270.2)	200	245.8	163.1	(152.1-174.1)	440	278.6	200.7	(192.0-209.5)					
C18-20 Colorectal	27	35.2	28.7	(23.8-33.7)	20	24.9	14.7	(11.6-17.8)	47	29.9	20.8	(18.0-23.6)					
C33-C34 Lung	63	82.1	66.7	(59.2-74.2)	36	44.3	30.0	(25.3-34.7)	99	62.7	45.7	(41.6-49.9)					
C50 Breast	-	-	-	-	36	44.8	31.6	(26.6-36.6)	-	-	-	-					
C61 Prostate	30	38.6	30.8	(25.8-35.9)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Scarborough Whitby & Ryedale PCT (5KK) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Scarborough Whitby & Ryedale		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	15	13.6	(10.4-16.8)	9	5.2	(3.5-6.9)	24	9.2	(7.4-10.9)
C16 Stomach	18	16.1	(12.7-19.5)	11	6.2	(4.3-8.0)	30	10.7	(8.8-12.5)
C18-20 Colorectal	64	56.2	(49.8-62.5)	53	34.4	(29.8-39.0)	117	44.0	(40.2-47.8)
C25 Pancreas	11	9.2	(6.7-11.7)	12	6.4	(4.5-8.3)	22	7.6	(6.1-9.2)
C33-C34 Lung	68	58.3	(51.9-64.6)	48	31.3	(27.0-35.6)	116	43.3	(39.6-47.0)
C43 Melanoma	11	11.6	(8.4-14.7)	12	12.4	(9.0-15.7)	23	11.9	(9.6-14.2)
C50 Breast	-	-	-	128	111.4	(102.1-120.7)	-	-	-
C53 Cervix	-	-	-	8	8.2	(5.5-10.9)	-	-	-
C54-C55 Uterus	-	-	-	16	13.1	(10.1-16.2)	-	-	-
C56 Ovary	-	-	-	25	20.9	(16.9-24.8)	-	-	-
C61 Prostate	94	77.2	(70.1-84.3)	-	-	-	-	-	-
C64 Kidney	12	12.2	(9.1-15.3)	7	4.2	(2.6-5.8)	19	8.0	(6.3-9.7)
C67 Bladder	27	22.2	(18.3-26.0)	14	7.7	(5.7-9.7)	40	13.6	(11.6-15.6)
C71 Brain	8	8.3	(5.6-11.1)	6	5.6	(3.4-7.7)	13	6.9	(5.2-8.6)
C81-96 Haematol	39	37.8	(32.3-43.3)	39	28.9	(24.3-33.4)	78	33.0	(29.4-36.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Scarborough Whitby & Ryedale							Mortality		
Mean Annual Deaths 1998-2002									
ICD-10 Code	Male Mortality Rate			Female Mortality Rate			All Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	15	13.5	(10.4-16.6)	9	4.7	(3.1-6.2)	24	8.8	(7.1-10.5)
C16 Stomach	12	10.6	(7.8-13.3)	9	4.3	(2.8-5.7)	21	7.1	(5.6-8.6)
C18-20 Colorectal	28	23.0	(19.0-26.9)	22	12.0	(9.5-14.5)	50	16.8	(14.6-19.1)
C25 Pancreas	10	8.1	(5.7-10.5)	11	6.1	(4.3-8.0)	21	7.0	(5.5-8.4)
C33-C34 Lung	60	49.8	(44.1-55.6)	38	24.2	(20.5-27.9)	99	35.3	(32.0-38.6)
C43 Melanoma	3	3.0	(1.5-4.5)	2	1.5	(0.6-2.5)	6	2.2	(1.4-3.1)
C50 Breast	-	-	-	42	30.8	(26.1-35.4)	-	-	-
C53 Cervix	-	-	-	3	2.1	(0.8-3.4)	-	-	-
C54-C55 Uterus	-	-	-	6	4.2	(2.7-5.8)	-	-	-
C56 Ovary	-	-	-	15	10.4	(7.8-13.1)	-	-	-
C61 Prostate	32	24.5	(20.6-28.3)	-	-	-	-	-	-
C64 Kidney	5	4.2	(2.4-6.0)	5	3.1	(1.8-4.5)	10	3.6	(2.5-4.7)
C67 Bladder	7	5.7	(3.7-7.7)	7	3.2	(2.0-4.3)	14	4.2	(3.1-5.2)
C71 Brain	7	7.0	(4.5-9.4)	5	4.3	(2.5-6.1)	11	5.5	(4.0-7.0)
C81-96 Haematol	17	15.1	(11.7-18.4)	19	11.7	(9.0-14.3)	36	13.1	(11.0-15.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Scarborough Whitby & Ryedale										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	438	579.6	390.3	(373.3-407.2)	441	540.3	335.3	(319.9-350.8)	879	559.2	354.5	(343.3-365.8)					
C18-20 Colorectal	64	84.9	56.2	(49.8-62.5)	53	64.5	34.4	(29.8-39.0)	117	74.3	44.0	(40.2-47.8)					
C33-C34 Lung	68	89.9	58.3	(51.9-64.6)	48	58.8	31.3	(27.0-35.6)	116	73.8	43.3	(39.6-47.0)					
C50 Breast	-	-	-	-	128	156.4	111.4	(102.1-120.7)	-	-	-	-					
C61 Prostate	94	124.5	77.2	(70.1-84.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Scarborough Whitby & Ryedale PCT (5KK) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Scarborough Whitby & Ryedale										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	243	320.7	205.1	(193.2-217.0)	232	284.1	146.8	(137.3-156.2)	474	301.7	170.6	(163.2-177.9)					
C18-20 Colorectal	28	36.5	23.0	(19.0-26.9)	22	27.2	12.0	(9.5-14.5)	50	31.7	16.8	(14.6-19.1)					
C33-C34 Lung	60	79.6	49.8	(44.1-55.6)	38	47.1	24.2	(20.5-27.9)	99	62.7	35.3	(32.0-38.6)					
C50 Breast	1	0.8	0.4	(0.0-0.9)	42	51.5	30.8	(26.1-35.4)	-	-	-	-					
C61 Prostate	32	42.8	24.5	(20.6-28.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK)



Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

