


North East Lincolnshire PCT (5AN) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



| North East Lincolnshire PCT | | | | | | | Incidence | | |
|-----------------------------|-------|--------------------|-------------|--------|--------------------|---------------|-----------|--------------------|-------------|
| Mean Annual Cases 1998-2002 | | | | | | | | | |
| ICD-10 Code | Male | | | Female | | | All | | |
| | Cases | Incidence Rate ASR | 95% CI | Cases | Incidence Rate ASR | 95% CI | Cases | Incidence Rate ASR | 95% CI |
| C15 Oesophagus | 12 | 13.0 | (9.7-16.3) | 8 | 6.0 | (3.9-8.0) | 20 | 9.3 | (7.4-11.2) |
| C16 Stomach | 18 | 18.7 | (14.7-22.6) | 9 | 6.7 | (4.6-8.8) | 27 | 11.8 | (9.7-13.9) |
| C18-20 Colorectal | 48 | 53.3 | (46.5-60.1) | 41 | 33.6 | (28.7-38.5) | 90 | 42.5 | (38.4-46.6) |
| C25 Pancreas | 9 | 10.1 | (7.1-13.1) | 9 | 7.3 | (4.9-9.6) | 18 | 8.3 | (6.5-10.1) |
| C33-C34 Lung | 68 | 72.9 | (65.0-80.8) | 40 | 34.2 | (29.1-39.3) | 108 | 50.8 | (46.4-55.3) |
| C43 Melanoma | 5 | 6.1 | (3.7-8.4) | 9 | 10.0 | (7.0-13.0) | 15 | 8.0 | (6.1-9.8) |
| C50 Breast | - | - | - | 116 | 119.3 | (109.0-129.5) | - | - | - |
| C53 Cervix | - | - | - | 15 | 17.0 | (13.0-20.9) | - | - | - |
| C54-C55 Uterus | - | - | - | 14 | 13.8 | (10.4-17.2) | - | - | - |
| C56 Ovary | - | - | - | 18 | 18.7 | (14.7-22.8) | - | - | - |
| C61 Prostate | 80 | 83.0 | (74.8-91.3) | - | - | - | - | - | - |
| C64 Kidney | 10 | 11.2 | (8.0-14.4) | 7 | 6.9 | (4.4-9.4) | 16 | 9.0 | (7.0-11.0) |
| C67 Bladder | 21 | 23.1 | (18.7-27.6) | 8 | 6.4 | (4.3-8.5) | 30 | 13.7 | (11.4-16.0) |
| C71 Brain | 8 | 8.9 | (6.0-11.8) | 5 | 5.4 | (3.2-7.6) | 13 | 6.9 | (5.2-8.7) |
| C81-96 Haematol | 30 | 34.9 | (29.3-40.5) | 21 | 19.9 | (15.9-24.0) | 52 | 26.9 | (23.5-30.3) |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



| North East Lincolnshire PCT | | | | | | | Mortality | | |
|-----------------------------|---------------------|------|-------------|-----------------------|------|-------------|------------------------------|------|-------------|
| | | | | | | | Mean Annual Deaths 1998-2002 | | |
| ICD-10 Code | Male Mortality Rate | | | Female Mortality Rate | | | All Mortality Rate | | |
| | Deaths | ASM | 95% CI | Deaths | ASM | 95% CI | Deaths | ASM | 95% CI |
| C15 Oesophagus | 14 | 14.8 | (11.3-18.3) | 6 | 4.3 | (2.7-5.9) | 20 | 9.4 | (7.5-11.3) |
| C16 Stomach | 12 | 12.3 | (9.2-15.4) | 6 | 4.5 | (2.8-6.2) | 18 | 7.6 | (6.0-9.2) |
| C18-20 Colorectal | 27 | 28.7 | (23.8-33.7) | 20 | 14.7 | (11.6-17.8) | 47 | 20.8 | (18.0-23.6) |
| C25 Pancreas | 8 | 8.9 | (6.1-11.7) | 9 | 7.0 | (4.7-9.3) | 17 | 7.6 | (5.9-9.3) |
| C33-C34 Lung | 63 | 66.7 | (59.2-74.2) | 36 | 30.0 | (25.3-34.7) | 99 | 45.7 | (41.6-49.9) |
| C43 Melanoma | 2 | 1.8 | (0.5-3.1) | 2 | 2.1 | (0.8-3.5) | 4 | 1.8 | (1.0-2.7) |
| C50 Breast | - | - | - | 36 | 31.6 | (26.6-36.6) | - | - | - |
| C53 Cervix | - | - | - | 5 | 4.7 | (2.7-6.8) | - | - | - |
| C54-C55 Uterus | - | - | - | 4 | 2.5 | (1.3-3.8) | - | - | - |
| C56 Ovary | - | - | - | 13 | 12.4 | (9.2-15.6) | - | - | - |
| C61 Prostate | 30 | 30.8 | (25.8-35.9) | - | - | - | - | - | - |
| C64 Kidney | 5 | 5.4 | (3.2-7.6) | 4 | 3.5 | (1.8-5.1) | 9 | 4.5 | (3.1-5.9) |
| C67 Bladder | 10 | 10.4 | (7.5-13.4) | 7 | 5.1 | (3.2-6.9) | 17 | 7.3 | (5.7-8.9) |
| C71 Brain | 6 | 6.7 | (4.2-9.2) | 5 | 4.6 | (2.6-6.6) | 10 | 5.6 | (4.0-7.1) |
| C81-96 Haematol | 17 | 18.1 | (14.2-22.1) | 11 | 9.2 | (6.6-11.8) | 28 | 13.0 | (10.8-15.3) |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

| North East Lincolnshire PCT | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|-----------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | |
| C00-C96 exc C44 | 376 | 490.6 | 410.7 | (391.8-429.5) | 371 | 457.3 | 348.2 | (331.3-365.2) | 748 | 473.5 | 368.9 | (356.6-381.2) | | | | | |
| C18-20 Colorectal | 48 | 63.1 | 53.3 | (46.5-60.1) | 41 | 50.7 | 33.6 | (28.7-38.5) | 90 | 56.7 | 42.5 | (38.4-46.6) | | | | | |
| C33-C34 Lung | 68 | 88.4 | 72.9 | (65.0-80.8) | 40 | 49.0 | 34.2 | (29.1-39.3) | 108 | 68.1 | 50.8 | (46.4-55.3) | | | | | |
| C50 Breast | - | - | - | - | 116 | 142.3 | 119.3 | (109.0-129.5) | - | - | - | - | | | | | |
| C61 Prostate | 80 | 104.3 | 83.0 | (74.8-91.3) | - | - | - | - | - | - | - | - | | | | | |

| Humber & Yorkshire Coast | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|--------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | |
| C00-C96 exc C44 | 2584 | 517.2 | 410.9 | (403.7-418.1) | 2530 | 480.3 | 345.9 | (339.4-352.4) | 5114 | 498.3 | 368.0 | (363.3-372.8) | | | | | |
| C18-20 Colorectal | 362 | 72.4 | 56.9 | (54.2-59.5) | 290 | 55.1 | 34.3 | (32.4-36.2) | 652 | 63.5 | 44.3 | (42.7-45.8) | | | | | |
| C33-C34 Lung | 486 | 97.3 | 76.0 | (73.0-79.1) | 303 | 57.5 | 37.6 | (35.6-39.6) | 789 | 76.8 | 54.3 | (52.6-56.1) | | | | | |
| C50 Breast | - | - | - | (0.4-1.0) | 717 | 136.0 | 110.3 | (106.5-114.1) | - | - | - | - | | | | | |
| C61 Prostate | 504 | 100.9 | 76.4 | (73.4-79.5) | - | - | - | - | - | - | - | - | | | | | |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | |
| C00-C96 exc C44 | 16130 | 510.2 | 434.1 | (431.0-437.1) | 15963 | 475.7 | 357.1 | (354.4-359.7) | 32093 | 492.4 | 384.5 | (382.6-386.5) | | | | | |
| C18-20 Colorectal | 2306 | 72.9 | 61.5 | (60.4-62.7) | 1848 | 55.1 | 35.9 | (35.1-36.7) | 4154 | 63.7 | 47.3 | (46.6-47.9) | | | | | |
| C33-C34 Lung | 3121 | 98.7 | 82.3 | (81.0-83.7) | 2165 | 64.5 | 44.9 | (44.0-45.8) | 5287 | 81.1 | 60.7 | (60.0-61.5) | | | | | |
| C50 Breast | - | - | - | - | 4416 | 131.6 | 111.7 | (110.1-113.2) | - | - | - | - | | | | | |
| C61 Prostate | 3095 | 97.9 | 80.5 | (79.2-81.8) | - | - | - | - | - | - | - | - | | | | | |

North East Lincolnshire PCT (5AN) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

| North East Lincolnshire PCT | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|-----------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | |
| C00-C96 exc C44 | 240 | 313.3 | 255.5 | (240.8-270.2) | 200 | 245.8 | 163.1 | (152.1-174.1) | 440 | 278.6 | 200.7 | (192.0-209.5) | | | | | |
| C18-20 Colorectal | 27 | 35.2 | 28.7 | (23.8-33.7) | 20 | 24.9 | 14.7 | (11.6-17.8) | 47 | 29.9 | 20.8 | (18.0-23.6) | | | | | |
| C33-C34 Lung | 63 | 82.1 | 66.7 | (59.2-74.2) | 36 | 44.3 | 30.0 | (25.3-34.7) | 99 | 62.7 | 45.7 | (41.6-49.9) | | | | | |
| C50 Breast | - | - | - | - | 36 | 44.8 | 31.6 | (26.6-36.6) | - | - | - | - | | | | | |
| C61 Prostate | 30 | 38.6 | 30.8 | (25.8-35.9) | - | - | - | - | - | - | - | - | | | | | |

| Humber & Yorkshire Coast | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|--------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | |
| C00-C96 exc C44 | 1582 | 316.6 | 245.4 | (239.9-250.9) | 1388 | 263.4 | 162.6 | (158.5-166.8) | 2970 | 289.3 | 196.2 | (192.9-199.5) | | | | | |
| C18-20 Colorectal | 175 | 35.0 | 27.1 | (25.3-28.9) | 136 | 25.9 | 14.0 | (12.9-15.2) | 311 | 30.3 | 19.7 | (18.7-20.7) | | | | | |
| C33-C34 Lung | 431 | 86.2 | 66.3 | (63.4-69.1) | 271 | 51.4 | 32.6 | (30.7-34.5) | 702 | 68.4 | 47.0 | (45.4-48.6) | | | | | |
| C50 Breast | - | - | - | - | 227 | 43.1 | 29.4 | (27.6-31.3) | - | - | - | - | | | | | |
| C61 Prostate | 185 | 37.0 | 27.4 | (25.6-29.2) | - | - | - | - | - | - | - | - | | | | | |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|-----------|-----------|----------------|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | All Crude | | Incidence Rate | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | |
| C00-C96 exc C44 | 9614 | 304.1 | 254.8 | (252.5-257.1) | 8765 | 261.2 | 172.3 | (170.5-174.0) | 18379 | 282.0 | 205.4 | (204.1-206.8) | | | | | |
| C18-20 Colorectal | 1024 | 32.4 | 27.1 | (26.3-27.8) | 857 | 25.6 | 15.1 | (14.6-15.6) | 1881 | 28.9 | 20.3 | (19.9-20.7) | | | | | |
| C33-C34 Lung | 2818 | 89.1 | 74.0 | (72.7-75.2) | 1901 | 56.6 | 38.4 | (37.6-39.2) | 4719 | 72.4 | 53.3 | (52.6-54.0) | | | | | |
| C50 Breast | - | - | - | - | 1367 | 40.7 | 29.7 | (28.9-30.5) | - | - | - | - | | | | | |
| C61 Prostate | 1017 | 32.1 | 25.9 | (25.2-26.7) | - | - | - | - | - | - | - | - | | | | | |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North East Lincolnshire PCT (5AN)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

