


East Yorkshire PCT (5E3) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




East Yorkshire PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	13	12.2	(9.2-15.2)	9	6.2	(4.3-8.2)	22	9.1	(7.4-10.8)		
C16 Stomach	18	16.5	(13.0-20.0)	9	6.0	(4.2-7.9)	27	10.5	(8.7-12.3)		
C18-20 Colorectal	59	56.3	(49.9-62.8)	56	40.3	(35.2-45.3)	115	47.1	(43.1-51.0)		
C25 Pancreas	10	9.4	(6.7-12.0)	12	7.5	(5.4-9.5)	22	8.3	(6.7-10.0)		
C33-C34 Lung	68	62.9	(56.2-69.7)	44	32.5	(27.9-37.1)	112	44.9	(41.0-48.7)		
C43 Melanoma	9	9.6	(6.7-12.4)	11	10.2	(7.3-13.0)	20	9.9	(7.9-11.9)		
C50 Breast	-	-	-	126	114.6	(105.3-124.0)	-	-	-		
C53 Cervix	-	-	-	13	13.6	(10.2-17.0)	-	-	-		
C54-C55 Uterus	-	-	-	21	18.3	(14.7-22.0)	-	-	-		
C56 Ovary	-	-	-	26	24.4	(20.1-28.8)	-	-	-		
C61 Prostate	93	86.3	(78.4-94.2)	-	-	-	-	-	-		
C64 Kidney	9	8.9	(6.3-11.5)	8	6.9	(4.6-9.1)	17	7.8	(6.1-9.5)		
C67 Bladder	26	23.9	(19.8-28.1)	9	6.1	(4.3-8.0)	35	13.4	(11.3-15.4)		
C71 Brain	7	6.9	(4.6-9.3)	6	6.1	(3.9-8.3)	13	6.5	(4.9-8.0)		
C81-96 Haematol	40	40.6	(34.9-46.3)	33	27.1	(22.6-31.6)	73	32.8	(29.2-36.3)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3) - Mortality



East Yorkshire PCT							Mortality		
							Mean Annual Deaths 1998-2002		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	14	12.8	(9.7-15.8)	9	6.1	(4.2-7.9)	23	9.2	(7.4-10.9)
C16 Stomach	11	10.5	(7.8-13.3)	7	4.0	(2.6-5.5)	18	6.7	(5.3-8.1)
C18-20 Colorectal	27	25.6	(21.2-30.0)	22	13.6	(10.8-16.3)	48	18.7	(16.2-21.1)
C25 Pancreas	8	8.0	(5.6-10.4)	11	6.9	(5.0-8.8)	20	7.4	(5.9-8.9)
C33-C34 Lung	59	54.6	(48.3-60.8)	39	28.1	(23.9-32.3)	98	38.6	(35.1-42.2)
C43 Melanoma	2	2.4	(1.0-3.8)	2	1.8	(0.6-2.9)	4	2.1	(1.2-2.9)
C50 Breast	-	-	-	36	27.9	(23.5-32.2)	-	-	-
C53 Cervix	-	-	-	5	3.7	(2.1-5.3)	-	-	-
C54-C55 Uterus	-	-	-	5	3.6	(2.1-5.1)	-	-	-
C56 Ovary	-	-	-	15	12.3	(9.4-15.2)	-	-	-
C61 Prostate	31	28.5	(24.0-33.0)	-	-	-	-	-	-
C64 Kidney	5	4.5	(2.7-6.4)	5	3.9	(2.3-5.5)	10	4.2	(3.0-5.4)
C67 Bladder	13	12.3	(9.3-15.2)	6	2.9	(1.8-4.0)	19	6.6	(5.2-7.9)
C71 Brain	5	5.2	(3.2-7.1)	6	5.3	(3.2-7.3)	11	5.1	(3.7-6.5)
C81-96 Haematol	21	20.3	(16.3-24.2)	18	12.1	(9.4-14.8)	39	15.5	(13.2-17.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

East Yorkshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	417	511.4	397.8	(380.5-415.1)	440	510.4	361.7	(345.6-377.8)	857	510.9	368.3	(356.9-379.8)	857	510.9	368.3	(356.9-379.8)	
C18-20 Colorectal	59	72.8	56.3	(49.9-62.8)	56	64.8	40.3	(35.2-45.3)	115	68.7	47.1	(43.1-51.0)	115	68.7	47.1	(43.1-51.0)	
C33-C34 Lung	68	83.3	62.9	(56.2-69.7)	44	50.6	32.5	(27.9-37.1)	112	66.5	44.9	(41.0-48.7)	112	66.5	44.9	(41.0-48.7)	
C50 Breast	-	-	-	-	126	146.8	114.6	(105.3-124.0)	-	-	-	-	-	-	-	-	
C61 Prostate	93	113.7	86.3	(78.4-94.2)	-	-	-	-	-	-	-	-	-	-	-	-	

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)	5114	498.3	368.0	(363.3-372.8)	
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)	652	63.5	44.3	(42.7-45.8)	
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)	789	76.8	54.3	(52.6-56.1)	
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-	-	-	-	-	
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	32093	492.4	384.5	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	4154	63.7	47.3	(46.6-47.9)	
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	5287	81.1	60.7	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	-	-	-	-	
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	-	-	-	-	

East Yorkshire PCT (5E3) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

East Yorkshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	238	291.4	222.1	(209.4-234.9)	224	260.6	156.0	(146.1-165.8)	462	275.6	180.2	(172.6-187.8)	462	275.6	180.2	(172.6-187.8)	
C18-20 Colorectal	27	32.6	25.6	(21.2-30.0)	22	25.3	13.6	(10.8-16.3)	48	28.9	18.7	(16.2-21.1)	48	28.9	18.7	(16.2-21.1)	
C33-C34 Lung	59	72.5	54.6	(48.3-60.8)	39	45.3	28.1	(23.9-32.3)	98	58.5	38.6	(35.1-42.2)	98	58.5	38.6	(35.1-42.2)	
C50 Breast	-	-	-	-	36	42.3	27.9	(23.5-32.2)	-	-	-	-	-	-	-	-	
C61 Prostate	31	38.5	28.5	(24.0-33.0)	-	-	-	-	-	-	-	-	-	-	-	-	

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)	2970	289.3	196.2	(192.9-199.5)	
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)	311	30.3	19.7	(18.7-20.7)	
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)	702	68.4	47.0	(45.4-48.6)	
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-	-	-	-	-	
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	18379	282.0	205.4	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	1881	28.9	20.3	(19.9-20.7)	
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	4719	72.4	53.3	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	-	-	-	-	
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

East Yorkshire PCT (5E3)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

