


Yorkshire Wolds & Coast (5E4) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire Cancer Registry and Information Service



Yorkshire Wolds & Coast							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	14	14.0	(10.7-17.3)	7	4.9	(3.2-6.7)	21	9.1	(7.3-10.9)
C16 Stomach	16	16.5	(12.9-20.2)	9	7.2	(5.0-9.4)	26	11.4	(9.3-13.4)
C18-20 Colorectal	54	54.5	(47.8-61.1)	39	30.2	(25.5-34.8)	93	40.9	(37.0-44.8)
C25 Pancreas	10	10.5	(7.6-13.5)	11	8.6	(6.2-11.1)	21	9.7	(7.8-11.6)
C33-C34 Lung	67	67.2	(59.9-74.6)	38	32.2	(27.3-37.0)	104	47.8	(43.5-52.0)
C43 Melanoma	8	9.3	(6.4-12.1)	10	10.6	(7.4-13.7)	18	9.8	(7.7-12.0)
C50 Breast	-	-	-	109	111.8	(101.9-121.6)	-	-	-
C53 Cervix	-	-	-	12	14.0	(10.3-17.7)	-	-	-
C54-C55 Uterus	-	-	-	19	17.7	(13.9-21.5)	-	-	-
C56 Ovary	-	-	-	18	17.0	(13.2-20.8)	-	-	-
C61 Prostate	72	69.2	(61.9-76.4)	-	-	-	-	-	-
C64 Kidney	11	11.3	(8.3-14.4)	5	4.8	(2.8-6.9)	16	7.9	(6.0-9.7)
C67 Bladder	24	23.6	(19.3-27.8)	7	5.3	(3.4-7.1)	32	13.2	(11.1-15.3)
C71 Brain	7	6.9	(4.5-9.2)	6	6.3	(3.9-8.7)	13	6.5	(4.9-8.2)
C81-96 Haematol	41	45.1	(38.7-51.5)	32	29.2	(24.3-34.1)	73	36.5	(32.5-40.4)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast (5E4) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Yorkshire Wolds & Coast		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male Deaths	Mortality Rate			Female Deaths	Mortality Rate			All Deaths	Mortality Rate		
		ASM	95% CI			ASM	95% CI			ASM	95% CI	
C15 Oesophagus	12	12.2	(9.1-15.3)		7	4.5	(2.9-6.1)		19	8.0	(6.3-9.6)	
C16 Stomach	12	11.7	(8.7-14.8)		5	2.9	(1.6-4.2)		16	6.9	(5.3-8.4)	
C18-20 Colorectal	27	26.9	(22.3-31.6)		18	12.3	(9.5-15.0)		46	18.7	(16.2-21.3)	
C25 Pancreas	10	10.2	(7.3-13.1)		10	7.4	(5.2-9.6)		20	8.8	(7.0-10.7)	
C33-C34 Lung	55	53.3	(46.9-59.7)		35	28.4	(23.9-32.8)		90	39.0	(35.2-42.8)	
C43 Melanoma	3	2.9	(1.2-4.6)		1	1.1	(0.1-2.0)		4	2.0	(1.0-3.0)	
C50 Breast	-	-			36	32.5	(27.4-37.6)		-	-		
C53 Cervix	-	-			4	3.6	(1.9-5.2)		-	-		
C54-C55 Uterus	-	-			5	3.7	(2.2-5.2)		-	-		
C56 Ovary	-	-			14	12.2	(9.2-15.2)		-	-		
C61 Prostate	30	27.8	(23.2-32.3)		-	-			-	-		
C64 Kidney	4	4.3	(2.5-6.2)		3	2.3	(1.0-3.6)		7	3.3	(2.2-4.4)	
C67 Bladder	11	10.1	(7.3-12.9)		4	2.1	(1.0-3.1)		14	5.3	(4.0-6.6)	
C71 Brain	5	5.9	(3.6-8.2)		5	5.5	(3.3-7.7)		11	5.7	(4.1-7.3)	
C81-96 Haematol	21	21.5	(17.2-25.7)		14	10.3	(7.7-12.8)		35	15.4	(13.0-17.7)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast PCT (5E4) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Yorkshire Wolds & Coast PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	381	543.8	388.9	(371.0-406.8)	371	504.9	340.9	(324.2-357.6)	752	523.9	357.0	(345.0-369.0)					
C18-20 Colorectal	54	76.9	54.5	(47.8-61.1)	39	52.8	30.2	(25.5-34.8)	93	64.5	40.9	(37.0-44.8)					
C33-C34 Lung	67	95.2	67.2	(59.9-74.6)	38	51.4	32.2	(27.3-37.0)	104	72.8	47.8	(43.5-52.0)					
C50 Breast	-	-	-	-	109	148.6	111.8	(101.9-121.6)	-	-	-	-					
C61 Prostate	72	102.9	69.2	(61.9-76.4)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Yorkshire Wolds & Coast PCT (5E4) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Yorkshire Wolds & Coast PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	231	330.3	228.4	(214.9-241.8)	202	274.6	159.3	(148.6-169.9)	433	301.8	187.3	(179.1-195.6)					
C18-20 Colorectal	27	38.9	26.9	(22.3-31.6)	18	25.0	12.3	(9.5-15.0)	46	31.8	18.7	(16.2-21.3)					
C33-C34 Lung	55	78.3	53.3	(46.9-59.7)	35	47.4	28.4	(23.9-32.8)	90	62.5	39.0	(35.2-42.8)					
C50 Breast	-	-	-	-	36	49.5	32.5	(27.4-37.6)	-	-	-	-					
C61 Prostate	30	42.3	27.8	(23.2-32.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Yorkshire Wolds & Coast PCT (5E4)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

