


Eastern Hull PCT (5E5) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




Eastern Hull PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI			
C15 Oesophagus	10	18.3	(13.2-23.3)	5	7.0	(4.2-9.8)	16	12.2	(9.4-15.0)			
C16 Stomach	16	26.6	(20.7-32.6)	9	9.6	(6.5-12.6)	24	16.7	(13.7-19.8)			
C18-20 Colorectal	35	55.9	(47.5-64.3)	28	35.1	(28.9-41.3)	63	43.8	(38.8-48.8)			
C25 Pancreas	5	8.9	(5.4-12.4)	6	6.7	(4.1-9.3)	11	8.0	(5.8-10.2)			
C33-C34 Lung	67	112.1	(99.9-124.3)	44	57.5	(49.5-65.5)	111	81.1	(74.1-88.0)			
C43 Melanoma	2	3.3	(1.1-5.4)	3	5.3	(2.6-7.9)	5	4.4	(2.7-6.1)			
C50 Breast	-	-	-	62	97.9	(86.5-109.2)	-	-	-			
C53 Cervix	-	-	-	8	12.1	(8.2-16.0)	-	-	-			
C54-C55 Uterus	-	-	-	8	12.1	(8.1-16.1)	-	-	-			
C56 Ovary	-	-	-	12	18.1	(13.3-22.9)	-	-	-			
C61 Prostate	45	74.1	(64.2-84.0)	-	-	-	-	-	-			
C64 Kidney	8	13.8	(9.5-18.2)	4	6.7	(3.6-9.7)	12	9.8	(7.2-12.4)			
C67 Bladder	13	22.1	(16.6-27.5)	7	8.4	(5.3-11.4)	20	14.1	(11.3-16.9)			
C71 Brain	2	4.3	(1.8-6.7)	3	5.0	(2.5-7.5)	6	4.6	(2.9-6.4)			
C81-96 Haematol	20	35.5	(28.5-42.6)	18	25.6	(20.1-31.1)	39	29.4	(25.2-33.7)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Hull PCT (5E5) - Mortality



Eastern Hull PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI		Deaths	ASM	95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	9	15.4	(10.8-19.9)		5	6.6	(4.0-9.2)		14	10.8	(8.2-13.3)	
C16 Stomach	12	19.9	(14.6-25.1)		6	6.6	(4.1-9.2)		18	11.9	(9.4-14.5)	
C18-20 Colorectal	18	29.3	(23.0-35.6)		12	14.8	(10.9-18.7)		30	20.8	(17.4-24.2)	
C25 Pancreas	4	7.5	(4.3-10.7)		6	7.0	(4.3-9.7)		10	7.5	(5.4-9.5)	
C33-C34 Lung	58	97.4	(86.0-108.9)		39	48.7	(41.5-55.9)		97	69.3	(62.9-75.6)	
C43 Melanoma	1	2.5	(0.6-4.4)		1	1.5	(0.3-2.7)		3	2.0	(0.9-3.2)	
C50 Breast	-	-			22	30.8	(24.7-36.8)		-	-		
C53 Cervix	-	-			3	3.5	(1.4-5.5)		-	-		
C54-C55 Uterus	-	-			3	4.5	(2.2-6.9)		-	-		
C56 Ovary	-	-			7	9.4	(6.0-12.7)		-	-		
C61 Prostate	15	24.9	(19.1-30.8)		-	-			-	-		
C64 Kidney	3	5.7	(2.9-8.4)		3	4.8	(2.3-7.2)		7	5.1	(3.3-6.9)	
C67 Bladder	8	13.0	(8.8-17.3)		3	3.1	(1.3-4.8)		10	6.9	(5.0-8.8)	
C71 Brain	2	3.1	(1.1-5.2)		2	3.3	(1.3-5.2)		4	3.2	(1.8-4.6)	
C81-96 Haematol	12	21.0	(15.6-26.4)		11	13.4	(9.7-17.2)		23	16.6	(13.5-19.8)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Hull PCT (5E5) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Eastern Hull PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	266	463.4	448.8	(424.3-473.3)	254	422.5	354.9	(334.3-375.5)	521	442.5	388.7	(373.3-404.1)					
C18-20 Colorectal	35	60.5	55.9	(47.5-64.3)	28	46.2	35.1	(28.9-41.3)	63	53.2	43.8	(38.8-48.8)					
C33-C34 Lung	67	116.2	112.1	(99.9-124.3)	44	73.7	57.5	(49.5-65.5)	111	94.5	81.1	(74.1-88.0)					
C50 Breast	-	-	-	-	62	102.6	97.9	(86.5-109.2)	-	-	-	-					
C61 Prostate	45	77.9	74.1	(64.2-84.0)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Eastern Hull PCT (5E5) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Eastern Hull PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	172	298.5	290.8	(270.9-310.6)	154	255.8	190.6	(176.3-205.0)	326	276.6	231.1	(219.6-242.7)					
C18-20 Colorectal	18	30.6	29.3	(23.0-35.6)	12	20.6	14.8	(10.9-18.7)	30	25.5	20.8	(17.4-24.2)					
C33-C34 Lung	58	100.9	97.4	(86.0-108.9)	39	64.8	48.7	(41.5-55.9)	97	82.4	69.3	(62.9-75.6)					
C50 Breast	-	-	-	-	22	37.2	30.8	(24.7-36.8)	-	-	-	-					
C61 Prostate	15	25.7	24.9	(19.1-30.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

