


West Hull PCT (5E6) - Incidence




West Hull PCT							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	10	15.1	(10.9-19.2)	5	5.4	(3.1-7.7)	16	9.7	(7.4-11.9)
C16 Stomach	16	21.7	(16.8-26.5)	8	7.1	(4.7-9.5)	25	13.3	(10.8-15.8)
C18-20 Colorectal	47	65.5	(56.9-74.1)	33	31.5	(26.2-36.9)	80	47.0	(42.2-51.9)
C25 Pancreas	9	14.0	(9.9-18.2)	9	9.6	(6.5-12.7)	18	11.7	(9.1-14.2)
C33-C34 Lung	81	116.2	(104.6-127.7)	50	54.9	(47.5-62.4)	131	82.3	(75.7-88.9)
C43 Melanoma	4	5.5	(2.9-8.1)	5	7.2	(4.3-10.2)	9	6.3	(4.4-8.3)
C50 Breast	-	-	-	75	104.2	(92.9-115.5)	-	-	-
C53 Cervix	-	-	-	10	15.0	(10.7-19.3)	-	-	-
C54-C55 Uterus	-	-	-	10	13.6	(9.6-17.6)	-	-	-
C56 Ovary	-	-	-	16	19.1	(14.5-23.7)	-	-	-
C61 Prostate	52	70.1	(61.5-78.8)	-	-	-	-	-	-
C64 Kidney	5	8.1	(5.0-11.2)	5	6.1	(3.4-8.7)	10	6.9	(4.9-8.9)
C67 Bladder	16	21.9	(16.9-26.8)	9	7.8	(5.3-10.3)	25	13.7	(11.1-16.2)
C71 Brain	5	6.9	(4.1-9.8)	4	6.3	(3.6-9.1)	9	6.5	(4.5-8.5)
C81-96 Haematol	29	42.6	(35.5-49.6)	25	28.5	(23.0-34.1)	54	34.8	(30.5-39.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Hull PCT (5E6) - Mortality



West Hull PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male Deaths	Mortality Rate		Female Deaths	Mortality Rate		All Deaths	Mortality Rate	
		ASM	95% CI		ASM	95% CI		ASM	95% CI
C15 Oesophagus	13	19.2	(14.4-23.9)	7	6.6	(4.1-9.2)	20	12.3	(9.7-14.8)
C16 Stomach	11	14.5	(10.6-18.4)	5	4.2	(2.4-6.0)	16	8.5	(6.5-10.4)
C18-20 Colorectal	19	26.1	(20.8-31.4)	16	13.8	(10.4-17.1)	36	19.1	(16.1-22.1)
C25 Pancreas	8	11.2	(7.6-14.9)	8	8.9	(5.9-11.9)	16	9.9	(7.6-12.2)
C33-C34 Lung	72	101.6	(90.8-112.3)	46	48.9	(42.0-55.8)	118	72.5	(66.3-78.6)
C43 Melanoma	1	2.0	(0.4-3.6)	1	1.2	(0.1-2.2)	2	1.5	(0.6-2.5)
C50 Breast	-	-	-	21	24.7	(19.5-30.0)	-	-	-
C53 Cervix	-	-	-	3	4.2	(1.9-6.5)	-	-	-
C54-C55 Uterus	-	-	-	3	3.3	(1.5-5.1)	-	-	-
C56 Ovary	-	-	-	9	8.9	(6.1-11.8)	-	-	-
C61 Prostate	19	24.6	(19.6-29.7)	-	-	-	-	-	-
C64 Kidney	3	4.2	(2.0-6.4)	2	2.3	(0.8-3.8)	5	3.2	(1.9-4.5)
C67 Bladder	10	14.8	(10.7-18.9)	7	5.7	(3.6-7.7)	18	9.5	(7.4-11.7)
C71 Brain	4	6.4	(3.7-9.2)	3	4.8	(2.4-7.1)	8	5.5	(3.7-7.2)
C81-96 Haematol	15	20.2	(15.5-24.9)	13	12.9	(9.3-16.5)	27	15.9	(13.0-18.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Hull PCT (5E6) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

West Hull PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	326	512.7	462.8	(439.9-485.7)	305	458.9	357.9	(338.1-377.6)	630	485.2	397.9	(383.3-412.6)					
C18-20 Colorectal	47	74.0	65.5	(56.9-74.1)	33	50.0	31.5	(26.2-36.9)	80	61.7	47.0	(38.8-48.8)					
C33-C34 Lung	81	126.8	116.2	(104.6-127.7)	50	75.6	54.9	(47.5-62.4)	131	100.7	82.3	(74.1-88.0)					
C50 Breast	-	-	-	-	75	112.4	104.2	(92.9-115.5)	-	-	-	-					
C61 Prostate	52	82.1	70.1	(61.5-78.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

West Hull PCT (5E6) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

West Hull PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	211	331.4	294.7	(276.5-312.8)	174	261.9	177.4	(164.3-190.6)	384	295.9	227.0	(216.3-237.8)					
C18-20 Colorectal	19	30.5	26.1	(20.8-31.4)	16	24.7	13.8	(10.4-17.1)	36	27.6	19.1	(16.1-22.1)					
C33-C34 Lung	72	112.7	101.6	(90.8-112.3)	46	69.9	48.9	(42.0-55.8)	118	90.8	72.5	(66.3-78.6)					
C50 Breast	-	-	-	-	21	31.6	24.7	(19.5-30.0)	-	-	-	-					
C61 Prostate	19	29.6	24.6	(19.6-29.7)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

