


North Lincolnshire PCT (5EF) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Lincolnshire PCT							Incidence		
Mean Annual Cases 1998-2002									
ICD-10 Code	Male			Female			All		
	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI	Cases	Incidence Rate ASR	95% CI
C15 Oesophagus	12	13.6	(10.1-17.0)	8	5.9	(4.0-7.9)	20	9.2	(7.4-11.1)
C16 Stomach	19	20.6	(16.3-24.8)	9	7.4	(5.1-9.8)	27	12.9	(10.7-15.2)
C18-20 Colorectal	54	59.6	(52.4-66.8)	41	34.7	(29.6-39.8)	95	45.6	(41.3-49.8)
C25 Pancreas	8	8.2	(5.6-10.9)	9	7.4	(5.1-9.7)	17	7.8	(6.0-9.5)
C33-C34 Lung	68	74.5	(66.5-82.6)	39	33.9	(28.9-39.0)	107	51.4	(47.0-55.9)
C43 Melanoma	5	6.5	(3.9-9.0)	11	12.2	(8.8-15.6)	16	9.3	(7.2-11.4)
C50 Breast	-	-	-	101	108.0	(98.2-117.8)	-	-	-
C53 Cervix	-	-	-	11	13.6	(9.9-17.2)	-	-	-
C54-C55 Uterus	-	-	-	18	17.8	(14.0-21.7)	-	-	-
C56 Ovary	-	-	-	19	20.3	(16.1-24.5)	-	-	-
C61 Prostate	68	72.9	(65.1-80.8)	-	-	-	-	-	-
C64 Kidney	10	11.2	(8.0-14.3)	4	4.0	(2.1-5.9)	13	7.3	(5.5-9.1)
C67 Bladder	21	22.6	(18.2-26.9)	7	5.0	(3.3-6.8)	28	12.5	(10.4-14.6)
C71 Brain	7	8.4	(5.5-11.2)	5	5.6	(3.2-8.0)	11	6.8	(5.0-8.7)
C81-96 Haematol	43	50.8	(43.9-57.8)	27	24.9	(20.4-29.3)	70	36.8	(32.8-40.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Lincolnshire PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	13	13.8	(10.3-17.2)	9	6.8	(4.7-8.9)	22	9.8	(7.9-11.7)
C16 Stomach	14	14.7	(11.2-18.3)	7	5.2	(3.3-7.1)	20	9.1	(7.3-10.9)
C18-20 Colorectal	29	32.6	(27.2-37.9)	25	18.2	(14.7-21.6)	54	24.6	(21.6-27.7)
C25 Pancreas	8	8.8	(6.1-11.6)	9	6.7	(4.6-8.8)	17	7.8	(6.1-9.5)
C33-C34 Lung	64	69.3	(61.6-77.0)	37	32.3	(27.4-37.3)	101	48.0	(43.6-52.3)
C43 Melanoma	2	2.7	(1.1-4.3)	2	2.2	(0.8-3.5)	5	2.5	(1.5-3.6)
C50 Breast	-	-	-	33	28.1	(23.5-32.8)	-	-	-
C53 Cervix	-	-	-	5	4.6	(2.6-6.7)	-	-	-
C54-C55 Uterus	-	-	-	4	2.6	(1.3-3.9)	-	-	-
C56 Ovary	-	-	-	14	13.8	(10.5-17.2)	-	-	-
C61 Prostate	28	30.1	(25.0-35.1)	-	-	-	-	-	-
C64 Kidney	7	7.5	(4.9-10.1)	2	1.9	(0.7-3.2)	9	4.5	(3.1-5.9)
C67 Bladder	11	12.3	(9.1-15.6)	6	3.6	(2.2-5.0)	17	7.1	(5.5-8.6)
C71 Brain	5	5.9	(3.5-8.3)	4	4.2	(2.3-6.2)	9	5.0	(3.5-6.5)
C81-96 Haematol	22	26.0	(21.1-30.9)	15	12.2	(9.2-15.1)	37	18.2	(15.5-20.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Lincolnshire PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	379	515.4	422.6	(403.3-442.0)	349	454.6	335.4	(318.7-352.1)	728	484.4	367.1	(354.8-379.5)					
C18-20 Colorectal	54	73.7	59.6	(52.4-66.8)	41	53.2	34.7	(29.6-39.8)	95	63.2	45.6	(41.3-49.8)					
C33-C34 Lung	68	92.8	74.5	(66.5-82.6)	39	50.9	33.9	(28.9-39.0)	107	71.4	51.4	(47.0-55.9)					
C50 Breast	-	-	-	-	101	132.2	108.0	(98.2-117.8)	-	-	-	-					
C61 Prostate	68	92.8	72.9	(65.1-80.8)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

North Lincolnshire PCT (5EF) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Lincolnshire PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	248	336.7	271.9	(256.5-287.3)	202	263.9	167.3	(156.2-178.3)	450	299.6	210.4	(201.4-219.3)					
C18-20 Colorectal	29	40.0	32.6	(27.2-37.9)	25	32.3	18.2	(14.7-21.6)	54	36.1	24.6	(21.6-27.7)					
C33-C34 Lung	64	87.0	69.3	(61.6-77.0)	37	48.5	32.3	(27.4-37.3)	101	67.4	48.0	(43.6-52.3)					
C50 Breast	-	-	-	-	33	42.5	28.1	(23.5-32.8)	-	-	-	-					
C61 Prostate	28	38.6	30.1	(25.0-35.1)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

North Lincolnshire PCT (5EF)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

