


Scarborough Whitby & Ryedale PCT (5KK) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Scarborough Whitby & Ryedale		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	15	13.6	(10.4-16.8)	9	5.2	(3.5-6.9)	24	9.2	(7.4-10.9)
C16 Stomach	18	16.1	(12.7-19.5)	11	6.2	(4.3-8.0)	30	10.7	(8.8-12.5)
C18-20 Colorectal	64	56.2	(49.8-62.5)	53	34.4	(29.8-39.0)	117	44.0	(40.2-47.8)
C25 Pancreas	11	9.2	(6.7-11.7)	12	6.4	(4.5-8.3)	22	7.6	(6.1-9.2)
C33-C34 Lung	68	58.3	(51.9-64.6)	48	31.3	(27.0-35.6)	116	43.3	(39.6-47.0)
C43 Melanoma	11	11.6	(8.4-14.7)	12	12.4	(9.0-15.7)	23	11.9	(9.6-14.2)
C50 Breast	-	-	-	128	111.4	(102.1-120.7)	-	-	-
C53 Cervix	-	-	-	8	8.2	(5.5-10.9)	-	-	-
C54-C55 Uterus	-	-	-	16	13.1	(10.1-16.2)	-	-	-
C56 Ovary	-	-	-	25	20.9	(16.9-24.8)	-	-	-
C61 Prostate	94	77.2	(70.1-84.3)	-	-	-	-	-	-
C64 Kidney	12	12.2	(9.1-15.3)	7	4.2	(2.6-5.8)	19	8.0	(6.3-9.7)
C67 Bladder	27	22.2	(18.3-26.0)	14	7.7	(5.7-9.7)	40	13.6	(11.6-15.6)
C71 Brain	8	8.3	(5.6-11.1)	6	5.6	(3.4-7.7)	13	6.9	(5.2-8.6)
C81-96 Haematol	39	37.8	(32.3-43.3)	39	28.9	(24.3-33.4)	78	33.0	(29.4-36.5)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Scarborough Whitby & Ryedale							Mortality		
Mean Annual Deaths 1998-2002									
ICD-10 Code	Male Mortality Rate			Female Mortality Rate			All Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	15	13.5	(10.4-16.6)	9	4.7	(3.1-6.2)	24	8.8	(7.1-10.5)
C16 Stomach	12	10.6	(7.8-13.3)	9	4.3	(2.8-5.7)	21	7.1	(5.6-8.6)
C18-20 Colorectal	28	23.0	(19.0-26.9)	22	12.0	(9.5-14.5)	50	16.8	(14.6-19.1)
C25 Pancreas	10	8.1	(5.7-10.5)	11	6.1	(4.3-8.0)	21	7.0	(5.5-8.4)
C33-C34 Lung	60	49.8	(44.1-55.6)	38	24.2	(20.5-27.9)	99	35.3	(32.0-38.6)
C43 Melanoma	3	3.0	(1.5-4.5)	2	1.5	(0.6-2.5)	6	2.2	(1.4-3.1)
C50 Breast	-	-	-	42	30.8	(26.1-35.4)	-	-	-
C53 Cervix	-	-	-	3	2.1	(0.8-3.4)	-	-	-
C54-C55 Uterus	-	-	-	6	4.2	(2.7-5.8)	-	-	-
C56 Ovary	-	-	-	15	10.4	(7.8-13.1)	-	-	-
C61 Prostate	32	24.5	(20.6-28.3)	-	-	-	-	-	-
C64 Kidney	5	4.2	(2.4-6.0)	5	3.1	(1.8-4.5)	10	3.6	(2.5-4.7)
C67 Bladder	7	5.7	(3.7-7.7)	7	3.2	(2.0-4.3)	14	4.2	(3.1-5.2)
C71 Brain	7	7.0	(4.5-9.4)	5	4.3	(2.5-6.1)	11	5.5	(4.0-7.0)
C81-96 Haematol	17	15.1	(11.7-18.4)	19	11.7	(9.0-14.3)	36	13.1	(11.0-15.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Scarborough Whitby & Ryedale										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	438	579.6	390.3	(373.3-407.2)	441	540.3	335.3	(319.9-350.8)	879	559.2	354.5	(343.3-365.8)					
C18-20 Colorectal	64	84.9	56.2	(49.8-62.5)	53	64.5	34.4	(29.8-39.0)	117	74.3	44.0	(40.2-47.8)					
C33-C34 Lung	68	89.9	58.3	(51.9-64.6)	48	58.8	31.3	(27.0-35.6)	116	73.8	43.3	(39.6-47.0)					
C50 Breast	-	-	-	-	128	156.4	111.4	(102.1-120.7)	-	-	-	-					
C61 Prostate	94	124.5	77.2	(70.1-84.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	2584	517.2	410.9	(403.7-418.1)	2530	480.3	345.9	(339.4-352.4)	5114	498.3	368.0	(363.3-372.8)					
C18-20 Colorectal	362	72.4	56.9	(54.2-59.5)	290	55.1	34.3	(32.4-36.2)	652	63.5	44.3	(42.7-45.8)					
C33-C34 Lung	486	97.3	76.0	(73.0-79.1)	303	57.5	37.6	(35.6-39.6)	789	76.8	54.3	(52.6-56.1)					
C50 Breast	-	-	-	-	717	136.0	110.3	(106.5-114.1)	-	-	-	-					
C61 Prostate	504	100.9	76.4	(73.4-79.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Scarborough Whitby & Ryedale PCT (5KK) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Scarborough Whitby & Ryedale										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	243	320.7	205.1	(193.2-217.0)	232	284.1	146.8	(137.3-156.2)	474	301.7	170.6	(163.2-177.9)					
C18-20 Colorectal	28	36.5	23.0	(19.0-26.9)	22	27.2	12.0	(9.5-14.5)	50	31.7	16.8	(14.6-19.1)					
C33-C34 Lung	60	79.6	49.8	(44.1-55.6)	38	47.1	24.2	(20.5-27.9)	99	62.7	35.3	(32.0-38.6)					
C50 Breast	1	0.8	0.4	(0.0-0.9)	42	51.5	30.8	(26.1-35.4)	-	-	-	-					
C61 Prostate	32	42.8	24.5	(20.6-28.3)	-	-	-	-	-	-	-	-					

Humber & Yorkshire Coast										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	1582	316.6	245.4	(239.9-250.9)	1388	263.4	162.6	(158.5-166.8)	2970	289.3	196.2	(192.9-199.5)					
C18-20 Colorectal	175	35.0	27.1	(25.3-28.9)	136	25.9	14.0	(12.9-15.2)	311	30.3	19.7	(18.7-20.7)					
C33-C34 Lung	431	86.2	66.3	(63.4-69.1)	271	51.4	32.6	(30.7-34.5)	702	68.4	47.0	(45.4-48.6)					
C50 Breast	-	-	-	-	227	43.1	29.4	(27.6-31.3)	-	-	-	-					
C61 Prostate	185	37.0	27.4	(25.6-29.2)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Scarborough Whitby & Ryedale PCT (5KK)



Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

