


Carlisle & District PCT (5D4) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Carlisle & District PCT		Mean Annual Cases 1998-2002			Incidence				
ICD-10 Code	Male Cases	Incidence Rate		Female Cases	Incidence Rate		All Cases	Incidence Rate	
		ASR	95% CI		ASR	95% CI		ASR	95% CI
C15 Oesophagus	11	15.6	(11.4-19.7)	8	7.8	(5.2-10.3)	19	11.1	(8.8-13.5)
C16 Stomach	16	22.4	(17.4-27.4)	10	10.2	(7.2-13.3)	26	15.6	(12.8-18.4)
C18-20 Colorectal	38	53.7	(46.0-61.5)	37	36.9	(31.1-42.6)	75	44.2	(39.5-48.9)
C25 Pancreas	8	10.7	(7.2-14.1)	9	9.1	(6.2-11.9)	17	9.9	(7.7-12.1)
C33-C34 Lung	50	70.1	(61.3-78.9)	42	45.0	(38.5-51.5)	92	55.7	(50.4-61.0)
C43 Melanoma	7	11.2	(7.5-14.9)	9	13.2	(9.1-17.3)	16	12.1	(9.3-14.8)
C50 Breast	-	-	-	82	107.0	(96.0-118.1)	-	-	-
C53 Cervix	-	-	-	6	8.9	(5.5-12.2)	-	-	-
C54-C55 Uterus	-	-	-	12	15.4	(11.3-19.6)	-	-	-
C56 Ovary	-	-	-	15	19.2	(14.5-23.8)	-	-	-
C61 Prostate	42	56.4	(48.7-64.2)	-	-	-	-	-	-
C64 Kidney	7	11.4	(7.7-15.1)	4	5.3	(2.9-7.8)	12	8.1	(6.0-10.3)
C67 Bladder	12	15.7	(11.6-19.8)	5	4.4	(2.6-6.3)	17	9.3	(7.2-11.4)
C71 Brain	6	9.2	(5.8-12.6)	3	4.3	(2.1-6.5)	9	6.5	(4.6-8.5)
C81-96 Haematol	20	29.8	(23.8-35.7)	19	22.1	(17.2-27.0)	39	25.1	(21.4-28.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Carlisle & District PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	9	12.9	(9.1-16.8)	6	5.5	(3.4-7.5)	15	8.9	(6.8-11.0)
C16 Stomach	10	13.2	(9.4-16.9)	7	6.9	(4.4-9.4)	17	9.6	(7.5-11.7)
C18-20 Colorectal	18	25.9	(20.4-31.3)	17	16.3	(12.4-20.1)	34	20.2	(17.1-23.4)
C25 Pancreas	8	11.1	(7.5-14.6)	10	9.5	(6.6-12.3)	18	10.4	(8.1-12.7)
C33-C34 Lung	50	68.7	(60.0-77.3)	36	37.6	(31.8-43.4)	86	50.7	(45.7-55.7)
C43 Melanoma	1	2.1	(0.5-3.7)	2	2.2	(0.8-3.7)	3	2.2	(1.1-3.3)
C50 Breast	-	-	-	28	31.3	(25.7-36.9)	-	-	-
C53 Cervix	-	-	-	3	3.6	(1.6-5.7)	-	-	-
C54-C55 Uterus	-	-	-	3	3.0	(1.5-4.6)	-	-	-
C56 Ovary	-	-	-	10	11.8	(8.4-15.3)	-	-	-
C61 Prostate	22	29.6	(24.0-35.3)	-	-	-	-	-	-
C64 Kidney	4	5.3	(2.8-7.8)	3	3.1	(1.4-4.7)	7	4.2	(2.7-5.6)
C67 Bladder	6	7.7	(4.9-10.6)	3	2.7	(1.3-4.1)	9	4.7	(3.3-6.1)
C71 Brain	5	8.0	(4.8-11.2)	3	3.0	(1.2-4.8)	8	5.4	(3.6-7.2)
C81-96 Haematol	16	22.9	(17.7-28.0)	13	14.6	(10.7-18.5)	29	17.7	(14.6-20.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Carlisle & District PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	265	480.1	377.9	(357.2-398.6)	300	508.5	351.0	(331.8-370.1)	565	494.7	356.8	(343.0-370.5)					
C18-20 Colorectal	38	68.8	53.7	(46.0-61.5)	37	62.8	36.9	(31.1-42.6)	75	65.7	44.2	(39.5-48.9)					
C33-C34 Lung	50	90.9	70.1	(61.3-78.9)	42	71.3	45.0	(38.5-51.5)	92	80.8	55.7	(50.4-61.0)					
C50 Breast	-	-	-	-	82	138.5	107.0	(96.0-118.1)	-	-	-	-					
C61 Prostate	42	76.0	56.4	(48.7-64.2)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)		
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)		
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)		
C50 Breast	-	-	-	(0.6-1.2)	1338	131.9	109.6	(106.8-112.3)	-	-	-	-		
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)		
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-		

Carlisle & District PCT (5D4) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Carlisle & District PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	180	325.1	251.9	(235.1-268.6)	172	292.6	177.0	(164.2-189.8)	352	308.3	206.8	(196.7-216.9)					
C18-20 Colorectal	18	32.2	25.9	(20.4-31.3)	17	28.2	16.3	(12.4-20.1)	34	30.1	20.2	(17.1-23.4)					
C33-C34 Lung	50	90.5	68.7	(60.0-77.3)	36	61.4	37.6	(31.8-43.4)	86	75.5	50.7	(45.7-55.7)					
C50 Breast	-	-	-	-	28	47.5	31.3	(25.7-36.9)	-	-	-	-					
C61 Prostate	22	40.2	29.6	(24.0-35.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)		
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)		
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)		
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-		
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)		
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Sunderland Teaching PCT (5KL) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Sunderland Teaching PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	18	11.9	(9.3-14.4)	14	6.3	(4.7-7.9)	31	8.8	(7.4-10.2)
C16 Stomach	42	26.3	(22.7-29.9)	25	11.5	(9.4-13.6)	67	18.0	(16.0-19.9)
C18-20 Colorectal	106	68.4	(62.5-74.3)	77	37.5	(33.6-41.5)	183	50.6	(47.2-53.9)
C25 Pancreas	18	11.3	(8.9-13.7)	21	10.2	(8.2-12.2)	39	10.7	(9.1-12.2)
C33-C34 Lung	164	104.2	(97.0-111.5)	110	56.1	(51.2-61.1)	274	76.2	(72.1-80.3)
C43 Melanoma	11	7.5	(5.5-9.5)	22	13.9	(11.3-16.6)	33	10.9	(9.2-12.5)
C50 Breast	-	-	-	183	110.3	(102.8-117.7)	-	-	-
C53 Cervix	-	-	-	17	10.9	(8.5-13.3)	-	-	-
C54-C55 Uterus	-	-	-	25	14.6	(11.9-17.2)	-	-	-
C56 Ovary	-	-	-	33	19.4	(16.3-22.5)	-	-	-
C61 Prostate	133	84.3	(77.8-90.8)	-	-	-	-	-	-
C64 Kidney	16	10.5	(8.1-12.8)	13	7.5	(5.6-9.4)	29	8.7	(7.2-10.1)
C67 Bladder	40	25.7	(22.1-29.3)	15	6.9	(5.2-8.6)	55	14.7	(12.9-16.5)
C71 Brain	9	6.6	(4.7-8.5)	9	5.8	(4.0-7.6)	18	6.2	(4.9-7.5)
C81-96 Haematol	52	34.8	(30.5-39.1)	42	22.0	(18.9-25.2)	94	28.0	(25.4-30.6)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.


Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Sunderland Teaching PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	19	12.6	(10.1-15.2)	16	7.1	(5.5-8.8)	35	9.6	(8.2-11.1)
C16 Stomach	29	18.3	(15.2-21.3)	17	7.6	(5.9-9.3)	46	12.4	(10.7-14.0)
C18-20 Colorectal	48	30.7	(26.8-34.7)	35	16.6	(14.0-19.2)	82	22.3	(20.1-24.6)
C25 Pancreas	17	10.5	(8.2-12.8)	20	9.9	(7.9-11.9)	37	10.1	(8.6-11.6)
C33-C34 Lung	148	94.2	(87.3-101.1)	102	51.3	(46.7-56.0)	250	69.1	(65.1-73.0)
C43 Melanoma	3	2.0	(0.9-3.1)	4	2.2	(1.2-3.2)	7	2.0	(1.3-2.7)
C50 Breast	-	-	-	58	30.9	(27.1-34.6)	-	-	-
C53 Cervix	-	-	-	7	4.3	(2.8-5.8)	-	-	-
C54-C55 Uterus	-	-	-	6	3.1	(1.9-4.2)	-	-	-
C56 Ovary	-	-	-	20	10.8	(8.6-13.0)	-	-	-
C61 Prostate	39	25.7	(22.0-29.5)	-	-	-	-	-	-
C64 Kidney	9	6.1	(4.3-7.8)	5	2.7	(1.6-3.8)	15	4.1	(3.1-5.0)
C67 Bladder	15	9.9	(7.7-12.2)	7	2.8	(1.8-3.8)	22	5.7	(4.6-6.8)
C71 Brain	6	4.0	(2.6-5.5)	7	4.6	(3.0-6.1)	13	4.3	(3.3-5.4)
C81-96 Haematol	30	20.1	(16.8-23.3)	26	12.2	(10.0-14.4)	56	15.8	(13.9-17.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Sunderland Teaching PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	747	542.0	484.6	(468.8-500.4)	703	483.6	380.7	(367.5-393.9)	1449	512.0	418.6	(408.7-428.4)					
C18-20 Colorectal	106	77.1	68.4	(62.5-74.3)	77	52.8	37.5	(33.6-41.5)	183	64.7	50.6	(47.2-53.9)					
C33-C34 Lung	164	119.1	104.2	(97.0-111.5)	110	75.6	56.1	(51.2-61.1)	274	96.7	76.2	(72.1-80.3)					
C50 Breast	-	-	-	-	183	125.7	110.3	(102.8-117.7)	-	-	-	-					
C61 Prostate	133	96.7	84.3	(77.8-90.8)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Sunderland Teaching PCT (5KL) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Sunderland Teaching PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	454	329.6	294.4	(282.0-306.7)	402	276.8	197.5	(188.4-206.6)	856	302.5	236.2	(229.0-243.5)					
C18-20 Colorectal	48	34.6	30.7	(26.8-34.7)	35	23.9	16.6	(14.0-19.2)	82	29.1	22.3	(20.1-24.6)					
C33-C34 Lung	148	107.4	94.2	(87.3-101.1)	102	70.1	51.3	(46.7-56.0)	250	88.2	69.1	(65.1-73.0)					
C50 Breast	-	-	-	-	58	39.9	30.9	(27.1-34.6)	-	-	-	-					
C61 Prostate	39	28.3	25.7	(22.0-29.5)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




South Tyneside PCT (5KG) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




South Tyneside PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	11	12.3	(9.0-15.6)	7	4.8	(3.1-6.5)	19	8.4	(6.6-10.2)		
C16 Stomach	22	24.7	(19.9-29.4)	16	13.1	(10.0-16.2)	38	18.1	(15.4-20.8)		
C18-20 Colorectal	65	68.0	(60.4-75.6)	50	40.3	(34.9-45.7)	115	52.0	(47.6-56.5)		
C25 Pancreas	12	13.5	(9.9-17.0)	12	9.2	(6.6-11.8)	23	11.0	(9.0-13.1)		
C33-C34 Lung	98	103.6	(94.2-113.0)	71	57.7	(51.2-64.2)	170	77.0	(71.6-82.5)		
C43 Melanoma	4	5.5	(3.2-7.9)	8	8.2	(5.5-10.9)	12	7.0	(5.2-8.8)		
C50 Breast	-	-	-	104	110.3	(100.3-120.4)	-	-	-		
C53 Cervix	-	-	-	10	11.3	(8.0-14.6)	-	-	-		
C54-C55 Uterus	-	-	-	10	10.8	(7.7-13.9)	-	-	-		
C56 Ovary	-	-	-	20	20.3	(16.0-24.5)	-	-	-		
C61 Prostate	53	55.2	(48.3-62.0)	-	-	-	-	-	-		
C64 Kidney	11	13.2	(9.7-16.8)	8	5.8	(3.8-7.8)	19	9.3	(7.3-11.3)		
C67 Bladder	26	26.5	(21.8-31.1)	10	7.6	(5.3-9.8)	37	16.0	(13.6-18.4)		
C71 Brain	9	11.2	(7.9-14.5)	5	5.0	(2.9-7.1)	14	8.0	(6.1-9.9)		
C81-96 Haematol	25	28.7	(23.5-33.9)	29	25.5	(21.0-30.0)	54	26.8	(23.5-30.2)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

South Tyneside PCT (5KG) - Mortality



South Tyneside PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	15	15.6	(11.9-19.2)	7	4.4	(2.8-6.0)	21	9.5	(7.6-11.4)
C16 Stomach	16	17.5	(13.5-21.5)	12	9.3	(6.8-11.9)	28	12.8	(10.6-15.1)
C18-20 Colorectal	32	32.4	(27.2-37.5)	22	16.5	(13.2-19.8)	54	23.5	(20.5-26.4)
C25 Pancreas	11	12.2	(8.9-15.5)	10	8.4	(5.9-10.9)	21	9.9	(7.9-11.8)
C33-C34 Lung	94	97.6	(88.5-106.7)	62	49.5	(43.6-55.4)	156	69.7	(64.5-74.8)
C43 Melanoma	1	1.4	(0.3-2.6)	1	0.9	(0.1-1.7)	2	1.2	(0.5-1.9)
C50 Breast	-	-	-	34	31.6	(26.5-36.7)	-	-	-
C53 Cervix	-	-	-	4	3.8	(2.1-5.6)	-	-	-
C54-C55 Uterus	-	-	-	2	2.1	(0.8-3.4)	-	-	-
C56 Ovary	-	-	-	13	11.8	(8.8-14.9)	-	-	-
C61 Prostate	23	23.8	(19.3-28.4)	-	-	-	-	-	-
C64 Kidney	6	7.2	(4.6-9.8)	4	2.7	(1.4-4.0)	10	4.7	(3.4-6.0)
C67 Bladder	10	10.9	(7.9-14.0)	6	3.8	(2.3-5.3)	16	6.8	(5.2-8.3)
C71 Brain	5	5.9	(3.6-8.2)	4	3.9	(2.1-5.7)	9	4.9	(3.4-6.3)
C81-96 Haematol	14	15.7	(12.0-19.5)	18	13.6	(10.5-16.7)	32	14.6	(12.2-17.0)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Tyneside PCT (5KG) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

South Tyneside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	428	574.1	462.3	(442.1-482.5)	415	525.2	379.1	(361.5-396.8)	843	548.9	409.6	(396.6-422.6)					
C18-20 Colorectal	65	87.8	68.0	(60.4-75.6)	50	63.0	40.3	(34.9-45.7)	115	75.0	52.0	(47.6-56.5)					
C33-C34 Lung	98	132.1	103.6	(94.2-113.0)	71	90.3	57.7	(51.2-64.2)	170	110.6	77.0	(71.6-82.5)					
C50 Breast	-	-	-	-	104	131.2	110.3	(100.3-120.4)	-	-	-	-					
C61 Prostate	53	70.9	55.2	(48.3-62.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

South Tyneside PCT (5KG) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

South Tyneside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	289	388.3	306.0	(289.8-322.3)	240	303.2	194.9	(182.9-206.9)	529	344.4	240.2	(230.6-249.8)					
C18-20 Colorectal	32	42.4	32.4	(27.2-37.5)	22	27.8	16.5	(13.2-19.8)	54	34.9	23.5	(20.5-26.4)					
C33-C34 Lung	94	125.9	97.6	(88.5-106.7)	62	78.6	49.5	(43.6-55.4)	156	101.6	69.7	(64.5-74.8)					
C50 Breast	-	-	-	-	34	42.7	31.6	(26.5-36.7)	-	-	-	-					
C61 Prostate	23	30.3	23.8	(19.3-28.4)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

South Tyneside PCT (5KG)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Gateshead PCT (5KF) - Incidence



Gateshead PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	16	13.9	(10.8-17.1)	11	7.0	(5.0-8.9)	27	10.3	(8.5-12.1)
C16 Stomach	27	23.3	(19.2-27.3)	18	10.7	(8.3-13.0)	44	16.1	(13.9-18.2)
C18-20 Colorectal	73	63.9	(57.2-70.6)	58	35.2	(30.8-39.5)	131	47.5	(43.8-51.3)
C25 Pancreas	11	9.6	(7.0-12.1)	13	7.8	(5.7-9.8)	24	8.7	(7.1-10.3)
C33-C34 Lung	124	105.5	(97.0-114.0)	85	56.1	(50.4-61.7)	208	77.1	(72.3-82.0)
C43 Melanoma	9	8.4	(5.9-11.0)	12	11.0	(8.1-13.8)	21	9.8	(7.9-11.7)
C50 Breast	-	-	-	143	116.9	(107.9-126.0)	-	-	-
C53 Cervix	-	-	-	12	10.5	(7.8-13.3)	-	-	-
C54-C55 Uterus	-	-	-	19	14.3	(11.3-17.4)	-	-	-
C56 Ovary	-	-	-	22	16.9	(13.5-20.3)	-	-	-
C61 Prostate	109	92.8	(84.9-100.8)	-	-	-	-	-	-
C64 Kidney	11	10.4	(7.6-13.1)	10	7.2	(5.1-9.3)	21	8.6	(6.9-10.3)
C67 Bladder	28	23.9	(19.9-28.0)	14	7.6	(5.7-9.5)	41	14.4	(12.4-16.4)
C71 Brain	10	9.7	(7.0-12.4)	7	5.3	(3.4-7.2)	17	7.4	(5.8-9.0)
C81-96 Haematol	41	36.8	(31.7-42.0)	37	26.4	(22.3-30.5)	78	31.0	(27.8-34.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Gateshead PCT (5KF) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Gateshead PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	15	13.2	(10.2-16.3)	9	5.7	(3.9-7.4)	24	9.2	(7.5-10.9)
C16 Stomach	18	16.1	(12.7-19.4)	12	7.0	(5.2-8.9)	31	11.0	(9.2-12.8)
C18-20 Colorectal	32	28.6	(24.1-33.1)	29	16.9	(14.0-19.9)	62	22.0	(19.4-24.5)
C25 Pancreas	10	9.0	(6.5-11.5)	13	7.8	(5.8-9.8)	23	8.5	(6.9-10.1)
C33-C34 Lung	110	93.4	(85.5-101.4)	75	48.7	(43.5-54.0)	185	67.2	(62.7-71.7)
C43 Melanoma	2	2.1	(0.9-3.3)	2	1.3	(0.4-2.2)	4	1.7	(1.0-2.4)
C50 Breast	-	-	-	45	31.7	(27.3-36.2)	-	-	-
C53 Cervix	-	-	-	5	3.7	(2.1-5.3)	-	-	-
C54-C55 Uterus	-	-	-	3	1.4	(0.6-2.1)	-	-	-
C56 Ovary	-	-	-	16	11.3	(8.6-14.0)	-	-	-
C61 Prostate	31	26.6	(22.3-30.9)	-	-	-	-	-	-
C64 Kidney	5	4.8	(2.9-6.6)	3	2.2	(1.1-3.4)	9	3.3	(2.3-4.4)
C67 Bladder	11	9.4	(6.8-12.0)	8	4.1	(2.7-5.5)	18	5.9	(4.7-7.2)
C71 Brain	9	8.3	(5.9-10.8)	5	3.4	(1.9-4.9)	14	5.8	(4.4-7.2)
C81-96 Haematol	21	18.0	(14.4-21.5)	20	13.5	(10.6-16.4)	41	15.4	(13.2-17.6)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Gateshead PCT (5KF) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Gateshead PCT		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	553	593.7	485.8	(467.3-504.3)	528	531.1	378.7	(363.2-394.1)	1081	561.4	419.0	(407.4-430.6)	
C18-20 Colorectal	73	78.1	63.9	(57.2-70.6)	58	58.1	35.2	(30.8-39.5)	131	67.8	47.5	(43.8-51.3)	
C33-C34 Lung	124	132.6	105.5	(97.0-114.0)	85	85.1	56.1	(50.4-61.7)	208	108.1	77.1	(72.3-82.0)	
C50 Breast	-	-	-	-	143	143.6	116.9	(107.9-126.0)	-	-	-	-	
C61 Prostate	109	117.2	92.8	(84.9-100.8)	-	-	-	-	-	-	-	-	

Northern Cancer Network		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)	
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)	
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)	
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-	
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	

Gateshead PCT (5KF) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Gateshead PCT		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	332	355.9	288.5	(274.3-302.7)	296	297.6	189.3	(178.9-199.7)	628	325.8	229.4	(221.1-237.7)	
C18-20 Colorectal	32	34.6	28.6	(24.1-33.1)	29	29.6	16.9	(14.0-19.9)	62	32.0	22.0	(19.4-24.5)	
C33-C34 Lung	110	118.1	93.4	(85.5-101.4)	75	75.6	48.7	(43.5-54.0)	185	96.1	67.2	(62.7-71.7)	
C50 Breast	-	-	-	-	45	44.8	31.7	(27.3-36.2)	-	-	-	-	
C61 Prostate	31	33.3	26.6	(22.3-30.9)	-	-	-	-	-	-	-	-	

Northern Cancer Network		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)	
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)	
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)	
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-	
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Gateshead PCT (5KF)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Easington PCT (5KD) - Incidence




Easington PCT		Mean Annual Cases 1998-2002						Incidence			
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	7	12.6	(8.3-16.9)	4	5.1	(2.7-7.5)	11	8.6	(6.2-11.0)		
C16 Stomach	18	30.7	(24.1-37.2)	9	12.2	(8.5-16.0)	27	20.6	(17.0-24.2)		
C18-20 Colorectal	31	56.8	(47.6-66.0)	24	31.8	(25.8-37.8)	55	43.6	(38.3-49.0)		
C25 Pancreas	6	10.3	(6.4-14.2)	6	7.6	(4.7-10.4)	12	8.9	(6.6-11.3)		
C33-C34 Lung	55	96.3	(84.7-108.0)	38	54.3	(46.2-62.5)	93	71.5	(64.8-78.2)		
C43 Melanoma	3	6.2	(3.0-9.4)	5	10.5	(6.4-14.5)	8	8.3	(5.7-10.9)		
C50 Breast	-	-	-	63	110.7	(98.0-123.4)	-	-	-		
C53 Cervix	-	-	-	6	12.1	(7.8-16.4)	-	-	-		
C54-C55 Uterus	-	-	-	9	14.6	(10.1-19.1)	-	-	-		
C56 Ovary	-	-	-	15	26.1	(19.9-32.3)	-	-	-		
C61 Prostate	45	79.2	(68.6-89.7)	-	-	-	-	-	-		
C64 Kidney	7	13.5	(9.0-17.9)	4	7.0	(3.8-10.2)	12	9.5	(7.0-12.1)		
C67 Bladder	9	16.3	(11.5-21.1)	5	6.0	(3.5-8.4)	14	10.6	(8.0-13.1)		
C71 Brain	4	8.3	(4.7-11.9)	5	8.8	(5.1-12.5)	9	8.6	(6.0-11.2)		
C81-96 Haematol	14	24.5	(18.6-30.4)	14	21.3	(16.0-26.5)	28	22.8	(18.9-26.8)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Easington PCT (5KD) - Mortality



Easington PCT		Mean Annual Deaths 1998-2002						Mortality		
ICD-10 Code	Male			Female			All			
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	
C15 Oesophagus	5	8.9	(5.2-12.6)	4	4.4	(2.3-6.5)	8	6.6	(4.5-8.7)	
C16 Stomach	14	23.7	(18.0-29.3)	7	8.4	(5.4-11.4)	21	15.1	(12.1-18.1)	
C18-20 Colorectal	14	24.3	(18.4-30.2)	10	14.0	(9.9-18.1)	24	18.8	(15.3-22.3)	
C25 Pancreas	5	10.1	(6.2-13.9)	6	7.2	(4.5-10.0)	11	8.7	(6.4-11.0)	
C33-C34 Lung	48	84.8	(73.9-95.7)	31	44.2	(36.9-51.5)	80	60.9	(54.7-67.0)	
C43 Melanoma	1	2.3	(0.4-4.2)	1	1.7	(0.2-3.2)	2	2.0	(0.8-3.2)	
C50 Breast	-	-	-	18	25.8	(20.0-31.5)	-	-	-	
C53 Cervix	-	-	-	2	2.4	(0.6-4.2)	-	-	-	
C54-C55 Uterus	-	-	-	2	3.0	(1.2-4.8)	-	-	-	
C56 Ovary	-	-	-	8	11.8	(8.0-15.7)	-	-	-	
C61 Prostate	15	27.3	(21.0-33.7)	-	-	-	-	-	-	
C64 Kidney	4	6.8	(3.6-10.0)	2	2.8	(1.1-4.5)	6	4.5	(2.8-6.2)	
C67 Bladder	5	9.8	(6.0-13.6)	3	3.3	(1.4-5.1)	8	6.1	(4.1-8.0)	
C71 Brain	4	7.2	(3.8-10.5)	4	5.3	(2.7-7.9)	7	6.4	(4.2-8.5)	
C81-96 Haematol	9	15.4	(10.9-19.9)	7	9.0	(5.8-12.2)	16	11.9	(9.2-14.5)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Easington PCT (5KD) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Easington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	234	510.5	423.5	(398.7-448.3)	237	486.2	370.0	(347.7-392.4)	470	498.0	387.8	(371.6-404.0)	470	498.0	387.8	(371.6-404.0)	
C18-20 Colorectal	31	66.9	56.8	(47.6-66.0)	24	49.3	31.8	(25.8-37.8)	55	57.8	43.6	(38.3-49.0)	55	57.8	43.6	(38.3-49.0)	
C33-C34 Lung	55	119.8	96.3	(84.7-108.0)	38	77.6	54.3	(46.2-62.5)	93	98.0	71.5	(64.8-78.2)	93	98.0	71.5	(64.8-78.2)	
C50 Breast	-	-	-	-	63	129.8	110.7	(98.0-123.4)	-	-	-	-	-	-	-	-	
C61 Prostate	45	97.9	79.2	(68.6-89.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	-	-	-	-

Easington PCT (5KD) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Easington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	149	325.2	264.6	(245.1-284.0)	125	257.5	171.3	(157.1-185.5)	274	290.3	210.6	(199.1-222.1)	274	290.3	210.6	(199.1-222.1)	
C18-20 Colorectal	14	29.7	24.3	(18.4-30.2)	10	21.4	14.0	(9.9-18.1)	24	25.4	18.8	(15.3-22.3)	24	25.4	18.8	(15.3-22.3)	
C33-C34 Lung	48	105.8	84.8	(73.9-95.7)	31	64.5	44.2	(36.9-51.5)	80	84.5	60.9	(54.7-67.0)	80	84.5	60.9	(54.7-67.0)	
C50 Breast	-	-	-	-	18	36.1	25.8	(20.0-31.5)	-	-	-	-	-	-	-	-	
C61 Prostate	15	33.2	27.3	(21.0-33.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Easington PCT (5KD)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Durham & Chester-le-Street PCT (5KC) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham & Chester-le-Street PCT					Mean Annual Cases 1998-2002			Incidence		
ICD-10 Code	Male		Incidence Rate		Female Cases	Incidence Rate		All Cases	Incidence Rate	
	Cases	ASR	95% CI	ASR		95% CI	ASR		95% CI	
C15 Oesophagus	10	12.8	(9.2-16.4)		5	4.4	(2.6-6.2)	15	8.5	(6.6-10.5)
C16 Stomach	19	25.1	(20.0-30.1)		10	9.3	(6.6-12.0)	29	15.8	(13.2-18.4)
C18-20 Colorectal	46	59.9	(52.1-67.7)		42	41.6	(35.7-47.5)	88	49.9	(45.1-54.6)
C25 Pancreas	7	9.8	(6.6-13.0)		8	7.0	(4.6-9.3)	15	8.2	(6.3-10.1)
C33-C34 Lung	60	76.9	(68.2-85.7)		40	40.6	(34.8-46.4)	101	55.8	(50.9-60.8)
C43 Melanoma	7	9.1	(6.0-12.3)		12	15.5	(11.6-19.5)	19	12.3	(9.8-14.8)
C50 Breast	-	-			95	112.4	(102.0-122.8)	-	-	
C53 Cervix	-	-			7	9.4	(6.3-12.5)	-	-	
C54-C55 Uterus	-	-			11	12.4	(9.1-15.8)	-	-	
C56 Ovary	-	-			14	16.0	(12.1-19.8)	-	-	
C61 Prostate	56	71.9	(63.3-80.4)		-	-		-	-	
C64 Kidney	9	11.6	(8.2-15.1)		6	6.8	(4.3-9.2)	15	9.0	(7.0-11.1)
C67 Bladder	20	25.2	(20.2-30.2)		8	7.2	(4.8-9.6)	27	14.8	(12.3-17.3)
C71 Brain	7	9.2	(6.1-12.4)		3	4.7	(2.4-7.0)	10	6.9	(5.0-8.9)
C81-96 Haematol	25	33.1	(27.2-39.0)		20	23.1	(18.3-27.9)	45	27.6	(23.9-31.3)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Durham & Chester-le-Street PCT				Mean Annual Deaths 1998-2002			Mortality		
ICD-10 Code	Male		Female	Mortality Rate		All	Mortality Rate		
	Deaths	ASM 95% CI		Deaths	ASM 95% CI		Deaths	ASM 95% CI	
C15 Oesophagus	11	13.6 (9.9-17.3)	7	5.6 (3.6-7.5)	17	9.4 (7.4-11.5)			
C16 Stomach	14	18.8 (14.4-23.3)	7	5.7 (3.7-7.8)	21	11.3 (9.1-13.5)			
C18-20 Colorectal	22	28.4 (23.0-33.8)	18	17.3 (13.6-21.0)	40	22.0 (18.9-25.1)			
C25 Pancreas	7	9.5 (6.3-12.7)	8	7.3 (4.9-9.7)	15	8.2 (6.3-10.1)			
C33-C34 Lung	50	64.8 (56.7-72.8)	36	35.3 (30.0-40.6)	87	47.4 (42.9-52.0)			
C43 Melanoma	2	3.3 (1.4-5.2)	1	0.8 (0.0-1.6)	3	1.9 (1.0-2.9)			
C50 Breast	-	-	27	26.7 (22.0-31.5)	-	-			
C53 Cervix	-	-	2	2.6 (1.0-4.2)	-	-			
C54-C55 Uterus	-	-	2	2.3 (0.9-3.8)	-	-			
C56 Ovary	-	-	11	10.6 (7.6-13.6)	-	-			
C61 Prostate	19	24.6 (19.5-29.6)	-	-	-	-			
C64 Kidney	5	7.2 (4.5-10.0)	4	4.1 (2.2-6.0)	9	5.3 (3.8-6.9)			
C67 Bladder	7	9.8 (6.6-13.0)	5	4.3 (2.5-6.2)	12	6.4 (4.8-8.1)			
C71 Brain	5	6.5 (3.9-9.2)	3	4.2 (2.2-6.2)	8	5.4 (3.7-7.0)			
C81-96 Haematol	11	14.5 (10.7-18.3)	10	10.8 (7.7-13.9)	21	12.3 (9.9-14.7)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Durham & Chester-le-Street PC										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	319	459.3	416.5	(395.9-437.1)	323	445.9	354.2	(336.3-372.2)	643	452.5	374.6	(361.5-387.8)					
C18-20 Colorectal	46	65.9	59.9	(52.1-67.7)	42	57.9	41.6	(35.7-47.5)	88	61.8	49.9	(45.1-54.6)					
C33-C34 Lung	60	86.9	76.9	(68.2-85.7)	40	55.4	40.6	(34.8-46.4)	101	70.8	55.8	(50.9-60.8)					
C50 Breast	-	-	-	-	95	130.4	112.4	(102.0-122.8)	-	-	-	-					
C61 Prostate	56	80.2	71.9	(63.3-80.4)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)					
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)					
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)					
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-					
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Durham & Chester-le-Street PCT (5KC) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Durham & Chester-le-Street PC										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	191	274.4	249.6	(233.6-265.6)	169	233.3	164.6	(153.0-176.2)	360	253.4	198.8	(189.5-208.2)					
C18-20 Colorectal	22	31.3	28.4	(23.0-33.8)	18	25.4	17.3	(13.6-21.0)	40	28.3	22.0	(18.9-25.1)					
C33-C34 Lung	50	72.5	64.8	(56.7-72.8)	36	50.2	35.3	(30.0-40.6)	87	61.1	47.4	(42.9-52.0)					
C50 Breast	0	0.0	0.0	(0.0-0.0)	27	37.2	26.7	(22.0-31.5)	-	-	-	-					
C61 Prostate	19	27.0	24.6	(19.5-29.6)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)					
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)					
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)					
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-					
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Derwentside PCT (5KA) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Derwentside PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	6	11.8	(7.6-16.0)	4	7.0	(3.8-10.1)	10	9.0	(6.5-11.5)
C16 Stomach	13	24.8	(18.7-30.9)	8	10.3	(6.9-13.8)	21	17.0	(13.6-20.4)
C18-20 Colorectal	29	54.6	(45.5-63.7)	31	44.3	(36.8-51.9)	60	49.4	(43.6-55.2)
C25 Pancreas	4	7.7	(4.3-11.2)	6	8.2	(5.0-11.5)	10	8.0	(5.7-10.3)
C33-C34 Lung	52	98.8	(86.7-110.9)	31	48.2	(40.1-56.2)	83	69.8	(62.9-76.7)
C43 Melanoma	4	8.8	(4.9-12.7)	5	10.7	(6.5-15.0)	9	9.9	(7.0-12.8)
C50 Breast	-	-	-	57	100.7	(88.3-113.1)	-	-	-
C53 Cervix	-	-	-	4	7.8	(4.3-11.3)	-	-	-
C54-C55 Uterus	-	-	-	8	14.1	(9.4-18.7)	-	-	-
C56 Ovary	-	-	-	10	17.9	(12.6-23.2)	-	-	-
C61 Prostate	38	71.0	(60.7-81.3)	-	-	-	-	-	-
C64 Kidney	8	16.1	(11.1-21.0)	4	6.6	(3.6-9.7)	13	10.9	(8.1-13.7)
C67 Bladder	11	20.3	(14.8-25.9)	4	4.8	(2.6-7.0)	15	11.9	(9.1-14.7)
C71 Brain	5	10.6	(6.3-14.9)	2	4.7	(1.9-7.5)	7	7.6	(5.0-10.1)
C81-96 Haematol	16	33.3	(25.9-40.7)	14	21.5	(16.0-27.1)	30	26.9	(22.4-31.4)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Derwentside PCT (5KA) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Derwentside PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	8	14.6	(9.9-19.3)	3	4.8	(2.2-7.4)	11	9.2	(6.6-11.7)			
C16 Stomach	7	12.9	(8.6-17.3)	7	8.3	(5.3-11.3)	14	10.3	(7.8-12.8)			
C18-20 Colorectal	12	24.8	(18.5-31.1)	14	16.7	(12.3-21.1)	26	20.3	(16.6-23.9)			
C25 Pancreas	4	6.9	(3.6-10.1)	5	7.3	(4.2-10.3)	9	6.9	(4.7-9.0)			
C33-C34 Lung	48	89.7	(78.1-101.2)	28	41.5	(34.1-48.8)	75	62.1	(55.6-68.5)			
C43 Melanoma	2	4.2	(1.6-6.9)	2	2.8	(0.7-4.9)	4	3.5	(1.9-5.2)			
C50 Breast	-	-	-	20	31.4	(24.7-38.0)	-	-	-			
C53 Cervix	-	-	-	2	4.4	(1.8-7.0)	-	-	-			
C54-C55 Uterus	-	-	-	2	2.8	(0.9-4.7)	-	-	-			
C56 Ovary	-	-	-	6	10.8	(6.8-14.8)	-	-	-			
C61 Prostate	18	33.8	(26.6-41.0)	-	-	-	-	-	-			
C64 Kidney	4	8.1	(4.6-11.7)	3	3.7	(1.7-5.7)	7	5.7	(3.8-7.6)			
C67 Bladder	5	9.4	(5.8-13.1)	3	2.9	(1.3-4.6)	8	5.6	(3.8-7.4)			
C71 Brain	3	5.8	(2.7-8.9)	1	2.8	(0.7-4.9)	4	4.2	(2.4-6.1)			
C81-96 Haematol	8	16.7	(11.5-21.9)	8	12.3	(8.2-16.4)	17	14.3	(11.1-17.5)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Derwentside PCT (5KA) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Derwentside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	224	541.5	433.8	(408.0-459.6)	222	505.5	355.6	(333.2-378.1)	447	523.0	384.8	(368.2-401.4)					
C18-20 Colorectal	29	69.0	54.6	(45.5-63.7)	31	71.4	44.3	(36.8-51.9)	60	70.3	49.4	(43.6-55.2)					
C33-C34 Lung	52	126.4	98.8	(86.7-110.9)	31	70.5	48.2	(40.1-56.2)	83	97.7	69.8	(62.9-76.7)					
C50 Breast	-	-	-	-	57	129.2	100.7	(88.3-113.1)	-	-	-	-					
C61 Prostate	38	91.2	71.0	(60.7-81.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Derwentside PCT (5KA) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Derwentside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	142	342.2	272.6	(252.2-293.0)	130	296.2	185.8	(170.3-201.2)	272	318.5	220.9	(208.7-233.1)					
C18-20 Colorectal	12	29.9	24.8	(18.5-31.1)	14	30.9	16.7	(12.3-21.1)	26	30.4	20.3	(16.6-23.9)					
C33-C34 Lung	48	114.9	89.7	(78.1-101.2)	28	63.2	41.5	(34.1-48.8)	75	88.3	62.1	(55.6-68.5)					
C50 Breast	-	-	-	-	20	45.5	31.4	(24.7-38.0)	-	-	-	-					
C61 Prostate	18	42.5	33.8	(26.6-41.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Derwentside PCT (5KA)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




North Tyneside PCT (5D8) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tyneside PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI	
C15 Oesophagus	11	9.4	(6.8-12.0)		10	5.8	(4.0-7.5)		21	7.5	(5.9-9.0)	
C16 Stomach	34	27.9	(23.6-32.2)		17	9.2	(7.0-11.3)		51	16.8	(14.6-18.9)	
C18-20 Colorectal	78	65.1	(58.5-71.8)		66	38.7	(34.1-43.2)		144	50.2	(46.3-54.0)	
C25 Pancreas	10	9.3	(6.7-11.9)		13	8.0	(5.9-10.1)		24	8.6	(6.9-10.2)	
C33-C34 Lung	120	100.5	(92.2-108.7)		82	49.8	(44.6-55.0)		202	71.0	(66.5-75.6)	
C43 Melanoma	8	7.6	(5.2-10.0)		14	11.0	(8.3-13.8)		22	9.5	(7.7-11.3)	
C50 Breast	-	-			130	105.0	(96.4-113.5)		-	-		
C53 Cervix	-	-			12	10.7	(7.9-13.6)		-	-		
C54-C55 Uterus	-	-			17	12.6	(9.7-15.5)		-	-		
C56 Ovary	-	-			24	18.1	(14.6-21.5)		-	-		
C61 Prostate	109	91.1	(83.2-98.9)		-	-			-	-		
C64 Kidney	15	13.6	(10.4-16.7)		7	4.1	(2.6-5.6)		21	8.2	(6.6-9.9)	
C67 Bladder	26	21.0	(17.3-24.8)		14	7.6	(5.7-9.6)		40	13.2	(11.3-15.1)	
C71 Brain	8	7.7	(5.3-10.1)		8	6.7	(4.5-8.9)		16	7.2	(5.6-8.9)	
C81-96 Haematol	36	33.2	(28.2-38.2)		38	26.8	(22.7-31.0)		74	29.7	(26.5-32.9)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tyneside PCT (5D8) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Tyneside PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	12	10.6	(7.9-13.4)	10	5.9	(4.1-7.6)	22	7.7	(6.2-9.2)
C16 Stomach	21	17.3	(13.9-20.7)	14	7.0	(5.2-8.8)	34	11.0	(9.2-12.7)
C18-20 Colorectal	33	28.0	(23.7-32.4)	32	16.7	(13.9-19.5)	66	21.8	(19.4-24.3)
C25 Pancreas	9	7.6	(5.2-9.9)	12	6.9	(5.0-8.8)	20	7.1	(5.6-8.5)
C33-C34 Lung	105	87.5	(79.8-95.2)	70	41.1	(36.5-45.8)	174	60.6	(56.3-64.8)
C43 Melanoma	3	2.2	(1.0-3.5)	2	1.5	(0.6-2.4)	5	1.8	(1.1-2.6)
C50 Breast	-	-	-	44	30.0	(25.7-34.4)	-	-	-
C53 Cervix	-	-	-	5	3.3	(1.9-4.8)	-	-	-
C54-C55 Uterus	-	-	-	4	2.0	(1.1-2.9)	-	-	-
C56 Ovary	-	-	-	15	10.1	(7.6-12.6)	-	-	-
C61 Prostate	33	27.4	(23.1-31.7)	-	-	-	-	-	-
C64 Kidney	8	8.0	(5.5-10.5)	3	1.8	(0.9-2.8)	12	4.4	(3.2-5.6)
C67 Bladder	9	7.5	(5.2-9.7)	8	4.1	(2.7-5.4)	17	5.2	(4.1-6.3)
C71 Brain	6	5.6	(3.5-7.6)	7	5.1	(3.3-7.0)	13	5.4	(4.0-6.8)
C81-96 Haematol	23	19.9	(16.2-23.7)	20	12.0	(9.5-14.6)	43	15.4	(13.2-17.6)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tyneside PCT (5D8) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Tyneside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude				Female Crude				All Crude								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	564	616.1	486.3	(467.9-504.7)	532	532.8	364.9	(349.9-380.0)	1097	572.6	410.4	(399.0-421.8)					
C18-20 Colorectal	78.2	85.4	65.1	(58.5-71.8)	66	65.9	38.7	(34.1-43.2)	144	75.2	50.2	(50.0-57.4)					
C33-C34 Lung	120	130.8	100.5	(92.2-108.7)	82	82.5	49.8	(44.6-55.0)	202	105.6	71.0	(78.8-88.1)					
C50 Breast	-	-	-	-	130	130.5	105.0	(96.4-113.5)	-	-	-	-					
C61 Prostate	109	118.8	91.1	(83.2-98.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude				Female Crude				All Crude			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude				Female Crude				All Crude			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

North Tyneside PCT (5D8) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Tyneside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude				Female Crude				All Crude								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	335	365.4	285.8	(271.8-299.9)	314	314.1	187.0	(176.9-197.2)	648	338.6	226.1	(217.9-234.3)					
C18-20 Colorectal	33	36.5	28.0	(23.7-32.4)	32	32.2	16.7	(13.9-19.5)	66	34.3	21.8	(19.4-24.3)					
C33-C34 Lung	105	114.2	87.5	(79.8-95.2)	70	69.7	41.1	(36.5-45.8)	174	91.0	60.6	(56.3-64.8)					
C50 Breast	-	-	-	-	44	44.2	30.0	(25.7-34.4)	-	-	-	-					
C61 Prostate	33	36.0	27.4	(23.1-31.7)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude				Female Crude				All Crude			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude				Female Crude				All Crude			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Tyneside PCT (5D8)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Newcastle PCT (5D7) - Incidence



Newcastle PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	19	14.0	(11.2-16.9)	14	6.8	(5.0-8.5)	33	10.2	(8.5-11.8)		
C16 Stomach	31	21.5	(18.0-24.9)	22	9.5	(7.6-11.5)	53	14.6	(12.8-16.5)		
C18-20 Colorectal	101	71.8	(65.4-78.2)	79	39.6	(35.3-43.9)	180	53.7	(50.0-57.4)		
C25 Pancreas	12	8.7	(6.5-11.0)	18	8.4	(6.5-10.3)	31	8.6	(7.1-10.0)		
C33-C34 Lung	155	109.5	(101.6-117.4)	122	64.0	(58.5-69.5)	277	83.4	(78.8-88.1)		
C43 Melanoma	11	8.2	(6.0-10.4)	13	8.3	(6.1-10.4)	24	8.3	(6.7-9.8)		
C50 Breast	-	-	-	159	107.6	(99.6-115.5)	-	-	-		
C53 Cervix	-	-	-	15	10.5	(8.1-13.0)	-	-	-		
C54-C55 Uterus	-	-	-	21	13.8	(11.0-16.6)	-	-	-		
C56 Ovary	-	-	-	31	18.9	(15.7-22.2)	-	-	-		
C61 Prostate	136	93.4	(86.2-100.6)	-	-	-	-	-	-		
C64 Kidney	16	11.9	(9.2-14.5)	13	7.1	(5.2-9.0)	28	9.3	(7.7-10.9)		
C67 Bladder	37	25.0	(21.3-28.7)	16	7.2	(5.4-9.0)	53	14.5	(12.6-16.3)		
C71 Brain	10	7.5	(5.3-9.7)	8	5.2	(3.5-6.9)	18	6.3	(4.9-7.6)		
C81-96 Haematol	42	31.6	(27.2-36.0)	43	23.1	(19.7-26.5)	85	27.2	(24.4-29.9)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Newcastle PCT (5D7) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Newcastle PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI		Deaths	ASM	95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	18	12.9	(10.1-15.6)		10	4.7	(3.2-6.2)		28	8.4	(6.9-9.8)	
C16 Stomach	22	14.7	(12.0-17.5)		15	6.5	(4.8-8.1)		37	9.8	(8.3-11.3)	
C18-20 Colorectal	45	32.0	(27.7-36.3)		35	15.4	(12.9-18.0)		80	22.6	(20.3-24.9)	
C25 Pancreas	11	7.5	(5.5-9.6)		17	7.8	(6.0-9.7)		28	7.7	(6.4-9.1)	
C33-C34 Lung	139	98.3	(90.8-105.7)		101	51.6	(46.7-56.5)		240	71.2	(67.0-75.5)	
C43 Melanoma	4	2.8	(1.5-4.0)		3	2.1	(0.9-3.2)		6	2.3	(1.5-3.2)	
C50 Breast	-	-			57	31.9	(27.8-36.0)		-	-		
C53 Cervix	-	-			5	3.1	(1.7-4.4)		-	-		
C54-C55 Uterus	-	-			4	2.1	(1.1-3.0)		-	-		
C56 Ovary	-	-			19	11.1	(8.7-13.6)		-	-		
C61 Prostate	35	23.4	(19.9-26.9)		-	-			-	-		
C64 Kidney	9	6.8	(4.7-8.8)		7	3.6	(2.2-5.0)		15	5.0	(3.8-6.2)	
C67 Bladder	16	10.8	(8.4-13.2)		9	3.7	(2.6-4.9)		26	6.5	(5.4-7.7)	
C71 Brain	7	5.5	(3.6-7.3)		6	4.0	(2.5-5.5)		13	4.7	(3.6-5.9)	
C81-96 Haematol	25	18.2	(15.0-21.5)		30	15.0	(12.3-17.7)		55	16.5	(14.4-18.5)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Newcastle PCT (5D7) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Newcastle PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	703	553.8	502.7	(485.7-519.6)	668	492.8	380.4	(366.3-394.4)	1371	522.3	427.9	(417.2-438.6)					
C18-20 Colorectal	101	79.4	71.8	(65.4-78.2)	79	58.3	39.6	(35.3-43.9)	180	68.5	53.7	(50.0-57.4)					
C33-C34 Lung	155	121.9	109.5	(101.6-117.4)	122	89.9	64.0	(58.5-69.5)	277	105.4	83.4	(78.8-88.1)					
C50 Breast	-	-	-	-	159	117.2	107.6	(99.6-115.5)	-	-	-	-					
C61 Prostate	136	106.8	93.4	(86.2-100.6)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)					
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)					
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)					
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-					
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Newcastle PCT (5D7) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Newcastle PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	418	329.4	296.2	(283.2-309.2)	389	287.1	196.0	(186.3-205.6)	807	307.6	237.4	(229.6-245.1)					
C18-20 Colorectal	45	35.6	32.0	(27.7-36.3)	35	25.7	15.4	(12.9-18.0)	80	30.5	22.6	(20.3-24.9)					
C33-C34 Lung	139	109.4	98.3	(90.8-105.7)	101	74.5	51.6	(46.7-56.5)	240	91.4	71.2	(67.0-75.5)					
C50 Breast	-	-	-	-	57	41.8	31.9	(27.8-36.0)	-	-	-	-					
C61 Prostate	35	27.9	23.4	(19.9-26.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)					
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)					
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)					
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-					
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Newcastle PCT (5D7)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




West Cumbria PCT (5D6) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



West Cumbria PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male Cases	Incidence Rate			Female Cases	Incidence Rate			All Cases	Incidence Rate		
		ASR	95% CI			ASR	95% CI			ASR	95% CI	
C15 Oesophagus	7	9.4	(6.3-12.5)		6	5.6	(3.5-7.7)		13	7.3	(5.5-9.1)	
C16 Stomach	19	23.8	(19.0-28.7)		8	6.7	(4.4-8.9)		27	14.0	(11.6-16.5)	
C18-20 Colorectal	46	57.8	(50.3-65.3)		40	38.0	(32.3-43.6)		86	46.6	(42.1-51.1)	
C25 Pancreas	7	8.2	(5.4-11.0)		8	8.3	(5.6-10.9)		15	8.2	(6.2-10.1)	
C33-C34 Lung	53	64.8	(56.9-72.7)		35	36.1	(30.5-41.7)		88	48.3	(43.7-52.9)	
C43 Melanoma	6	8.0	(5.1-10.9)		8	9.2	(6.1-12.2)		14	8.6	(6.5-10.8)	
C50 Breast	-	-	-		84	105.3	(95.0-115.7)		-	-	-	
C53 Cervix	-	-	-		6	8.4	(5.4-11.4)		-	-	-	
C54-C55 Uterus	-	-	-		12	13.2	(9.7-16.8)		-	-	-	
C56 Ovary	-	-	-		15	17.1	(12.9-21.2)		-	-	-	
C61 Prostate	47	57.1	(49.7-64.4)		-	-	-		-	-	-	
C64 Kidney	9	11.8	(8.3-15.3)		6	6.5	(4.0-9.0)		15	8.9	(6.8-11.0)	
C67 Bladder	14	18.1	(13.8-22.4)		6	5.0	(3.1-6.9)		20	10.8	(8.6-12.9)	
C71 Brain	5	6.4	(3.7-9.0)		5	6.6	(4.0-9.3)		10	6.5	(4.7-8.4)	
C81-96 Haematol	24	31.5	(25.7-37.2)		21	22.8	(18.2-27.5)		45	26.9	(23.3-30.5)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Cumbria PCT (5D6) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



West Cumbria PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	9	11.4	(8.1-14.7)	6	5.0	(3.0-6.9)	15	7.8	(6.0-9.6)
C16 Stomach	14	17.2	(13.1-21.4)	8	6.4	(4.3-8.6)	21	11.1	(8.9-13.2)
C18-20 Colorectal	21	26.5	(21.3-31.7)	18	15.8	(12.3-19.3)	39	20.3	(17.4-23.3)
C25 Pancreas	6	6.9	(4.4-9.5)	8	7.6	(5.0-10.1)	13	7.2	(5.4-9.0)
C33-C34 Lung	49	59.1	(51.6-66.6)	34	33.7	(28.3-39.1)	82	44.6	(40.2-49.0)
C43 Melanoma	2	2.3	(0.8-3.9)	0	0.3	(0.0-0.9)	2	1.1	(0.4-1.9)
C50 Breast	-	-	-	28	31.0	(25.5-36.4)	-	-	-
C53 Cervix	-	-	-	2	2.8	(1.0-4.6)	-	-	-
C54-C55 Uterus	-	-	-	4	3.1	(1.7-4.6)	-	-	-
C56 Ovary	-	-	-	10	10.4	(7.3-13.4)	-	-	-
C61 Prostate	25	30.5	(25.0-35.9)	-	-	-	-	-	-
C64 Kidney	6	8.1	(5.2-11.0)	4	4.5	(2.4-6.5)	10	6.1	(4.4-7.8)
C67 Bladder	6	8.4	(5.4-11.4)	3	2.7	(1.2-4.1)	9	4.9	(3.4-6.3)
C71 Brain	4	5.4	(3.0-7.8)	4	4.3	(2.2-6.4)	8	4.9	(3.3-6.4)
C81-96 Haematol	12	15.2	(11.3-19.0)	13	11.8	(8.7-15.0)	25	13.3	(10.8-15.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Cumbria PCT (5D6) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

West Cumbria PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	293	451.3	368.1	(349.0-387.2)	301	451.1	330.5	(312.9-348.1)	594	451.2	340.2	(327.6-352.8)					
C18-20 Colorectal	46	71.4	57.8	(50.3-65.3)	40	59.3	38.0	(32.3-43.6)	86	65.3	46.6	(42.1-51.1)					
C33-C34 Lung	53	81.5	64.8	(56.9-72.7)	35	52.8	36.1	(30.5-41.7)	88	67.0	48.3	(43.7-52.9)					
C50 Breast	-	-	-	-	84	125.6	105.3	(95.0-115.7)	-	-	-	-					
C61 Prostate	47	72.9	57.1	(49.7-64.4)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)		
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)		
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)		
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-		
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)		
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-		

West Cumbria PCT (5D6) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

West Cumbria PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	192	295.7	239.2	(223.9-254.5)	170	254.5	166.0	(154.1-177.9)	362	274.8	194.2	(185.0-203.4)					
C18-20 Colorectal	21	32.0	26.5	(21.3-31.7)	18	27.0	15.8	(12.3-19.3)	39	29.5	20.3	(17.4-23.3)					
C33-C34 Lung	49	74.8	59.1	(51.6-66.6)	34	50.4	33.7	(28.3-39.1)	82	62.4	44.6	(40.2-49.0)					
C50 Breast	-	-	-	-	28	41.4	31.0	(25.5-36.4)	-	-	-	-					
C61 Prostate	25	38.5	30.5	(25.0-35.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)		
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)		
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)		
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-		
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)		
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

West Cumbria PCT (5D6)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service




Eden Valley PCT (5D5) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Eden Valley PCT		Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	5	9.7	(5.7-13.7)	3	4.5	(2.1-7.0)	8	6.9	(4.6-9.2)
C16 Stomach	9	17.8	(12.4-23.2)	7	10.5	(6.7-14.3)	16	13.5	(10.4-16.6)
C18-20 Colorectal	29	61.5	(51.4-71.5)	26	41.4	(33.6-49.2)	55	50.5	(44.2-56.7)
C25 Pancreas	4	8.6	(4.8-12.4)	4	5.0	(2.5-7.4)	8	6.7	(4.5-8.9)
C33-C34 Lung	28	59.1	(49.1-69.0)	17	28.1	(21.8-34.5)	45	42.5	(36.7-48.2)
C43 Melanoma	3	6.8	(3.3-10.4)	5	12.2	(7.1-17.4)	8	9.4	(6.3-12.5)
C50 Breast	-	-	-	58	124.9	(109.8-140.1)	-	-	-
C53 Cervix	-	-	-	4	10.3	(5.6-15.0)	-	-	-
C54-C55 Uterus	-	-	-	11	23.6	(17.2-30.1)	-	-	-
C56 Ovary	-	-	-	10	19.9	(14.1-25.7)	-	-	-
C61 Prostate	27	54.7	(45.5-64.0)	-	-	-	-	-	-
C64 Kidney	3	6.6	(3.2-9.9)	3	5.4	(2.5-8.3)	6	5.9	(3.7-8.1)
C67 Bladder	8	16.7	(11.5-21.9)	4	6.1	(3.1-9.1)	12	10.7	(7.9-13.6)
C71 Brain	3	7.8	(3.8-11.7)	1	2.7	(0.5-4.9)	4	5.0	(2.8-7.3)
C81-96 Haematol	13	31.6	(23.8-39.4)	11	22.7	(15.9-29.4)	25	26.6	(21.5-31.6)


Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eden Valley PCT (5D5) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Eden Valley PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	5	10.0	(5.9-14.1)	4	5.1	(2.6-7.6)	9	7.4	(5.1-9.8)
C16 Stomach	3	5.6	(2.7-8.5)	4	5.8	(3.0-8.5)	7	5.7	(3.7-7.6)
C18-20 Colorectal	13	27.1	(20.5-33.7)	10	13.8	(9.6-17.9)	23	19.9	(16.1-23.7)
C25 Pancreas	5	9.9	(5.8-14.0)	3	4.8	(2.2-7.3)	8	7.1	(4.8-9.4)
C33-C34 Lung	28	59.5	(49.6-69.5)	17	27.9	(21.6-34.2)	45	42.3	(36.6-48.0)
C43 Melanoma	2	4.6	(1.7-7.5)	1	1.8	(0.1-3.4)	3	3.2	(1.5-4.9)
C50 Breast	-	-	-	20	38.9	(30.8-47.0)	-	-	-
C53 Cervix	-	-	-	2	3.0	(0.8-5.2)	-	-	-
C54-C55 Uterus	-	-	-	2	4.1	(1.5-6.7)	-	-	-
C56 Ovary	-	-	-	6	10.8	(6.7-14.8)	-	-	-
C61 Prostate	12	24.6	(18.4-30.8)	-	-	-	-	-	-
C64 Kidney	3	6.3	(2.9-9.6)	2	4.3	(1.7-6.9)	5	5.3	(3.2-7.4)
C67 Bladder	5	10.8	(6.6-15.1)	2	3.0	(1.0-4.9)	7	6.4	(4.2-8.5)
C71 Brain	2	5.5	(2.3-8.6)	2	4.1	(1.3-6.9)	4	4.7	(2.6-6.7)
C81-96 Haematol	9	17.6	(12.3-22.9)	7	11.6	(7.5-15.7)	16	13.8	(10.6-17.0)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eden Valley PCT (5D5) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Eden Valley PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	160	474.1	342.8	(318.5-367.0)	187	535.0	356.4	(331.5-381.2)	347	505.0	343.7	(326.7-360.7)					
C18-20 Colorectal	29	87.1	61.5	(51.4-71.5)	26	74.5	41.4	(33.6-49.2)	55	80.7	50.5	(44.2-56.7)					
C33-C34 Lung	28	82.4	59.1	(49.1-69.0)	17	48.2	28.1	(21.8-34.5)	45	65.0	42.5	(36.7-48.2)					
C50 Breast	-	-	-	-	58	166.3	124.9	(109.8-140.1)	-	-	-	-					
C61 Prostate	27	81.2	54.7	(45.5-64.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)		
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)		
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)		
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-		
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)		
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-		

Eden Valley PCT (5D5) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Eden Valley PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	103	304.0	214.8	(196.0-233.7)	98	282.1	159.5	(144.2-174.9)	201	292.9	182.5	(170.7-194.3)					
C18-20 Colorectal	13	39.1	27.1	(20.5-33.7)	10	29.2	13.8	(9.6-17.9)	23	34.1	19.9	(16.1-23.7)					
C33-C34 Lung	28	83.6	59.5	(49.6-69.5)	17	49.3	27.9	(21.6-34.2)	45	66.2	42.3	(36.6-48.0)					
C50 Breast	-	-	-	-	20	58.5	38.9	(30.8-47.0)	-	-	-	-					
C61 Prostate	12	36.7	24.6	(18.4-30.8)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)		
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)		
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)		
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-		
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)		
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eden Valley PCT (5D5)


Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Northumberland PCT (TAC) - Incidence




Northumberland PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	22	11.1	(9.0-13.2)	16	5.6	(4.3-6.9)	38	8.1	(6.9-9.3)
C16 Stomach	46	24.2	(21.1-27.4)	23	7.9	(6.4-9.4)	69	15.2	(13.5-16.8)
C18-20 Colorectal	129	66.1	(61.0-71.3)	98	38.1	(34.5-41.6)	227	50.7	(47.7-53.8)
C25 Pancreas	19	10.1	(8.0-12.1)	20	7.9	(6.3-9.5)	40	8.9	(7.6-10.2)
C33-C34 Lung	156	77.5	(72.0-83.1)	106	42.9	(39.1-46.7)	262	57.8	(54.6-61.0)
C43 Melanoma	16	9.0	(7.0-11.1)	19	9.8	(7.7-11.8)	35	9.3	(7.9-10.7)
C50 Breast	-	-	-	217	108.8	(102.1-115.5)	-	-	-
C53 Cervix	-	-	-	13	7.1	(5.2-8.9)	-	-	-
C54-C55 Uterus	-	-	-	28	12.8	(10.5-15.0)	-	-	-
C56 Ovary	-	-	-	34	14.8	(12.5-17.2)	-	-	-
C61 Prostate	180	90.3	(84.3-96.3)	-	-	-	-	-	-
C64 Kidney	24	12.5	(10.3-14.8)	13	5.5	(4.1-6.9)	37	8.7	(7.4-10.0)
C67 Bladder	39	19.7	(16.9-22.5)	17	6.4	(4.9-7.8)	56	12.0	(10.6-13.5)
C71 Brain	16	9.2	(7.2-11.3)	11	5.8	(4.2-7.4)	28	7.5	(6.2-8.8)
C81-96 Haematol	66	36.3	(32.3-40.3)	59	26.2	(23.0-29.4)	126	30.5	(28.0-33.0)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Northumberland PCT (TAC) - Mortality



Northumberland PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male Mortality Rate		Female Mortality Rate			All Mortality Rate			
	Deaths	ASM 95% CI	Deaths	ASM 95% CI	Deaths	ASM 95% CI	Deaths	ASM 95% CI	
C15 Oesophagus	27	14.0 (11.6-16.4)	16	5.5 (4.2-6.8)	43	9.4 (8.1-10.7)	43	9.4 (8.1-10.7)	
C16 Stomach	27	14.2 (11.8-16.6)	16	5.4 (4.1-6.6)	44	9.3 (8.0-10.5)	44	9.3 (8.0-10.5)	
C18-20 Colorectal	53	26.8 (23.5-30.1)	42	14.7 (12.6-16.9)	95	20.1 (18.2-22.0)	95	20.1 (18.2-22.0)	
C25 Pancreas	19	9.6 (7.6-11.5)	19	7.3 (5.7-8.9)	37	8.3 (7.0-9.5)	37	8.3 (7.0-9.5)	
C33-C34 Lung	141	70.2 (64.9-75.5)	94	36.7 (33.2-40.2)	235	50.9 (47.9-53.9)	235	50.9 (47.9-53.9)	
C43 Melanoma	2	1.4 (0.5-2.2)	6	2.5 (1.5-3.5)	8	1.9 (1.3-2.6)	8	1.9 (1.3-2.6)	
C50 Breast	-	-	67	29.9 (26.5-33.2)	-	-	-	-	
C53 Cervix	-	-	6	2.8 (1.7-3.9)	-	-	-	-	
C54-C55 Uterus	-	-	5	2.2 (1.3-3.0)	-	-	-	-	
C56 Ovary	-	-	20	8.1 (6.4-9.8)	-	-	-	-	
C61 Prostate	49	24.4 (21.3-27.5)	-	-	-	-	-	-	
C64 Kidney	11	5.9 (4.3-7.5)	7	2.3 (1.5-3.2)	18	4.0 (3.1-4.8)	18	4.0 (3.1-4.8)	
C67 Bladder	17	8.3 (6.5-10.2)	10	3.4 (2.4-4.3)	27	5.3 (4.4-6.3)	27	5.3 (4.4-6.3)	
C71 Brain	11	6.3 (4.7-8.0)	6	3.2 (2.1-4.3)	18	4.7 (3.7-5.7)	18	4.7 (3.7-5.7)	
C81-96 Haematol	38	20.0 (17.1-22.9)	29	11.3 (9.3-13.4)	67	15.0 (13.3-16.7)	67	15.0 (13.3-16.7)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Northumberland PCT (TAC) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Northumberland PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	850	567.1	440.7	(427.2-454.2)	779	495.5	343.9	(332.4-355.3)	1629	530.5	381.8	(373.2-390.4)					
C18-20 Colorectal	129	86.0	66.1	(61.0-71.3)	98	62.6	38.1	(34.5-41.6)	227	74.0	50.7	(47.7-53.8)					
C33-C34 Lung	156	104.2	77.5	(72.0-83.1)	106	67.6	42.9	(39.1-46.7)	262	85.4	57.8	(54.6-61.0)					
C50 Breast	-	-	-	-	217	137.8	108.8	(102.1-115.5)	-	-	-	-					
C61 Prostate	180	120.2	90.3	(84.3-96.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Northumberland PCT (TAC) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Northumberland PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	480	320.4	244.5	(234.5-254.4)	423	268.8	165.2	(157.7-172.8)	903	294.0	197.6	(191.7-203.6)					
C18-20 Colorectal	53	35.1	26.8	(23.5-30.1)	42	26.8	14.7	(12.6-16.9)	95	30.9	20.1	(18.2-22.0)					
C33-C34 Lung	141	94.3	70.2	(64.9-75.5)	94	59.7	36.7	(33.2-40.2)	235	76.6	50.9	(47.9-53.9)					
C50 Breast	-	-	-	-	67	42.9	29.9	(26.5-33.2)	-	-	-	-					
C61 Prostate	49	32.7	24.4	(21.3-27.5)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Northumberland PCT (TAC)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

