


Carlisle & District PCT (5D4) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Carlisle & District PCT		Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Cases	Incidence Rate		Female Cases	Incidence Rate		All Cases	Incidence Rate	
		ASR	95% CI		ASR	95% CI		ASR	95% CI
C15 Oesophagus	11	15.6	(11.4-19.7)	8	7.8	(5.2-10.3)	19	11.1	(8.8-13.5)
C16 Stomach	16	22.4	(17.4-27.4)	10	10.2	(7.2-13.3)	26	15.6	(12.8-18.4)
C18-20 Colorectal	38	53.7	(46.0-61.5)	37	36.9	(31.1-42.6)	75	44.2	(39.5-48.9)
C25 Pancreas	8	10.7	(7.2-14.1)	9	9.1	(6.2-11.9)	17	9.9	(7.7-12.1)
C33-C34 Lung	50	70.1	(61.3-78.9)	42	45.0	(38.5-51.5)	92	55.7	(50.4-61.0)
C43 Melanoma	7	11.2	(7.5-14.9)	9	13.2	(9.1-17.3)	16	12.1	(9.3-14.8)
C50 Breast	-	-	-	82	107.0	(96.0-118.1)	-	-	-
C53 Cervix	-	-	-	6	8.9	(5.5-12.2)	-	-	-
C54-C55 Uterus	-	-	-	12	15.4	(11.3-19.6)	-	-	-
C56 Ovary	-	-	-	15	19.2	(14.5-23.8)	-	-	-
C61 Prostate	42	56.4	(48.7-64.2)	-	-	-	-	-	-
C64 Kidney	7	11.4	(7.7-15.1)	4	5.3	(2.9-7.8)	12	8.1	(6.0-10.3)
C67 Bladder	12	15.7	(11.6-19.8)	5	4.4	(2.6-6.3)	17	9.3	(7.2-11.4)
C71 Brain	6	9.2	(5.8-12.6)	3	4.3	(2.1-6.5)	9	6.5	(4.6-8.5)
C81-96 Haematol	20	29.8	(23.8-35.7)	19	22.1	(17.2-27.0)	39	25.1	(21.4-28.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Carlisle & District PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	9	12.9	(9.1-16.8)	6	5.5	(3.4-7.5)	15	8.9	(6.8-11.0)
C16 Stomach	10	13.2	(9.4-16.9)	7	6.9	(4.4-9.4)	17	9.6	(7.5-11.7)
C18-20 Colorectal	18	25.9	(20.4-31.3)	17	16.3	(12.4-20.1)	34	20.2	(17.1-23.4)
C25 Pancreas	8	11.1	(7.5-14.6)	10	9.5	(6.6-12.3)	18	10.4	(8.1-12.7)
C33-C34 Lung	50	68.7	(60.0-77.3)	36	37.6	(31.8-43.4)	86	50.7	(45.7-55.7)
C43 Melanoma	1	2.1	(0.5-3.7)	2	2.2	(0.8-3.7)	3	2.2	(1.1-3.3)
C50 Breast	-	-	-	28	31.3	(25.7-36.9)	-	-	-
C53 Cervix	-	-	-	3	3.6	(1.6-5.7)	-	-	-
C54-C55 Uterus	-	-	-	3	3.0	(1.5-4.6)	-	-	-
C56 Ovary	-	-	-	10	11.8	(8.4-15.3)	-	-	-
C61 Prostate	22	29.6	(24.0-35.3)	-	-	-	-	-	-
C64 Kidney	4	5.3	(2.8-7.8)	3	3.1	(1.4-4.7)	7	4.2	(2.7-5.6)
C67 Bladder	6	7.7	(4.9-10.6)	3	2.7	(1.3-4.1)	9	4.7	(3.3-6.1)
C71 Brain	5	8.0	(4.8-11.2)	3	3.0	(1.2-4.8)	8	5.4	(3.6-7.2)
C81-96 Haematol	16	22.9	(17.7-28.0)	13	14.6	(10.7-18.5)	29	17.7	(14.6-20.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Carlisle & District PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	265	480.1	377.9	(357.2-398.6)	300	508.5	351.0	(331.8-370.1)	565	494.7	356.8	(343.0-370.5)					
C18-20 Colorectal	38	68.8	53.7	(46.0-61.5)	37	62.8	36.9	(31.1-42.6)	75	65.7	44.2	(39.5-48.9)					
C33-C34 Lung	50	90.9	70.1	(61.3-78.9)	42	71.3	45.0	(38.5-51.5)	92	80.8	55.7	(50.4-61.0)					
C50 Breast	-	-	-	-	82	138.5	107.0	(96.0-118.1)	-	-	-	-					
C61 Prostate	42	76.0	56.4	(48.7-64.2)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)		
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)		
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)		
C50 Breast	-	-	-	(0.6-1.2)	1338	131.9	109.6	(106.8-112.3)	-	-	-	-		
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)		
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-		

Carlisle & District PCT (5D4) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Carlisle & District PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	180	325.1	251.9	(235.1-268.6)	172	292.6	177.0	(164.2-189.8)	352	308.3	206.8	(196.7-216.9)					
C18-20 Colorectal	18	32.2	25.9	(20.4-31.3)	17	28.2	16.3	(12.4-20.1)	34	30.1	20.2	(17.1-23.4)					
C33-C34 Lung	50	90.5	68.7	(60.0-77.3)	36	61.4	37.6	(31.8-43.4)	86	75.5	50.7	(45.7-55.7)					
C50 Breast	-	-	-	-	28	47.5	31.3	(25.7-36.9)	-	-	-	-					
C61 Prostate	22	40.2	29.6	(24.0-35.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)		
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)		
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)		
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-		
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)														
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)		
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Carlisle & District PCT (5D4)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

