


# Eden Valley PCT (5D5) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Eden Valley PCT		Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	5	9.7	(5.7-13.7)	3	4.5	(2.1-7.0)	8	6.9	(4.6-9.2)
C16 Stomach	9	17.8	(12.4-23.2)	7	10.5	(6.7-14.3)	16	13.5	(10.4-16.6)
C18-20 Colorectal	29	61.5	(51.4-71.5)	26	41.4	(33.6-49.2)	55	50.5	(44.2-56.7)
C25 Pancreas	4	8.6	(4.8-12.4)	4	5.0	(2.5-7.4)	8	6.7	(4.5-8.9)
C33-C34 Lung	28	59.1	(49.1-69.0)	17	28.1	(21.8-34.5)	45	42.5	(36.7-48.2)
C43 Melanoma	3	6.8	(3.3-10.4)	5	12.2	(7.1-17.4)	8	9.4	(6.3-12.5)
C50 Breast	-	-	-	58	124.9	(109.8-140.1)	-	-	-
C53 Cervix	-	-	-	4	10.3	(5.6-15.0)	-	-	-
C54-C55 Uterus	-	-	-	11	23.6	(17.2-30.1)	-	-	-
C56 Ovary	-	-	-	10	19.9	(14.1-25.7)	-	-	-
C61 Prostate	27	54.7	(45.5-64.0)	-	-	-	-	-	-
C64 Kidney	3	6.6	(3.2-9.9)	3	5.4	(2.5-8.3)	6	5.9	(3.7-8.1)
C67 Bladder	8	16.7	(11.5-21.9)	4	6.1	(3.1-9.1)	12	10.7	(7.9-13.6)
C71 Brain	3	7.8	(3.8-11.7)	1	2.7	(0.5-4.9)	4	5.0	(2.8-7.3)
C81-96 Haematol	13	31.6	(23.8-39.4)	11	22.7	(15.9-29.4)	25	26.6	(21.5-31.6)


**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Eden Valley PCT (5D5) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Eden Valley PCT		Mean Annual Deaths 1998-2002						Mortality		
ICD-10 Code	Male			Female			All			
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	
C15 Oesophagus	5	10.0	(5.9-14.1)	4	5.1	(2.6-7.6)	9	7.4	(5.1-9.8)	
C16 Stomach	3	5.6	(2.7-8.5)	4	5.8	(3.0-8.5)	7	5.7	(3.7-7.6)	
C18-20 Colorectal	13	27.1	(20.5-33.7)	10	13.8	(9.6-17.9)	23	19.9	(16.1-23.7)	
C25 Pancreas	5	9.9	(5.8-14.0)	3	4.8	(2.2-7.3)	8	7.1	(4.8-9.4)	
C33-C34 Lung	28	59.5	(49.6-69.5)	17	27.9	(21.6-34.2)	45	42.3	(36.6-48.0)	
C43 Melanoma	2	4.6	(1.7-7.5)	1	1.8	(0.1-3.4)	3	3.2	(1.5-4.9)	
C50 Breast	-	-	-	20	38.9	(30.8-47.0)	-	-	-	
C53 Cervix	-	-	-	2	3.0	(0.8-5.2)	-	-	-	
C54-C55 Uterus	-	-	-	2	4.1	(1.5-6.7)	-	-	-	
C56 Ovary	-	-	-	6	10.8	(6.7-14.8)	-	-	-	
C61 Prostate	12	24.6	(18.4-30.8)	-	-	-	-	-	-	
C64 Kidney	3	6.3	(2.9-9.6)	2	4.3	(1.7-6.9)	5	5.3	(3.2-7.4)	
C67 Bladder	5	10.8	(6.6-15.1)	2	3.0	(1.0-4.9)	7	6.4	(4.2-8.5)	
C71 Brain	2	5.5	(2.3-8.6)	2	4.1	(1.3-6.9)	4	4.7	(2.6-6.7)	
C81-96 Haematol	9	17.6	(12.3-22.9)	7	11.6	(7.5-15.7)	16	13.8	(10.6-17.0)	

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Eden Valley PCT (5D5) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

Eden Valley PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	160	474.1	<b>342.8</b>	(318.5-367.0)	187	535.0	<b>356.4</b>	(331.5-381.2)	347	505.0	<b>343.7</b>	(326.7-360.7)					
C18-20 Colorectal	29	87.1	<b>61.5</b>	(51.4-71.5)	26	74.5	<b>41.4</b>	(33.6-49.2)	55	80.7	<b>50.5</b>	(44.2-56.7)					
C33-C34 Lung	28	82.4	<b>59.1</b>	(49.1-69.0)	17	48.2	<b>28.1</b>	(21.8-34.5)	45	65.0	<b>42.5</b>	(36.7-48.2)					
C50 Breast	-	-	-	-	58	166.3	<b>124.9</b>	(109.8-140.1)	-	-	-	-					
C61 Prostate	27	81.2	<b>54.7</b>	(45.5-64.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	<b>448.6</b>	(443.0-454.1)	5068	499.5	<b>363.4</b>	(358.7-368.2)	10279	520.9	<b>394.5</b>	(391.0-398.1)					
C18-20 Colorectal	753	78.6	<b>64.1</b>	(62.1-66.2)	615	60.6	<b>38.6</b>	(37.2-40.1)	1369	69.4	<b>49.8</b>	(48.6-51.1)					
C33-C34 Lung	1086	113.3	<b>91.1</b>	(88.7-93.6)	757	74.6	<b>49.8</b>	(48.2-51.5)	1844	93.4	<b>67.4</b>	(66.0-68.8)					
C50 Breast	-	-	-	-	1338	131.9	<b>109.6</b>	(106.8-112.3)	-	-	-	-					
C61 Prostate	949	99.0	<b>79.0</b>	(76.7-81.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)					
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-					

# Eden Valley PCT (5D5) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Eden Valley PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	103	304.0	<b>214.8</b>	(196.0-233.7)	98	282.1	<b>159.5</b>	(144.2-174.9)	201	292.9	<b>182.5</b>	(170.7-194.3)					
C18-20 Colorectal	13	39.1	<b>27.1</b>	(20.5-33.7)	10	29.2	<b>13.8</b>	(9.6-17.9)	23	34.1	<b>19.9</b>	(16.1-23.7)					
C33-C34 Lung	28	83.6	<b>59.5</b>	(49.6-69.5)	17	49.3	<b>27.9</b>	(21.6-34.2)	45	66.2	<b>42.3</b>	(36.6-48.0)					
C50 Breast	-	-	-	-	20	58.5	<b>38.9</b>	(30.8-47.0)	-	-	-	-					
C61 Prostate	12	36.7	<b>24.6</b>	(18.4-30.8)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	<b>271.2</b>	(266.9-275.5)	2864	282.2	<b>181.9</b>	(178.7-185.1)	6048	306.5	<b>218.0</b>	(215.5-220.6)					
C18-20 Colorectal	335	34.9	<b>28.6</b>	(27.2-29.9)	277	27.3	<b>16.1</b>	(15.2-17.0)	612	31.0	<b>21.5</b>	(20.7-22.3)					
C33-C34 Lung	984	102.6	<b>82.3</b>	(80.0-84.6)	668	65.8	<b>42.9</b>	(41.4-44.5)	1652	83.7	<b>59.5</b>	(58.1-60.8)					
C50 Breast	-	-	-	-	436	43.0	<b>30.8</b>	(29.4-32.2)	-	-	-	-					
C61 Prostate	313	32.7	<b>26.2</b>	(24.9-27.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)					
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Eden Valley PCT (5D5)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

