


West Cumbria PCT (5D6) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



West Cumbria PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male Cases	Incidence Rate			Female Cases	Incidence Rate			All Cases	Incidence Rate		
		ASR	95% CI			ASR	95% CI			ASR	95% CI	
C15 Oesophagus	7	9.4	(6.3-12.5)		6	5.6	(3.5-7.7)		13	7.3	(5.5-9.1)	
C16 Stomach	19	23.8	(19.0-28.7)		8	6.7	(4.4-8.9)		27	14.0	(11.6-16.5)	
C18-20 Colorectal	46	57.8	(50.3-65.3)		40	38.0	(32.3-43.6)		86	46.6	(42.1-51.1)	
C25 Pancreas	7	8.2	(5.4-11.0)		8	8.3	(5.6-10.9)		15	8.2	(6.2-10.1)	
C33-C34 Lung	53	64.8	(56.9-72.7)		35	36.1	(30.5-41.7)		88	48.3	(43.7-52.9)	
C43 Melanoma	6	8.0	(5.1-10.9)		8	9.2	(6.1-12.2)		14	8.6	(6.5-10.8)	
C50 Breast	-	-	-		84	105.3	(95.0-115.7)		-	-	-	
C53 Cervix	-	-	-		6	8.4	(5.4-11.4)		-	-	-	
C54-C55 Uterus	-	-	-		12	13.2	(9.7-16.8)		-	-	-	
C56 Ovary	-	-	-		15	17.1	(12.9-21.2)		-	-	-	
C61 Prostate	47	57.1	(49.7-64.4)		-	-	-		-	-	-	
C64 Kidney	9	11.8	(8.3-15.3)		6	6.5	(4.0-9.0)		15	8.9	(6.8-11.0)	
C67 Bladder	14	18.1	(13.8-22.4)		6	5.0	(3.1-6.9)		20	10.8	(8.6-12.9)	
C71 Brain	5	6.4	(3.7-9.0)		5	6.6	(4.0-9.3)		10	6.5	(4.7-8.4)	
C81-96 Haematol	24	31.5	(25.7-37.2)		21	22.8	(18.2-27.5)		45	26.9	(23.3-30.5)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Cumbria PCT (5D6) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



West Cumbria PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	9	11.4	(8.1-14.7)	6	5.0	(3.0-6.9)	15	7.8	(6.0-9.6)
C16 Stomach	14	17.2	(13.1-21.4)	8	6.4	(4.3-8.6)	21	11.1	(8.9-13.2)
C18-20 Colorectal	21	26.5	(21.3-31.7)	18	15.8	(12.3-19.3)	39	20.3	(17.4-23.3)
C25 Pancreas	6	6.9	(4.4-9.5)	8	7.6	(5.0-10.1)	13	7.2	(5.4-9.0)
C33-C34 Lung	49	59.1	(51.6-66.6)	34	33.7	(28.3-39.1)	82	44.6	(40.2-49.0)
C43 Melanoma	2	2.3	(0.8-3.9)	0	0.3	(0.0-0.9)	2	1.1	(0.4-1.9)
C50 Breast	-	-	-	28	31.0	(25.5-36.4)	-	-	-
C53 Cervix	-	-	-	2	2.8	(1.0-4.6)	-	-	-
C54-C55 Uterus	-	-	-	4	3.1	(1.7-4.6)	-	-	-
C56 Ovary	-	-	-	10	10.4	(7.3-13.4)	-	-	-
C61 Prostate	25	30.5	(25.0-35.9)	-	-	-	-	-	-
C64 Kidney	6	8.1	(5.2-11.0)	4	4.5	(2.4-6.5)	10	6.1	(4.4-7.8)
C67 Bladder	6	8.4	(5.4-11.4)	3	2.7	(1.2-4.1)	9	4.9	(3.4-6.3)
C71 Brain	4	5.4	(3.0-7.8)	4	4.3	(2.2-6.4)	8	4.9	(3.3-6.4)
C81-96 Haematol	12	15.2	(11.3-19.0)	13	11.8	(8.7-15.0)	25	13.3	(10.8-15.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

West Cumbria PCT (5D6) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

West Cumbria PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	293	451.3	368.1	(349.0-387.2)	301	451.1	330.5	(312.9-348.1)	594	451.2	340.2	(327.6-352.8)					
C18-20 Colorectal	46	71.4	57.8	(50.3-65.3)	40	59.3	38.0	(32.3-43.6)	86	65.3	46.6	(42.1-51.1)					
C33-C34 Lung	53	81.5	64.8	(56.9-72.7)	35	52.8	36.1	(30.5-41.7)	88	67.0	48.3	(43.7-52.9)					
C50 Breast	-	-	-	-	84	125.6	105.3	(95.0-115.7)	-	-	-	-					
C61 Prostate	47	72.9	57.1	(49.7-64.4)	-	-	-	-	-	-	-	-					

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)				
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)				
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)				
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-				
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-				

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)				
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)				
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)				
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-				
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-				

West Cumbria PCT (5D6) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

West Cumbria PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	192	295.7	239.2	(223.9-254.5)	170	254.5	166.0	(154.1-177.9)	362	274.8	194.2	(185.0-203.4)					
C18-20 Colorectal	21	32.0	26.5	(21.3-31.7)	18	27.0	15.8	(12.3-19.3)	39	29.5	20.3	(17.4-23.3)					
C33-C34 Lung	49	74.8	59.1	(51.6-66.6)	34	50.4	33.7	(28.3-39.1)	82	62.4	44.6	(40.2-49.0)					
C50 Breast	-	-	-	-	28	41.4	31.0	(25.5-36.4)	-	-	-	-					
C61 Prostate	25	38.5	30.5	(25.0-35.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)				
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)				
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)				
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-				
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-				

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)				
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)				
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)				
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-				
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-				

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

West Cumbria PCT (5D6)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

