


Newcastle PCT (5D7) - Incidence




Newcastle PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI		
C15 Oesophagus	19	14.0	(11.2-16.9)	14	6.8	(5.0-8.5)	33	10.2	(8.5-11.8)		
C16 Stomach	31	21.5	(18.0-24.9)	22	9.5	(7.6-11.5)	53	14.6	(12.8-16.5)		
C18-20 Colorectal	101	71.8	(65.4-78.2)	79	39.6	(35.3-43.9)	180	53.7	(50.0-57.4)		
C25 Pancreas	12	8.7	(6.5-11.0)	18	8.4	(6.5-10.3)	31	8.6	(7.1-10.0)		
C33-C34 Lung	155	109.5	(101.6-117.4)	122	64.0	(58.5-69.5)	277	83.4	(78.8-88.1)		
C43 Melanoma	11	8.2	(6.0-10.4)	13	8.3	(6.1-10.4)	24	8.3	(6.7-9.8)		
C50 Breast	-	-	-	159	107.6	(99.6-115.5)	-	-	-		
C53 Cervix	-	-	-	15	10.5	(8.1-13.0)	-	-	-		
C54-C55 Uterus	-	-	-	21	13.8	(11.0-16.6)	-	-	-		
C56 Ovary	-	-	-	31	18.9	(15.7-22.2)	-	-	-		
C61 Prostate	136	93.4	(86.2-100.6)	-	-	-	-	-	-		
C64 Kidney	16	11.9	(9.2-14.5)	13	7.1	(5.2-9.0)	28	9.3	(7.7-10.9)		
C67 Bladder	37	25.0	(21.3-28.7)	16	7.2	(5.4-9.0)	53	14.5	(12.6-16.3)		
C71 Brain	10	7.5	(5.3-9.7)	8	5.2	(3.5-6.9)	18	6.3	(4.9-7.6)		
C81-96 Haematol	42	31.6	(27.2-36.0)	43	23.1	(19.7-26.5)	85	27.2	(24.4-29.9)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Newcastle PCT (5D7) - Mortality



Newcastle PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	18	12.9	(10.1-15.6)	10	4.7	(3.2-6.2)	28	8.4	(6.9-9.8)			
C16 Stomach	22	14.7	(12.0-17.5)	15	6.5	(4.8-8.1)	37	9.8	(8.3-11.3)			
C18-20 Colorectal	45	32.0	(27.7-36.3)	35	15.4	(12.9-18.0)	80	22.6	(20.3-24.9)			
C25 Pancreas	11	7.5	(5.5-9.6)	17	7.8	(6.0-9.7)	28	7.7	(6.4-9.1)			
C33-C34 Lung	139	98.3	(90.8-105.7)	101	51.6	(46.7-56.5)	240	71.2	(67.0-75.5)			
C43 Melanoma	4	2.8	(1.5-4.0)	3	2.1	(0.9-3.2)	6	2.3	(1.5-3.2)			
C50 Breast	-	-	-	57	31.9	(27.8-36.0)	-	-	-			
C53 Cervix	-	-	-	5	3.1	(1.7-4.4)	-	-	-			
C54-C55 Uterus	-	-	-	4	2.1	(1.1-3.0)	-	-	-			
C56 Ovary	-	-	-	19	11.1	(8.7-13.6)	-	-	-			
C61 Prostate	35	23.4	(19.9-26.9)	-	-	-	-	-	-			
C64 Kidney	9	6.8	(4.7-8.8)	7	3.6	(2.2-5.0)	15	5.0	(3.8-6.2)			
C67 Bladder	16	10.8	(8.4-13.2)	9	3.7	(2.6-4.9)	26	6.5	(5.4-7.7)			
C71 Brain	7	5.5	(3.6-7.3)	6	4.0	(2.5-5.5)	13	4.7	(3.6-5.9)			
C81-96 Haematol	25	18.2	(15.0-21.5)	30	15.0	(12.3-17.7)	55	16.5	(14.4-18.5)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Newcastle PCT (5D7) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Newcastle PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	703	553.8	502.7	(485.7-519.6)	668	492.8	380.4	(366.3-394.4)	1371	522.3	427.9	(417.2-438.6)					
C18-20 Colorectal	101	79.4	71.8	(65.4-78.2)	79	58.3	39.6	(35.3-43.9)	180	68.5	53.7	(50.0-57.4)					
C33-C34 Lung	155	121.9	109.5	(101.6-117.4)	122	89.9	64.0	(58.5-69.5)	277	105.4	83.4	(78.8-88.1)					
C50 Breast	-	-	-	-	159	117.2	107.6	(99.6-115.5)	-	-	-	-					
C61 Prostate	136	106.8	93.4	(86.2-100.6)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)					
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)					
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)					
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-					
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Newcastle PCT (5D7) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Newcastle PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	418	329.4	296.2	(283.2-309.2)	389	287.1	196.0	(186.3-205.6)	807	307.6	237.4	(229.6-245.1)					
C18-20 Colorectal	45	35.6	32.0	(27.7-36.3)	35	25.7	15.4	(12.9-18.0)	80	30.5	22.6	(20.3-24.9)					
C33-C34 Lung	139	109.4	98.3	(90.8-105.7)	101	74.5	51.6	(46.7-56.5)	240	91.4	71.2	(67.0-75.5)					
C50 Breast	-	-	-	-	57	41.8	31.9	(27.8-36.0)	-	-	-	-					
C61 Prostate	35	27.9	23.4	(19.9-26.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)					
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)					
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)					
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-					
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Newcastle PCT (5D7)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

