


# North Tyneside PCT (5D8) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



North Tyneside PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI	
C15 Oesophagus	11	9.4	(6.8-12.0)		10	5.8	(4.0-7.5)		21	7.5	(5.9-9.0)	
C16 Stomach	34	27.9	(23.6-32.2)		17	9.2	(7.0-11.3)		51	16.8	(14.6-18.9)	
C18-20 Colorectal	78	65.1	(58.5-71.8)		66	38.7	(34.1-43.2)		144	50.2	(46.3-54.0)	
C25 Pancreas	10	9.3	(6.7-11.9)		13	8.0	(5.9-10.1)		24	8.6	(6.9-10.2)	
C33-C34 Lung	120	100.5	(92.2-108.7)		82	49.8	(44.6-55.0)		202	71.0	(66.5-75.6)	
C43 Melanoma	8	7.6	(5.2-10.0)		14	11.0	(8.3-13.8)		22	9.5	(7.7-11.3)	
C50 Breast	-	-			130	105.0	(96.4-113.5)		-	-		
C53 Cervix	-	-			12	10.7	(7.9-13.6)		-	-		
C54-C55 Uterus	-	-			17	12.6	(9.7-15.5)		-	-		
C56 Ovary	-	-			24	18.1	(14.6-21.5)		-	-		
C61 Prostate	109	91.1	(83.2-98.9)		-	-			-	-		
C64 Kidney	15	13.6	(10.4-16.7)		7	4.1	(2.6-5.6)		21	8.2	(6.6-9.9)	
C67 Bladder	26	21.0	(17.3-24.8)		14	7.6	(5.7-9.6)		40	13.2	(11.3-15.1)	
C71 Brain	8	7.7	(5.3-10.1)		8	6.7	(4.5-8.9)		16	7.2	(5.6-8.9)	
C81-96 Haematol	36	33.2	(28.2-38.2)		38	26.8	(22.7-31.0)		74	29.7	(26.5-32.9)	

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Tyneside PCT (5D8) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



North Tyneside PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI		Deaths	ASM	95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	12	10.6	(7.9-13.4)		10	5.9	(4.1-7.6)		22	7.7	(6.2-9.2)	
C16 Stomach	21	17.3	(13.9-20.7)		14	7.0	(5.2-8.8)		34	11.0	(9.2-12.7)	
C18-20 Colorectal	33	28.0	(23.7-32.4)		32	16.7	(13.9-19.5)		66	21.8	(19.4-24.3)	
C25 Pancreas	9	7.6	(5.2-9.9)		12	6.9	(5.0-8.8)		20	7.1	(5.6-8.5)	
C33-C34 Lung	105	87.5	(79.8-95.2)		70	41.1	(36.5-45.8)		174	60.6	(56.3-64.8)	
C43 Melanoma	3	2.2	(1.0-3.5)		2	1.5	(0.6-2.4)		5	1.8	(1.1-2.6)	
C50 Breast	-	-			44	30.0	(25.7-34.4)		-	-		
C53 Cervix	-	-			5	3.3	(1.9-4.8)		-	-		
C54-C55 Uterus	-	-			4	2.0	(1.1-2.9)		-	-		
C56 Ovary	-	-			15	10.1	(7.6-12.6)		-	-		
C61 Prostate	33	27.4	(23.1-31.7)		-	-			-	-		
C64 Kidney	8	8.0	(5.5-10.5)		3	1.8	(0.9-2.8)		12	4.4	(3.2-5.6)	
C67 Bladder	9	7.5	(5.2-9.7)		8	4.1	(2.7-5.4)		17	5.2	(4.1-6.3)	
C71 Brain	6	5.6	(3.5-7.6)		7	5.1	(3.3-7.0)		13	5.4	(4.0-6.8)	
C81-96 Haematol	23	19.9	(16.2-23.7)		20	12.0	(9.5-14.6)		43	15.4	(13.2-17.6)	

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Tyneside PCT (5D8) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

North Tyneside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	564	616.1	<b>486.3</b>	(467.9-504.7)	532	532.8	<b>364.9</b>	(349.9-380.0)	1097	572.6	<b>410.4</b>	(399.0-421.8)					
C18-20 Colorectal	78.2	85.4	<b>65.1</b>	(58.5-71.8)	66	65.9	<b>38.7</b>	(34.1-43.2)	144	75.2	<b>50.2</b>	(50.0-57.4)					
C33-C34 Lung	120	130.8	<b>100.5</b>	(92.2-108.7)	82	82.5	<b>49.8</b>	(44.6-55.0)	202	105.6	<b>71.0</b>	(78.8-88.1)					
C50 Breast	-	-	-	-	130	130.5	<b>105.0</b>	(96.4-113.5)	-	-	-	-					
C61 Prostate	109	118.8	<b>91.1</b>	(83.2-98.9)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	<b>448.6</b>	(443.0-454.1)	5068	499.5	<b>363.4</b>	(358.7-368.2)	10279	520.9	<b>394.5</b>	(391.0-398.1)					
C18-20 Colorectal	753	78.6	<b>64.1</b>	(62.1-66.2)	615	60.6	<b>38.6</b>	(37.2-40.1)	1369	69.4	<b>49.8</b>	(48.6-51.1)					
C33-C34 Lung	1086	113.3	<b>91.1</b>	(88.7-93.6)	757	74.6	<b>49.8</b>	(48.2-51.5)	1844	93.4	<b>67.4</b>	(66.0-68.8)					
C50 Breast	-	-	-	-	1338	131.9	<b>109.6</b>	(106.8-112.3)	-	-	-	-					
C61 Prostate	949	99.0	<b>79.0</b>	(76.7-81.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)					
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-					

# North Tyneside PCT (5D8) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Tyneside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	335	365.4	<b>285.8</b>	(271.8-299.9)	314	314.1	<b>187.0</b>	(176.9-197.2)	648	338.6	<b>226.1</b>	(217.9-234.3)					
C18-20 Colorectal	33	36.5	<b>28.0</b>	(23.7-32.4)	32	32.2	<b>16.7</b>	(13.9-19.5)	66	34.3	<b>21.8</b>	(19.4-24.3)					
C33-C34 Lung	105	114.2	<b>87.5</b>	(79.8-95.2)	70	69.7	<b>41.1</b>	(36.5-45.8)	174	91.0	<b>60.6</b>	(56.3-64.8)					
C50 Breast	-	-	-	-	44	44.2	<b>30.0</b>	(25.7-34.4)	-	-	-	-					
C61 Prostate	33	36.0	<b>27.4</b>	(23.1-31.7)	-	-	-	-	-	-	-	-					

Northern Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	<b>271.2</b>	(266.9-275.5)	2864	282.2	<b>181.9</b>	(178.7-185.1)	6048	306.5	<b>218.0</b>	(215.5-220.6)					
C18-20 Colorectal	335	34.9	<b>28.6</b>	(27.2-29.9)	277	27.3	<b>16.1</b>	(15.2-17.0)	612	31.0	<b>21.5</b>	(20.7-22.3)					
C33-C34 Lung	984	102.6	<b>82.3</b>	(80.0-84.6)	668	65.8	<b>42.9</b>	(41.4-44.5)	1652	83.7	<b>59.5</b>	(58.1-60.8)					
C50 Breast	-	-	-	-	436	43.0	<b>30.8</b>	(29.4-32.2)	-	-	-	-					
C61 Prostate	313	32.7	<b>26.2</b>	(24.9-27.5)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)					
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Tyneside PCT (5D8)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

