


# Derwentside PCT (5KA) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Derwentside PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	6	11.8	(7.6-16.0)	4	7.0	(3.8-10.1)	10	9.0	(6.5-11.5)
C16 Stomach	13	24.8	(18.7-30.9)	8	10.3	(6.9-13.8)	21	17.0	(13.6-20.4)
C18-20 Colorectal	29	54.6	(45.5-63.7)	31	44.3	(36.8-51.9)	60	49.4	(43.6-55.2)
C25 Pancreas	4	7.7	(4.3-11.2)	6	8.2	(5.0-11.5)	10	8.0	(5.7-10.3)
C33-C34 Lung	52	98.8	(86.7-110.9)	31	48.2	(40.1-56.2)	83	69.8	(62.9-76.7)
C43 Melanoma	4	8.8	(4.9-12.7)	5	10.7	(6.5-15.0)	9	9.9	(7.0-12.8)
C50 Breast	-	-	-	57	100.7	(88.3-113.1)	-	-	-
C53 Cervix	-	-	-	4	7.8	(4.3-11.3)	-	-	-
C54-C55 Uterus	-	-	-	8	14.1	(9.4-18.7)	-	-	-
C56 Ovary	-	-	-	10	17.9	(12.6-23.2)	-	-	-
C61 Prostate	38	71.0	(60.7-81.3)	-	-	-	-	-	-
C64 Kidney	8	16.1	(11.1-21.0)	4	6.6	(3.6-9.7)	13	10.9	(8.1-13.7)
C67 Bladder	11	20.3	(14.8-25.9)	4	4.8	(2.6-7.0)	15	11.9	(9.1-14.7)
C71 Brain	5	10.6	(6.3-14.9)	2	4.7	(1.9-7.5)	7	7.6	(5.0-10.1)
C81-96 Haematol	16	33.3	(25.9-40.7)	14	21.5	(16.0-27.1)	30	26.9	(22.4-31.4)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Derwentside PCT (5KA) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Derwentside PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	8	14.6	(9.9-19.3)	3	4.8	(2.2-7.4)	11	9.2	(6.6-11.7)
C16 Stomach	7	12.9	(8.6-17.3)	7	8.3	(5.3-11.3)	14	10.3	(7.8-12.8)
C18-20 Colorectal	12	24.8	(18.5-31.1)	14	16.7	(12.3-21.1)	26	20.3	(16.6-23.9)
C25 Pancreas	4	6.9	(3.6-10.1)	5	7.3	(4.2-10.3)	9	6.9	(4.7-9.0)
C33-C34 Lung	48	89.7	(78.1-101.2)	28	41.5	(34.1-48.8)	75	62.1	(55.6-68.5)
C43 Melanoma	2	4.2	(1.6-6.9)	2	2.8	(0.7-4.9)	4	3.5	(1.9-5.2)
C50 Breast	-	-	-	20	31.4	(24.7-38.0)	-	-	-
C53 Cervix	-	-	-	2	4.4	(1.8-7.0)	-	-	-
C54-C55 Uterus	-	-	-	2	2.8	(0.9-4.7)	-	-	-
C56 Ovary	-	-	-	6	10.8	(6.8-14.8)	-	-	-
C61 Prostate	18	33.8	(26.6-41.0)	-	-	-	-	-	-
C64 Kidney	4	8.1	(4.6-11.7)	3	3.7	(1.7-5.7)	7	5.7	(3.8-7.6)
C67 Bladder	5	9.4	(5.8-13.1)	3	2.9	(1.3-4.6)	8	5.6	(3.8-7.4)
C71 Brain	3	5.8	(2.7-8.9)	1	2.8	(0.7-4.9)	4	4.2	(2.4-6.1)
C81-96 Haematol	8	16.7	(11.5-21.9)	8	12.3	(8.2-16.4)	17	14.3	(11.1-17.5)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Derwentside PCT (5KA) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Derwentside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	224	541.5	<b>433.8</b>	(408.0-459.6)	222	505.5	<b>355.6</b>	(333.2-378.1)	447	523.0	<b>384.8</b>	(368.2-401.4)					
C18-20 Colorectal	29	69.0	<b>54.6</b>	(45.5-63.7)	31	71.4	<b>44.3</b>	(36.8-51.9)	60	70.3	<b>49.4</b>	(43.6-55.2)					
C33-C34 Lung	52	126.4	<b>98.8</b>	(86.7-110.9)	31	70.5	<b>48.2</b>	(40.1-56.2)	83	97.7	<b>69.8</b>	(62.9-76.7)					
C50 Breast	-	-	-	-	57	129.2	<b>100.7</b>	(88.3-113.1)	-	-	-	-					
C61 Prostate	38	91.2	<b>71.0</b>	(60.7-81.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	<b>448.6</b>	(443.0-454.1)	5068	499.5	<b>363.4</b>	(358.7-368.2)	10279	520.9	<b>394.5</b>	(391.0-398.1)
C18-20 Colorectal	753	78.6	<b>64.1</b>	(62.1-66.2)	615	60.6	<b>38.6</b>	(37.2-40.1)	1369	69.4	<b>49.8</b>	(48.6-51.1)
C33-C34 Lung	1086	113.3	<b>91.1</b>	(88.7-93.6)	757	74.6	<b>49.8</b>	(48.2-51.5)	1844	93.4	<b>67.4</b>	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	<b>109.6</b>	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	<b>79.0</b>	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-

# Derwentside PCT (5KA) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Derwentside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	142	342.2	<b>272.6</b>	(252.2-293.0)	130	296.2	<b>185.8</b>	(170.3-201.2)	272	318.5	<b>220.9</b>	(208.7-233.1)					
C18-20 Colorectal	12	29.9	<b>24.8</b>	(18.5-31.1)	14	30.9	<b>16.7</b>	(12.3-21.1)	26	30.4	<b>20.3</b>	(16.6-23.9)					
C33-C34 Lung	48	114.9	<b>89.7</b>	(78.1-101.2)	28	63.2	<b>41.5</b>	(34.1-48.8)	75	88.3	<b>62.1</b>	(55.6-68.5)					
C50 Breast	-	-	-	-	20	45.5	<b>31.4</b>	(24.7-38.0)	-	-	-	-					
C61 Prostate	18	42.5	<b>33.8</b>	(26.6-41.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	<b>271.2</b>	(266.9-275.5)	2864	282.2	<b>181.9</b>	(178.7-185.1)	6048	306.5	<b>218.0</b>	(215.5-220.6)
C18-20 Colorectal	335	34.9	<b>28.6</b>	(27.2-29.9)	277	27.3	<b>16.1</b>	(15.2-17.0)	612	31.0	<b>21.5</b>	(20.7-22.3)
C33-C34 Lung	984	102.6	<b>82.3</b>	(80.0-84.6)	668	65.8	<b>42.9</b>	(41.4-44.5)	1652	83.7	<b>59.5</b>	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	<b>30.8</b>	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	<b>26.2</b>	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

# Derwentside PCT (5KA)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

