


Durham & Chester-le-Street PCT (5KC) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



| Durham & Chester-le-Street PCT | | | | | Mean Annual Cases 1998-2002 | | | Incidence | | |
|--------------------------------|-------|------|----------------|-----|-----------------------------|----------------|-----|-----------|----------------|--|
| ICD-10 Code | Male | | Incidence Rate | | Female Cases | Incidence Rate | | All Cases | Incidence Rate | |
| | Cases | ASR | 95% CI | ASR | | 95% CI | ASR | | 95% CI | |
| C15 Oesophagus | 10 | 12.8 | (9.2-16.4) | 5 | 4.4 | (2.6-6.2) | 15 | 8.5 | (6.6-10.5) | |
| C16 Stomach | 19 | 25.1 | (20.0-30.1) | 10 | 9.3 | (6.6-12.0) | 29 | 15.8 | (13.2-18.4) | |
| C18-20 Colorectal | 46 | 59.9 | (52.1-67.7) | 42 | 41.6 | (35.7-47.5) | 88 | 49.9 | (45.1-54.6) | |
| C25 Pancreas | 7 | 9.8 | (6.6-13.0) | 8 | 7.0 | (4.6-9.3) | 15 | 8.2 | (6.3-10.1) | |
| C33-C34 Lung | 60 | 76.9 | (68.2-85.7) | 40 | 40.6 | (34.8-46.4) | 101 | 55.8 | (50.9-60.8) | |
| C43 Melanoma | 7 | 9.1 | (6.0-12.3) | 12 | 15.5 | (11.6-19.5) | 19 | 12.3 | (9.8-14.8) | |
| C50 Breast | - | - | - | 95 | 112.4 | (102.0-122.8) | - | - | - | |
| C53 Cervix | - | - | - | 7 | 9.4 | (6.3-12.5) | - | - | - | |
| C54-C55 Uterus | - | - | - | 11 | 12.4 | (9.1-15.8) | - | - | - | |
| C56 Ovary | - | - | - | 14 | 16.0 | (12.1-19.8) | - | - | - | |
| C61 Prostate | 56 | 71.9 | (63.3-80.4) | - | - | - | - | - | - | |
| C64 Kidney | 9 | 11.6 | (8.2-15.1) | 6 | 6.8 | (4.3-9.2) | 15 | 9.0 | (7.0-11.1) | |
| C67 Bladder | 20 | 25.2 | (20.2-30.2) | 8 | 7.2 | (4.8-9.6) | 27 | 14.8 | (12.3-17.3) | |
| C71 Brain | 7 | 9.2 | (6.1-12.4) | 3 | 4.7 | (2.4-7.0) | 10 | 6.9 | (5.0-8.9) | |
| C81-96 Haematol | 25 | 33.1 | (27.2-39.0) | 20 | 23.1 | (18.3-27.9) | 45 | 27.6 | (23.9-31.3) | |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



| Durham & Chester-le-Street PCT | | | | | Mean Annual Deaths 1998-2002 | | | Mortality | | |
|--------------------------------|--------|--------------------|-------------|--------|------------------------------|-------------|--------|--------------------|-------------|--|
| ICD-10 Code | Male | | | Female | | | All | | | |
| | Deaths | Mortality Rate ASM | 95% CI | Deaths | Mortality Rate ASM | 95% CI | Deaths | Mortality Rate ASM | 95% CI | |
| C15 Oesophagus | 11 | 13.6 | (9.9-17.3) | 7 | 5.6 | (3.6-7.5) | 17 | 9.4 | (7.4-11.5) | |
| C16 Stomach | 14 | 18.8 | (14.4-23.3) | 7 | 5.7 | (3.7-7.8) | 21 | 11.3 | (9.1-13.5) | |
| C18-20 Colorectal | 22 | 28.4 | (23.0-33.8) | 18 | 17.3 | (13.6-21.0) | 40 | 22.0 | (18.9-25.1) | |
| C25 Pancreas | 7 | 9.5 | (6.3-12.7) | 8 | 7.3 | (4.9-9.7) | 15 | 8.2 | (6.3-10.1) | |
| C33-C34 Lung | 50 | 64.8 | (56.7-72.8) | 36 | 35.3 | (30.0-40.6) | 87 | 47.4 | (42.9-52.0) | |
| C43 Melanoma | 2 | 3.3 | (1.4-5.2) | 1 | 0.8 | (0.0-1.6) | 3 | 1.9 | (1.0-2.9) | |
| C50 Breast | - | - | - | 27 | 26.7 | (22.0-31.5) | - | - | - | |
| C53 Cervix | - | - | - | 2 | 2.6 | (1.0-4.2) | - | - | - | |
| C54-C55 Uterus | - | - | - | 2 | 2.3 | (0.9-3.8) | - | - | - | |
| C56 Ovary | - | - | - | 11 | 10.6 | (7.6-13.6) | - | - | - | |
| C61 Prostate | 19 | 24.6 | (19.5-29.6) | - | - | - | - | - | - | |
| C64 Kidney | 5 | 7.2 | (4.5-10.0) | 4 | 4.1 | (2.2-6.0) | 9 | 5.3 | (3.8-6.9) | |
| C67 Bladder | 7 | 9.8 | (6.6-13.0) | 5 | 4.3 | (2.5-6.2) | 12 | 6.4 | (4.8-8.1) | |
| C71 Brain | 5 | 6.5 | (3.9-9.2) | 3 | 4.2 | (2.2-6.2) | 8 | 5.4 | (3.7-7.0) | |
| C81-96 Haematol | 11 | 14.5 | (10.7-18.3) | 10 | 10.8 | (7.7-13.9) | 21 | 12.3 | (9.9-14.7) | |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

| Durham & Chester-le-Street PC | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|-------------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | ASR | 95% CI | | | |
| C00-C96 exc C44 | 319 | 459.3 | 416.5 | (395.9-437.1) | 323 | 445.9 | 354.2 | (336.3-372.2) | 643 | 452.5 | 374.6 | (361.5-387.8) | | | | | |
| C18-20 Colorectal | 46 | 65.9 | 59.9 | (52.1-67.7) | 42 | 57.9 | 41.6 | (35.7-47.5) | 88 | 61.8 | 49.9 | (45.1-54.6) | | | | | |
| C33-C34 Lung | 60 | 86.9 | 76.9 | (68.2-85.7) | 40 | 55.4 | 40.6 | (34.8-46.4) | 101 | 70.8 | 55.8 | (50.9-60.8) | | | | | |
| C50 Breast | - | - | - | - | 95 | 130.4 | 112.4 | (102.0-122.8) | - | - | - | - | | | | | |
| C61 Prostate | 56 | 80.2 | 71.9 | (63.3-80.4) | - | - | - | - | - | - | - | - | | | | | |

| Northern Cancer Network | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|-------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | ASR | 95% CI | | | |
| C00-C96 exc C44 | 5211 | 543.5 | 448.6 | (443.0-454.1) | 5068 | 499.5 | 363.4 | (358.7-368.2) | 10279 | 520.9 | 394.5 | (391.0-398.1) | | | | | |
| C18-20 Colorectal | 753 | 78.6 | 64.1 | (62.1-66.2) | 615 | 60.6 | 38.6 | (37.2-40.1) | 1369 | 69.4 | 49.8 | (48.6-51.1) | | | | | |
| C33-C34 Lung | 1086 | 113.3 | 91.1 | (88.7-93.6) | 757 | 74.6 | 49.8 | (48.2-51.5) | 1844 | 93.4 | 67.4 | (66.0-68.8) | | | | | |
| C50 Breast | - | - | - | - | 1338 | 131.9 | 109.6 | (106.8-112.3) | - | - | - | - | | | | | |
| C61 Prostate | 949 | 99.0 | 79.0 | (76.7-81.3) | - | - | - | - | - | - | - | - | | | | | |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | ASR | 95% CI | | | |
| C00-C96 exc C44 | 16130 | 510.2 | 434.1 | (431.0-437.1) | 15963 | 475.7 | 357.1 | (354.4-359.7) | 32093 | 492.4 | 384.5 | (382.6-386.5) | | | | | |
| C18-20 Colorectal | 2306 | 72.9 | 61.5 | (60.4-62.7) | 1848 | 55.1 | 35.9 | (35.1-36.7) | 4154 | 63.7 | 47.3 | (46.6-47.9) | | | | | |
| C33-C34 Lung | 3121 | 98.7 | 82.3 | (81.0-83.7) | 2165 | 64.5 | 44.9 | (44.0-45.8) | 5287 | 81.1 | 60.7 | (60.0-61.5) | | | | | |
| C50 Breast | - | - | - | - | 4416 | 131.6 | 111.7 | (110.1-113.2) | - | - | - | - | | | | | |
| C61 Prostate | 3095 | 97.9 | 80.5 | (79.2-81.8) | - | - | - | - | - | - | - | - | | | | | |

Durham & Chester-le-Street PCT (5KC) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

| Durham & Chester-le-Street PC | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|-------------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | ASM | 95% CI | | | |
| C00-C96 exc C44 | 191 | 274.4 | 249.6 | (233.6-265.6) | 169 | 233.3 | 164.6 | (153.0-176.2) | 360 | 253.4 | 198.8 | (189.5-208.2) | | | | | |
| C18-20 Colorectal | 22 | 31.3 | 28.4 | (23.0-33.8) | 18 | 25.4 | 17.3 | (13.6-21.0) | 40 | 28.3 | 22.0 | (18.9-25.1) | | | | | |
| C33-C34 Lung | 50 | 72.5 | 64.8 | (56.7-72.8) | 36 | 50.2 | 35.3 | (30.0-40.6) | 87 | 61.1 | 47.4 | (42.9-52.0) | | | | | |
| C50 Breast | 0 | 0.0 | 0.0 | (0.0-0.0) | 27 | 37.2 | 26.7 | (22.0-31.5) | - | - | - | - | | | | | |
| C61 Prostate | 19 | 27.0 | 24.6 | (19.5-29.6) | - | - | - | - | - | - | - | - | | | | | |

| Northern Cancer Network | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|-------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | ASM | 95% CI | | | |
| C00-C96 exc C44 | 3185 | 332.1 | 271.2 | (266.9-275.5) | 2864 | 282.2 | 181.9 | (178.7-185.1) | 6048 | 306.5 | 218.0 | (215.5-220.6) | | | | | |
| C18-20 Colorectal | 335 | 34.9 | 28.6 | (27.2-29.9) | 277 | 27.3 | 16.1 | (15.2-17.0) | 612 | 31.0 | 21.5 | (20.7-22.3) | | | | | |
| C33-C34 Lung | 984 | 102.6 | 82.3 | (80.0-84.6) | 668 | 65.8 | 42.9 | (41.4-44.5) | 1652 | 83.7 | 59.5 | (58.1-60.8) | | | | | |
| C50 Breast | - | - | - | - | 436 | 43.0 | 30.8 | (29.4-32.2) | - | - | - | - | | | | | |
| C61 Prostate | 313 | 32.7 | 26.2 | (24.9-27.5) | - | - | - | - | - | - | - | - | | | | | |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|----------------|---------------|----------------|-----------|--|--|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | | Incidence Rate | | Incidence Rate | | | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | ASM | 95% CI | | | |
| C00-C96 exc C44 | 9614 | 304.1 | 254.8 | (252.5-257.1) | 8765 | 261.2 | 172.3 | (170.5-174.0) | 18379 | 282.0 | 205.4 | (204.1-206.8) | | | | | |
| C18-20 Colorectal | 1024 | 32.4 | 27.1 | (26.3-27.8) | 857 | 25.6 | 15.1 | (14.6-15.6) | 1881 | 28.9 | 20.3 | (19.9-20.7) | | | | | |
| C33-C34 Lung | 2818 | 89.1 | 74.0 | (72.7-75.2) | 1901 | 56.6 | 38.4 | (37.6-39.2) | 4719 | 72.4 | 53.3 | (52.6-54.0) | | | | | |
| C50 Breast | - | - | - | - | 1367 | 40.7 | 29.7 | (28.9-30.5) | - | - | - | - | | | | | |
| C61 Prostate | 1017 | 32.1 | 25.9 | (25.2-26.7) | - | - | - | - | - | - | - | - | | | | | |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Durham & Chester-le-Street PCT (5KC)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

