


Easington PCT (5KD) - Incidence




Easington PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI	Cases		ASR	95% CI	Cases		ASR	95% CI	
C15 Oesophagus	7	12.6	(8.3-16.9)	4	5.1	(2.7-7.5)	11	8.6	(6.2-11.0)			
C16 Stomach	18	30.7	(24.1-37.2)	9	12.2	(8.5-16.0)	27	20.6	(17.0-24.2)			
C18-20 Colorectal	31	56.8	(47.6-66.0)	24	31.8	(25.8-37.8)	55	43.6	(38.3-49.0)			
C25 Pancreas	6	10.3	(6.4-14.2)	6	7.6	(4.7-10.4)	12	8.9	(6.6-11.3)			
C33-C34 Lung	55	96.3	(84.7-108.0)	38	54.3	(46.2-62.5)	93	71.5	(64.8-78.2)			
C43 Melanoma	3	6.2	(3.0-9.4)	5	10.5	(6.4-14.5)	8	8.3	(5.7-10.9)			
C50 Breast	-	-	-	63	110.7	(98.0-123.4)	-	-	-			
C53 Cervix	-	-	-	6	12.1	(7.8-16.4)	-	-	-			
C54-C55 Uterus	-	-	-	9	14.6	(10.1-19.1)	-	-	-			
C56 Ovary	-	-	-	15	26.1	(19.9-32.3)	-	-	-			
C61 Prostate	45	79.2	(68.6-89.7)	-	-	-	-	-	-			
C64 Kidney	7	13.5	(9.0-17.9)	4	7.0	(3.8-10.2)	12	9.5	(7.0-12.1)			
C67 Bladder	9	16.3	(11.5-21.1)	5	6.0	(3.5-8.4)	14	10.6	(8.0-13.1)			
C71 Brain	4	8.3	(4.7-11.9)	5	8.8	(5.1-12.5)	9	8.6	(6.0-11.2)			
C81-96 Haematol	14	24.5	(18.6-30.4)	14	21.3	(16.0-26.5)	28	22.8	(18.9-26.8)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Easington PCT (5KD) - Mortality



Easington PCT		Mean Annual Deaths 1998-2002						Mortality				
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	5	8.9	(5.2-12.6)	4	4.4	(2.3-6.5)	8	6.6	(4.5-8.7)			
C16 Stomach	14	23.7	(18.0-29.3)	7	8.4	(5.4-11.4)	21	15.1	(12.1-18.1)			
C18-20 Colorectal	14	24.3	(18.4-30.2)	10	14.0	(9.9-18.1)	24	18.8	(15.3-22.3)			
C25 Pancreas	5	10.1	(6.2-13.9)	6	7.2	(4.5-10.0)	11	8.7	(6.4-11.0)			
C33-C34 Lung	48	84.8	(73.9-95.7)	31	44.2	(36.9-51.5)	80	60.9	(54.7-67.0)			
C43 Melanoma	1	2.3	(0.4-4.2)	1	1.7	(0.2-3.2)	2	2.0	(0.8-3.2)			
C50 Breast	-	-	-	18	25.8	(20.0-31.5)	-	-	-			
C53 Cervix	-	-	-	2	2.4	(0.6-4.2)	-	-	-			
C54-C55 Uterus	-	-	-	2	3.0	(1.2-4.8)	-	-	-			
C56 Ovary	-	-	-	8	11.8	(8.0-15.7)	-	-	-			
C61 Prostate	15	27.3	(21.0-33.7)	-	-	-	-	-	-			
C64 Kidney	4	6.8	(3.6-10.0)	2	2.8	(1.1-4.5)	6	4.5	(2.8-6.2)			
C67 Bladder	5	9.8	(6.0-13.6)	3	3.3	(1.4-5.1)	8	6.1	(4.1-8.0)			
C71 Brain	4	7.2	(3.8-10.5)	4	5.3	(2.7-7.9)	7	6.4	(4.2-8.5)			
C81-96 Haematol	9	15.4	(10.9-19.9)	7	9.0	(5.8-12.2)	16	11.9	(9.2-14.5)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Easington PCT (5KD) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Easington PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	234	510.5	423.5	(398.7-448.3)	237	486.2	370.0	(347.7-392.4)	470	498.0	387.8	(371.6-404.0)	470	498.0	387.8	(371.6-404.0)	
C18-20 Colorectal	31	66.9	56.8	(47.6-66.0)	24	49.3	31.8	(25.8-37.8)	55	57.8	43.6	(38.3-49.0)	55	57.8	43.6	(38.3-49.0)	
C33-C34 Lung	55	119.8	96.3	(84.7-108.0)	38	77.6	54.3	(46.2-62.5)	93	98.0	71.5	(64.8-78.2)	93	98.0	71.5	(64.8-78.2)	
C50 Breast	-	-	-	-	63	129.8	110.7	(98.0-123.4)	-	-	-	-	-	-	-	-	
C61 Prostate	45	97.9	79.2	(68.6-89.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	-	-	-	-

Easington PCT (5KD) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Easington PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	149	325.2	264.6	(245.1-284.0)	125	257.5	171.3	(157.1-185.5)	274	290.3	210.6	(199.1-222.1)	274	290.3	210.6	(199.1-222.1)	
C18-20 Colorectal	14	29.7	24.3	(18.4-30.2)	10	21.4	14.0	(9.9-18.1)	24	25.4	18.8	(15.3-22.3)	24	25.4	18.8	(15.3-22.3)	
C33-C34 Lung	48	105.8	84.8	(73.9-95.7)	31	64.5	44.2	(36.9-51.5)	80	84.5	60.9	(54.7-67.0)	80	84.5	60.9	(54.7-67.0)	
C50 Breast	-	-	-	-	18	36.1	25.8	(20.0-31.5)	-	-	-	-	-	-	-	-	
C61 Prostate	15	33.2	27.3	(21.0-33.7)	-	-	-	-	-	-	-	-	-	-	-	-	

Northern Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		All Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Easington PCT (5KD)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

