


Gateshead PCT (5KF) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Gateshead PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI			
C15 Oesophagus	16	13.9	(10.8-17.1)	11	7.0	(5.0-8.9)	27	10.3	(8.5-12.1)			
C16 Stomach	27	23.3	(19.2-27.3)	18	10.7	(8.3-13.0)	44	16.1	(13.9-18.2)			
C18-20 Colorectal	73	63.9	(57.2-70.6)	58	35.2	(30.8-39.5)	131	47.5	(43.8-51.3)			
C25 Pancreas	11	9.6	(7.0-12.1)	13	7.8	(5.7-9.8)	24	8.7	(7.1-10.3)			
C33-C34 Lung	124	105.5	(97.0-114.0)	85	56.1	(50.4-61.7)	208	77.1	(72.3-82.0)			
C43 Melanoma	9	8.4	(5.9-11.0)	12	11.0	(8.1-13.8)	21	9.8	(7.9-11.7)			
C50 Breast	-	-	-	143	116.9	(107.9-126.0)	-	-	-			
C53 Cervix	-	-	-	12	10.5	(7.8-13.3)	-	-	-			
C54-C55 Uterus	-	-	-	19	14.3	(11.3-17.4)	-	-	-			
C56 Ovary	-	-	-	22	16.9	(13.5-20.3)	-	-	-			
C61 Prostate	109	92.8	(84.9-100.8)	-	-	-	-	-	-			
C64 Kidney	11	10.4	(7.6-13.1)	10	7.2	(5.1-9.3)	21	8.6	(6.9-10.3)			
C67 Bladder	28	23.9	(19.9-28.0)	14	7.6	(5.7-9.5)	41	14.4	(12.4-16.4)			
C71 Brain	10	9.7	(7.0-12.4)	7	5.3	(3.4-7.2)	17	7.4	(5.8-9.0)			
C81-96 Haematol	41	36.8	(31.7-42.0)	37	26.4	(22.3-30.5)	78	31.0	(27.8-34.2)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Gateshead PCT (5KF) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Gateshead PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	15	13.2	(10.2-16.3)	9	5.7	(3.9-7.4)	24	9.2	(7.5-10.9)
C16 Stomach	18	16.1	(12.7-19.4)	12	7.0	(5.2-8.9)	31	11.0	(9.2-12.8)
C18-20 Colorectal	32	28.6	(24.1-33.1)	29	16.9	(14.0-19.9)	62	22.0	(19.4-24.5)
C25 Pancreas	10	9.0	(6.5-11.5)	13	7.8	(5.8-9.8)	23	8.5	(6.9-10.1)
C33-C34 Lung	110	93.4	(85.5-101.4)	75	48.7	(43.5-54.0)	185	67.2	(62.7-71.7)
C43 Melanoma	2	2.1	(0.9-3.3)	2	1.3	(0.4-2.2)	4	1.7	(1.0-2.4)
C50 Breast	-	-	-	45	31.7	(27.3-36.2)	-	-	-
C53 Cervix	-	-	-	5	3.7	(2.1-5.3)	-	-	-
C54-C55 Uterus	-	-	-	3	1.4	(0.6-2.1)	-	-	-
C56 Ovary	-	-	-	16	11.3	(8.6-14.0)	-	-	-
C61 Prostate	31	26.6	(22.3-30.9)	-	-	-	-	-	-
C64 Kidney	5	4.8	(2.9-6.6)	3	2.2	(1.1-3.4)	9	3.3	(2.3-4.4)
C67 Bladder	11	9.4	(6.8-12.0)	8	4.1	(2.7-5.5)	18	5.9	(4.7-7.2)
C71 Brain	9	8.3	(5.9-10.8)	5	3.4	(1.9-4.9)	14	5.8	(4.4-7.2)
C81-96 Haematol	21	18.0	(14.4-21.5)	20	13.5	(10.6-16.4)	41	15.4	(13.2-17.6)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Gateshead PCT (5KF) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Gateshead PCT		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	553	593.7	485.8	(467.3-504.3)	528	531.1	378.7	(363.2-394.1)	1081	561.4	419.0	(407.4-430.6)	
C18-20 Colorectal	73	78.1	63.9	(57.2-70.6)	58	58.1	35.2	(30.8-39.5)	131	67.8	47.5	(43.8-51.3)	
C33-C34 Lung	124	132.6	105.5	(97.0-114.0)	85	85.1	56.1	(50.4-61.7)	208	108.1	77.1	(72.3-82.0)	
C50 Breast	-	-	-	-	143	143.6	116.9	(107.9-126.0)	-	-	-	-	
C61 Prostate	109	117.2	92.8	(84.9-100.8)	-	-	-	-	-	-	-	-	

Northern Cancer Network		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)	
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)	
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)	
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-	
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)		Mean Annual Cases 1998-2002								Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)	
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-	
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-	

Gateshead PCT (5KF) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Gateshead PCT		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	332	355.9	288.5	(274.3-302.7)	296	297.6	189.3	(178.9-199.7)	628	325.8	229.4	(221.1-237.7)	
C18-20 Colorectal	32	34.6	28.6	(24.1-33.1)	29	29.6	16.9	(14.0-19.9)	62	32.0	22.0	(19.4-24.5)	
C33-C34 Lung	110	118.1	93.4	(85.5-101.4)	75	75.6	48.7	(43.5-54.0)	185	96.1	67.2	(62.7-71.7)	
C50 Breast	-	-	-	-	45	44.8	31.7	(27.3-36.2)	-	-	-	-	
C61 Prostate	31	33.3	26.6	(22.3-30.9)	-	-	-	-	-	-	-	-	

Northern Cancer Network		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)	
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)	
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)	
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-	
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)		Mean Annual Deaths 1998-2002								Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)	
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-	
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Gateshead PCT (5KF)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

