


South Tyneside PCT (5KG) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




South Tyneside PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI	
C15 Oesophagus	11	12.3	(9.0-15.6)		7	4.8	(3.1-6.5)		19	8.4	(6.6-10.2)	
C16 Stomach	22	24.7	(19.9-29.4)		16	13.1	(10.0-16.2)		38	18.1	(15.4-20.8)	
C18-20 Colorectal	65	68.0	(60.4-75.6)		50	40.3	(34.9-45.7)		115	52.0	(47.6-56.5)	
C25 Pancreas	12	13.5	(9.9-17.0)		12	9.2	(6.6-11.8)		23	11.0	(9.0-13.1)	
C33-C34 Lung	98	103.6	(94.2-113.0)		71	57.7	(51.2-64.2)		170	77.0	(71.6-82.5)	
C43 Melanoma	4	5.5	(3.2-7.9)		8	8.2	(5.5-10.9)		12	7.0	(5.2-8.8)	
C50 Breast	-	-			104	110.3	(100.3-120.4)		-	-		
C53 Cervix	-	-			10	11.3	(8.0-14.6)		-	-		
C54-C55 Uterus	-	-			10	10.8	(7.7-13.9)		-	-		
C56 Ovary	-	-			20	20.3	(16.0-24.5)		-	-		
C61 Prostate	53	55.2	(48.3-62.0)		-	-			-	-		
C64 Kidney	11	13.2	(9.7-16.8)		8	5.8	(3.8-7.8)		19	9.3	(7.3-11.3)	
C67 Bladder	26	26.5	(21.8-31.1)		10	7.6	(5.3-9.8)		37	16.0	(13.6-18.4)	
C71 Brain	9	11.2	(7.9-14.5)		5	5.0	(2.9-7.1)		14	8.0	(6.1-9.9)	
C81-96 Haematol	25	28.7	(23.5-33.9)		29	25.5	(21.0-30.0)		54	26.8	(23.5-30.2)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Tyneside PCT (5KG) - Mortality



South Tyneside PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI		Deaths	ASM	95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	15	15.6	(11.9-19.2)		7	4.4	(2.8-6.0)		21	9.5	(7.6-11.4)	
C16 Stomach	16	17.5	(13.5-21.5)		12	9.3	(6.8-11.9)		28	12.8	(10.6-15.1)	
C18-20 Colorectal	32	32.4	(27.2-37.5)		22	16.5	(13.2-19.8)		54	23.5	(20.5-26.4)	
C25 Pancreas	11	12.2	(8.9-15.5)		10	8.4	(5.9-10.9)		21	9.9	(7.9-11.8)	
C33-C34 Lung	94	97.6	(88.5-106.7)		62	49.5	(43.6-55.4)		156	69.7	(64.5-74.8)	
C43 Melanoma	1	1.4	(0.3-2.6)		1	0.9	(0.1-1.7)		2	1.2	(0.5-1.9)	
C50 Breast	-	-			34	31.6	(26.5-36.7)		-	-		
C53 Cervix	-	-			4	3.8	(2.1-5.6)		-	-		
C54-C55 Uterus	-	-			2	2.1	(0.8-3.4)		-	-		
C56 Ovary	-	-			13	11.8	(8.8-14.9)		-	-		
C61 Prostate	23	23.8	(19.3-28.4)		-	-			-	-		
C64 Kidney	6	7.2	(4.6-9.8)		4	2.7	(1.4-4.0)		10	4.7	(3.4-6.0)	
C67 Bladder	10	10.9	(7.9-14.0)		6	3.8	(2.3-5.3)		16	6.8	(5.2-8.3)	
C71 Brain	5	5.9	(3.6-8.2)		4	3.9	(2.1-5.7)		9	4.9	(3.4-6.3)	
C81-96 Haematol	14	15.7	(12.0-19.5)		18	13.6	(10.5-16.7)		32	14.6	(12.2-17.0)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Tyneside PCT (5KG) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

South Tyneside PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	428	574.1	462.3	(442.1-482.5)	415	525.2	379.1	(361.5-396.8)	843	548.9	409.6	(396.6-422.6)					
C18-20 Colorectal	65	87.8	68.0	(60.4-75.6)	50	63.0	40.3	(34.9-45.7)	115	75.0	52.0	(47.6-56.5)					
C33-C34 Lung	98	132.1	103.6	(94.2-113.0)	71	90.3	57.7	(51.2-64.2)	170	110.6	77.0	(71.6-82.5)					
C50 Breast	-	-	-	-	104	131.2	110.3	(100.3-120.4)	-	-	-	-					
C61 Prostate	53	70.9	55.2	(48.3-62.0)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

South Tyneside PCT (5KG) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

South Tyneside PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	289	388.3	306.0	(289.8-322.3)	240	303.2	194.9	(182.9-206.9)	529	344.4	240.2	(230.6-249.8)					
C18-20 Colorectal	32	42.4	32.4	(27.2-37.5)	22	27.8	16.5	(13.2-19.8)	54	34.9	23.5	(20.5-26.4)					
C33-C34 Lung	94	125.9	97.6	(88.5-106.7)	62	78.6	49.5	(43.6-55.4)	156	101.6	69.7	(64.5-74.8)					
C50 Breast	-	-	-	-	34	42.7	31.6	(26.5-36.7)	-	-	-	-					
C61 Prostate	23	30.3	23.8	(19.3-28.4)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

South Tyneside PCT (5KG)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

