


Sunderland Teaching PCT (5KL) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Sunderland Teaching PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	18	11.9	(9.3-14.4)	14	6.3	(4.7-7.9)	31	8.8	(7.4-10.2)
C16 Stomach	42	26.3	(22.7-29.9)	25	11.5	(9.4-13.6)	67	18.0	(16.0-19.9)
C18-20 Colorectal	106	68.4	(62.5-74.3)	77	37.5	(33.6-41.5)	183	50.6	(47.2-53.9)
C25 Pancreas	18	11.3	(8.9-13.7)	21	10.2	(8.2-12.2)	39	10.7	(9.1-12.2)
C33-C34 Lung	164	104.2	(97.0-111.5)	110	56.1	(51.2-61.1)	274	76.2	(72.1-80.3)
C43 Melanoma	11	7.5	(5.5-9.5)	22	13.9	(11.3-16.6)	33	10.9	(9.2-12.5)
C50 Breast	-	-	-	183	110.3	(102.8-117.7)	-	-	-
C53 Cervix	-	-	-	17	10.9	(8.5-13.3)	-	-	-
C54-C55 Uterus	-	-	-	25	14.6	(11.9-17.2)	-	-	-
C56 Ovary	-	-	-	33	19.4	(16.3-22.5)	-	-	-
C61 Prostate	133	84.3	(77.8-90.8)	-	-	-	-	-	-
C64 Kidney	16	10.5	(8.1-12.8)	13	7.5	(5.6-9.4)	29	8.7	(7.2-10.1)
C67 Bladder	40	25.7	(22.1-29.3)	15	6.9	(5.2-8.6)	55	14.7	(12.9-16.5)
C71 Brain	9	6.6	(4.7-8.5)	9	5.8	(4.0-7.6)	18	6.2	(4.9-7.5)
C81-96 Haematol	52	34.8	(30.5-39.1)	42	22.0	(18.9-25.2)	94	28.0	(25.4-30.6)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.


Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service



Sunderland Teaching PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	19	12.6	(10.1-15.2)	16	7.1	(5.5-8.8)	35	9.6	(8.2-11.1)
C16 Stomach	29	18.3	(15.2-21.3)	17	7.6	(5.9-9.3)	46	12.4	(10.7-14.0)
C18-20 Colorectal	48	30.7	(26.8-34.7)	35	16.6	(14.0-19.2)	82	22.3	(20.1-24.6)
C25 Pancreas	17	10.5	(8.2-12.8)	20	9.9	(7.9-11.9)	37	10.1	(8.6-11.6)
C33-C34 Lung	148	94.2	(87.3-101.1)	102	51.3	(46.7-56.0)	250	69.1	(65.1-73.0)
C43 Melanoma	3	2.0	(0.9-3.1)	4	2.2	(1.2-3.2)	7	2.0	(1.3-2.7)
C50 Breast	-	-	-	58	30.9	(27.1-34.6)	-	-	-
C53 Cervix	-	-	-	7	4.3	(2.8-5.8)	-	-	-
C54-C55 Uterus	-	-	-	6	3.1	(1.9-4.2)	-	-	-
C56 Ovary	-	-	-	20	10.8	(8.6-13.0)	-	-	-
C61 Prostate	39	25.7	(22.0-29.5)	-	-	-	-	-	-
C64 Kidney	9	6.1	(4.3-7.8)	5	2.7	(1.6-3.8)	15	4.1	(3.1-5.0)
C67 Bladder	15	9.9	(7.7-12.2)	7	2.8	(1.8-3.8)	22	5.7	(4.6-6.8)
C71 Brain	6	4.0	(2.6-5.5)	7	4.6	(3.0-6.1)	13	4.3	(3.3-5.4)
C81-96 Haematol	30	20.1	(16.8-23.3)	26	12.2	(10.0-14.4)	56	15.8	(13.9-17.7)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Sunderland Teaching PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	747	542.0	484.6	(468.8-500.4)	703	483.6	380.7	(367.5-393.9)	1449	512.0	418.6	(408.7-428.4)					
C18-20 Colorectal	106	77.1	68.4	(62.5-74.3)	77	52.8	37.5	(33.6-41.5)	183	64.7	50.6	(47.2-53.9)					
C33-C34 Lung	164	119.1	104.2	(97.0-111.5)	110	75.6	56.1	(51.2-61.1)	274	96.7	76.2	(72.1-80.3)					
C50 Breast	-	-	-	-	183	125.7	110.3	(102.8-117.7)	-	-	-	-					
C61 Prostate	133	96.7	84.3	(77.8-90.8)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Sunderland Teaching PCT (5KL) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Sunderland Teaching PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	454	329.6	294.4	(282.0-306.7)	402	276.8	197.5	(188.4-206.6)	856	302.5	236.2	(229.0-243.5)					
C18-20 Colorectal	48	34.6	30.7	(26.8-34.7)	35	23.9	16.6	(14.0-19.2)	82	29.1	22.3	(20.1-24.6)					
C33-C34 Lung	148	107.4	94.2	(87.3-101.1)	102	70.1	51.3	(46.7-56.0)	250	88.2	69.1	(65.1-73.0)					
C50 Breast	-	-	-	-	58	39.9	30.9	(27.1-34.6)	-	-	-	-					
C61 Prostate	39	28.3	25.7	(22.0-29.5)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Sunderland Teaching PCT (5KL)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

