


Northumberland PCT (TAC) - Incidence




Northumberland PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	22	11.1	(9.0-13.2)	16	5.6	(4.3-6.9)	38	8.1	(6.9-9.3)
C16 Stomach	46	24.2	(21.1-27.4)	23	7.9	(6.4-9.4)	69	15.2	(13.5-16.8)
C18-20 Colorectal	129	66.1	(61.0-71.3)	98	38.1	(34.5-41.6)	227	50.7	(47.7-53.8)
C25 Pancreas	19	10.1	(8.0-12.1)	20	7.9	(6.3-9.5)	40	8.9	(7.6-10.2)
C33-C34 Lung	156	77.5	(72.0-83.1)	106	42.9	(39.1-46.7)	262	57.8	(54.6-61.0)
C43 Melanoma	16	9.0	(7.0-11.1)	19	9.8	(7.7-11.8)	35	9.3	(7.9-10.7)
C50 Breast	-	-	-	217	108.8	(102.1-115.5)	-	-	-
C53 Cervix	-	-	-	13	7.1	(5.2-8.9)	-	-	-
C54-C55 Uterus	-	-	-	28	12.8	(10.5-15.0)	-	-	-
C56 Ovary	-	-	-	34	14.8	(12.5-17.2)	-	-	-
C61 Prostate	180	90.3	(84.3-96.3)	-	-	-	-	-	-
C64 Kidney	24	12.5	(10.3-14.8)	13	5.5	(4.1-6.9)	37	8.7	(7.4-10.0)
C67 Bladder	39	19.7	(16.9-22.5)	17	6.4	(4.9-7.8)	56	12.0	(10.6-13.5)
C71 Brain	16	9.2	(7.2-11.3)	11	5.8	(4.2-7.4)	28	7.5	(6.2-8.8)
C81-96 Haematol	66	36.3	(32.3-40.3)	59	26.2	(23.0-29.4)	126	30.5	(28.0-33.0)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIIS at infomanager@nycris.org.uk.

Northumberland PCT (TAC) - Mortality



Northumberland PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male		Female		All	Mortality			
	Deaths	Mortality Rate ASM 95% CI	Deaths	Mortality Rate ASM 95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	27	14.0 (11.6-16.4)	16	5.5 (4.2-6.8)	43	9.4	(8.1-10.7)		
C16 Stomach	27	14.2 (11.8-16.6)	16	5.4 (4.1-6.6)	44	9.3	(8.0-10.5)		
C18-20 Colorectal	53	26.8 (23.5-30.1)	42	14.7 (12.6-16.9)	95	20.1	(18.2-22.0)		
C25 Pancreas	19	9.6 (7.6-11.5)	19	7.3 (5.7-8.9)	37	8.3	(7.0-9.5)		
C33-C34 Lung	141	70.2 (64.9-75.5)	94	36.7 (33.2-40.2)	235	50.9	(47.9-53.9)		
C43 Melanoma	2	1.4 (0.5-2.2)	6	2.5 (1.5-3.5)	8	1.9	(1.3-2.6)		
C50 Breast	-	-	67	29.9 (26.5-33.2)	-	-	-		
C53 Cervix	-	-	6	2.8 (1.7-3.9)	-	-	-		
C54-C55 Uterus	-	-	5	2.2 (1.3-3.0)	-	-	-		
C56 Ovary	-	-	20	8.1 (6.4-9.8)	-	-	-		
C61 Prostate	49	24.4 (21.3-27.5)	-	-	-	-	-		
C64 Kidney	11	5.9 (4.3-7.5)	7	2.3 (1.5-3.2)	18	4.0	(3.1-4.8)		
C67 Bladder	17	8.3 (6.5-10.2)	10	3.4 (2.4-4.3)	27	5.3	(4.4-6.3)		
C71 Brain	11	6.3 (4.7-8.0)	6	3.2 (2.1-4.3)	18	4.7	(3.7-5.7)		
C81-96 Haematol	38	20.0 (17.1-22.9)	29	11.3 (9.3-13.4)	67	15.0	(13.3-16.7)		

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at infomanager@nycris.org.uk.

Northumberland PCT (TAC) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Northumberland PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	850	567.1	440.7	(427.2-454.2)	779	495.5	343.9	(332.4-355.3)	1629	530.5	381.8	(373.2-390.4)					
C18-20 Colorectal	129	86.0	66.1	(61.0-71.3)	98	62.6	38.1	(34.5-41.6)	227	74.0	50.7	(47.7-53.8)					
C33-C34 Lung	156	104.2	77.5	(72.0-83.1)	106	67.6	42.9	(39.1-46.7)	262	85.4	57.8	(54.6-61.0)					
C50 Breast	-	-	-	-	217	137.8	108.8	(102.1-115.5)	-	-	-	-					
C61 Prostate	180	120.2	90.3	(84.3-96.3)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5211	543.5	448.6	(443.0-454.1)	5068	499.5	363.4	(358.7-368.2)	10279	520.9	394.5	(391.0-398.1)
C18-20 Colorectal	753	78.6	64.1	(62.1-66.2)	615	60.6	38.6	(37.2-40.1)	1369	69.4	49.8	(48.6-51.1)
C33-C34 Lung	1086	113.3	91.1	(88.7-93.6)	757	74.6	49.8	(48.2-51.5)	1844	93.4	67.4	(66.0-68.8)
C50 Breast	-	-	-	-	1338	131.9	109.6	(106.8-112.3)	-	-	-	-
C61 Prostate	949	99.0	79.0	(76.7-81.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Northumberland PCT (TAC) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Northumberland PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate								
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	480	320.4	244.5	(234.5-254.4)	423	268.8	165.2	(157.7-172.8)	903	294.0	197.6	(191.7-203.6)					
C18-20 Colorectal	53	35.1	26.8	(23.5-30.1)	42	26.8	14.7	(12.6-16.9)	95	30.9	20.1	(18.2-22.0)					
C33-C34 Lung	141	94.3	70.2	(64.9-75.5)	94	59.7	36.7	(33.2-40.2)	235	76.6	50.9	(47.9-53.9)					
C50 Breast	-	-	-	-	67	42.9	29.9	(26.5-33.2)	-	-	-	-					
C61 Prostate	49	32.7	24.4	(21.3-27.5)	-	-	-	-	-	-	-	-					

Northern Cancer Network												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3185	332.1	271.2	(266.9-275.5)	2864	282.2	181.9	(178.7-185.1)	6048	306.5	218.0	(215.5-220.6)
C18-20 Colorectal	335	34.9	28.6	(27.2-29.9)	277	27.3	16.1	(15.2-17.0)	612	31.0	21.5	(20.7-22.3)
C33-C34 Lung	984	102.6	82.3	(80.0-84.6)	668	65.8	42.9	(41.4-44.5)	1652	83.7	59.5	(58.1-60.8)
C50 Breast	-	-	-	-	436	43.0	30.8	(29.4-32.2)	-	-	-	-
C61 Prostate	313	32.7	26.2	(24.9-27.5)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude Incidence Rate				Female Crude Incidence Rate				All Crude Incidence Rate			
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Northumberland PCT (TAC)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

