


# Airedale PCT (5AW) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Airedale PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	9	14.0	(9.8-18.1)	5	5.0	(2.9-7.1)	15	9.1	(6.9-11.3)
C16 Stomach	12	17.2	(12.7-21.7)	7	6.7	(4.2-9.1)	18	11.1	(8.7-13.5)
C18-20 Colorectal	41	62.9	(54.1-71.7)	35	36.3	(30.3-42.3)	76	48.1	(43.0-53.3)
C25 Pancreas	6	9.1	(5.8-12.5)	7	7.2	(4.4-9.9)	12	8.0	(5.9-10.1)
C33-C34 Lung	49	73.8	(64.5-83.2)	35	38.6	(32.5-44.7)	85	53.5	(48.1-58.8)
C43 Melanoma	6	10.3	(6.7-13.9)	10	12.6	(8.8-16.4)	16	11.5	(8.9-14.1)
C50 Breast	-	-	-	89	121.9	(109.8-134.0)	-	-	-
C53 Cervix	-	-	-	9	13.8	(9.7-18.0)	-	-	-
C54-C55 Uterus	-	-	-	13	17.0	(12.6-21.5)	-	-	-
C56 Ovary	-	-	-	14	18.2	(13.7-22.7)	-	-	-
C61 Prostate	59	85.2	(75.3-95.1)	-	-	-	-	-	-
C64 Kidney	8	12.3	(8.3-16.3)	6	6.6	(4.0-9.2)	13	9.3	(7.0-11.7)
C67 Bladder	22	31.1	(25.2-37.0)	7	7.2	(4.6-9.8)	29	16.6	(13.7-19.4)
C71 Brain	5	8.3	(5.0-11.6)	3	4.5	(2.2-6.8)	8	6.2	(4.3-8.2)
C81-96 Haematol	27	42.2	(34.9-49.5)	25	27.8	(22.3-33.2)	51	34.1	(29.7-38.5)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Airedale PCT (5AW) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service



Airedale PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	10	14.5	(10.4-18.7)	6	6.2	(3.8-8.7)	16	9.9	(7.6-12.2)
C16 Stomach	7	9.7	(6.4-13.0)	4	3.8	(2.0-5.5)	11	6.2	(4.5-7.9)
C18-20 Colorectal	17	25.1	(19.7-30.5)	18	15.3	(11.8-18.8)	35	19.6	(16.5-22.7)
C25 Pancreas	5	7.5	(4.5-10.5)	7	7.2	(4.5-10.0)	11	7.3	(5.3-9.3)
C33-C34 Lung	47	69.3	(60.3-78.3)	30	31.4	(26.0-36.9)	77	47.3	(42.4-52.2)
C43 Melanoma	3	4.6	(2.1-7.2)	2	2.4	(0.8-4.0)	5	3.5	(2.0-4.9)
C50 Breast	-	-	-	26	30.8	(25.1-36.6)	-	-	-
C53 Cervix	-	-	-	3	3.3	(1.4-5.2)	-	-	-
C54-C55 Uterus	-	-	-	3	2.6	(1.0-4.1)	-	-	-
C56 Ovary	-	-	-	9	10.7	(7.4-14.0)	-	-	-
C61 Prostate	19	26.9	(21.4-32.3)	-	-	-	-	-	-
C64 Kidney	5	7.7	(4.6-10.8)	2	2.4	(0.9-3.8)	7	4.8	(3.2-6.4)
C67 Bladder	9	12.0	(8.4-15.7)	6	4.7	(2.9-6.6)	15	7.5	(5.6-9.3)
C71 Brain	4	7.1	(4.0-10.2)	2	2.9	(1.0-4.9)	6	4.8	(3.0-6.5)
C81-96 Haematol	14	21.4	(16.4-26.4)	15	12.7	(9.5-16.0)	29	16.7	(13.8-19.6)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Airedale PCT (5AW) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Airedale PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 All Sites xNMS	285	524.7	431.7	(408.9-454.6)	307	514.0	367.4	(347.3-387.4)	592	519.1	388.8	(374.0-403.6)					
C18-20 Colorectal	41	75.4	62.9	(54.1-71.7)	35	58.6	36.3	(30.3-42.3)	76	66.6	48.1	(43.0-53.3)					
C33-C34 Lung	49	90.9	73.8	(64.5-83.2)	35	59.3	38.6	(32.5-44.7)	85	74.4	53.5	(48.1-58.8)					
C50 Breast	-	-	-	-	89	149.1	121.9	(109.8-134.0)	-	-	-	-					
C61 Prostate	59	108.9	85.2	(75.3-95.1)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)					
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)					
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)					
C50 Breast	-	-	-	(0.6-1.0)	1695	129.0	113.5	(111.0-116.0)	-	-	-	-					
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

# Airedale PCT (5AW) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Airedale PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 All Sites xNMS	168	309.1	248.5	(231.3-265.6)	164	275.1	163.6	(151.2-176.0)	332	291.3	197.9	(187.8-207.9)					
C18-20 Colorectal	17	31.6	25.1	(19.7-30.5)	18	29.8	15.3	(11.8-18.8)	35	30.7	19.6	(16.5-22.7)					
C33-C34 Lung	47	86.5	69.3	(60.3-78.3)	30	50.9	31.4	(26.0-36.9)	77	67.9	47.3	(42.4-52.2)					
C50 Breast	-	-	-	-	26	44.2	30.8	(25.1-36.6)	-	-	-	-					
C61 Prostate	19	35.3	26.9	(21.4-32.3)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)					
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)					
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)					
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-					
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Airedale PCT (5AW)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

