


# Bradford City Teaching PCT (5CF) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service



Bradford City Teaching PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	5	9.4	(5.6-13.2)	5	5.2	(2.9-7.5)	9	7.4	(5.2-9.6)
C16 Stomach	11	21.9	(16.0-27.8)	6	8.2	(5.1-11.4)	17	14.5	(11.3-17.8)
C18-20 Colorectal	27	52.4	(43.5-61.3)	21	29.5	(23.3-35.7)	48	39.5	(34.3-44.7)
C25 Pancreas	4	8.5	(4.9-12.1)	5	7.7	(4.6-10.8)	10	7.8	(5.5-10.1)
C33-C34 Lung	44	87.8	(76.1-99.5)	28	47.0	(38.7-55.3)	72	64.4	(57.5-71.3)
C43 Melanoma	1	1.3	(0.0-2.8)	4	6.2	(3.3-9.1)	5	4.0	(2.3-5.7)
C50 Breast	-	-	-	49	90.8	(78.9-102.8)	-	-	-
C53 Cervix	-	-	-	5	8.5	(5.0-12.1)	-	-	-
C54-C55 Uterus	-	-	-	7	13.2	(8.6-17.7)	-	-	-
C56 Ovary	-	-	-	10	17.7	(12.5-22.9)	-	-	-
C61 Prostate	30	58.6	(49.2-68.1)	-	-	-	-	-	-
C64 Kidney	7	12.6	(8.2-17.0)	4	7.1	(3.9-10.3)	11	9.6	(7.0-12.2)
C67 Bladder	11	20.6	(15.0-26.1)	4	6.4	(3.4-9.4)	15	12.3	(9.4-15.2)
C71 Brain	3	5.2	(2.4-8.1)	4	5.8	(3.0-8.6)	6	5.6	(3.6-7.6)
C81-96 Haematol	21	38.8	(31.1-46.5)	14	22.3	(16.8-27.9)	35	30.0	(25.4-34.7)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Bradford City Teaching PCT (5CF) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service



Bradford City Teaching PCT						Mortality			
Mean Annual Deaths 1998-2002									
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	5	9.0	(5.3-12.8)	4	4.1	(2.1-6.1)	8	6.5	(4.5-8.6)
C16 Stomach	8	16.5	(11.4-21.6)	4	5.2	(2.8-7.6)	12	10.3	(7.7-13.0)
C18-20 Colorectal	13	24.0	(18.0-30.0)	10	12.5	(8.7-16.4)	22	17.5	(14.1-20.8)
C25 Pancreas	4	8.3	(4.8-11.8)	6	8.1	(4.9-11.3)	10	7.8	(5.5-10.1)
C33-C34 Lung	40	80.0	(68.8-91.1)	22	35.5	(28.5-42.6)	63	54.6	(48.3-60.9)
C43 Melanoma	0	0.8	(0.0-1.9)	1	0.6	(0.0-1.4)	1	0.7	(0.1-1.4)
C50 Breast	-	-		14	21.0	(15.7-26.3)	-	-	
C53 Cervix	-	-		3	6.1	(3.0-9.3)	-	-	
C54-C55 Uterus	-	-		2	2.6	(0.6-4.6)	-	-	
C56 Ovary	-	-		9	13.7	(9.3-18.1)	-	-	
C61 Prostate	13	25.3	(19.2-31.5)	-	-		-	-	
C64 Kidney	5	8.7	(5.1-12.3)	3	3.2	(1.4-4.9)	7	5.7	(3.8-7.6)
C67 Bladder	6	11.7	(7.6-15.9)	3	3.8	(1.7-5.9)	9	6.9	(4.8-9.0)
C71 Brain	2	4.5	(1.8-7.2)	2	4.5	(1.8-7.1)	5	4.6	(2.7-6.5)
C81-96 Haematol	8	16.8	(11.7-21.9)	7	10.1	(6.6-13.7)	16	12.9	(9.9-15.9)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Bradford City Teaching PCT (5CF) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

Bradford City Teaching PCT							Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate	ASR
C00-C96 All Sites xNMS	199	323.5	<b>389.8</b>	(365.3-414.4)	195	307.2	<b>318.2</b>	(296.7-339.7)	394	315.2	<b>344.2</b>	(328.4-360.0)		
C18-20 Colorectal	27	44.1	<b>52.4</b>	(43.5-61.3)	21	33.1	<b>29.5</b>	(23.3-35.7)	48	38.5	<b>39.5</b>	(34.3-44.7)		
C33-C34 Lung	44	71.7	<b>87.8</b>	(76.1-99.5)	28	44.2	<b>47.0</b>	(38.7-55.3)	72	57.7	<b>64.4</b>	(57.5-71.3)		
C50 Breast	-	-	-	-	49	77.9	<b>90.8</b>	(78.9-102.8)	-	-	-	-		
C61 Prostate	30	49.3	<b>58.6</b>	(49.2-68.1)	-	-	-	-	-	-	-	-		

Yorkshire Cancer Network							Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)		
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)		
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)		
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-		
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)							Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)		
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)		
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)		
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-		
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-		

# Bradford City Teaching PCT (5CF) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Bradford City Teaching PCT							Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate	ASM
C00-C96 All Sites xNMS	127	205.7	<b>247.9</b>	(228.4-267.4)	113	178.8	<b>165.7</b>	(150.9-180.5)	240	192.1	<b>199.1</b>	(187.4-210.9)		
C18-20 Colorectal	13	20.4	<b>24.0</b>	(18.0-30.0)	10	15.1	<b>12.5</b>	(8.7-16.4)	22	17.8	<b>17.5</b>	(14.1-20.8)		
C33-C34 Lung	40	65.5	<b>80.0</b>	(68.8-91.1)	22	35.0	<b>35.5</b>	(28.5-42.6)	63	50.1	<b>54.6</b>	(48.3-60.9)		
C50 Breast	-	-	-	-	14	22.7	<b>21.0</b>	(15.7-26.3)	-	-	-	-		
C61 Prostate	13	21.7	<b>25.3</b>	(19.2-31.5)	-	-	-	-	-	-	-	-		

Yorkshire Cancer Network							Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)		
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)		
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)		
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-		
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-		

Northern & Yorkshire Region (inc South Humber)							Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)		
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)		
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)		
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-		
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-		

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Bradford City Teaching PCT (5CF)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

