


# North Bradford PCT (5CH) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



North Bradford PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male Cases	Incidence Rate		Female Cases	Incidence Rate		All Cases	Incidence Rate	
		ASR	95% CI		ASR	95% CI		ASR	95% CI
C15 Oesophagus	5	11.0	(6.7-15.3)	5	7.0	(4.0-9.9)	10	8.7	(6.2-11.2)
C16 Stomach	11	20.6	(15.0-26.2)	7	10.5	(6.8-14.3)	18	14.4	(11.3-17.5)
C18-20 Colorectal	27	56.0	(46.5-65.5)	27	39.4	(32.3-46.5)	55	46.6	(40.9-52.3)
C25 Pancreas	4	7.3	(3.9-10.8)	9	12.7	(8.7-16.7)	12	10.3	(7.7-13.0)
C33-C34 Lung	38	80.3	(68.8-91.9)	26	39.0	(31.8-46.1)	64	56.5	(50.1-62.9)
C43 Melanoma	3	7.6	(3.9-11.3)	7	13.9	(9.2-18.7)	10	10.8	(7.8-13.9)
C50 Breast	-	-	-	60	113.7	(100.2-127.1)	-	-	-
C53 Cervix	-	-	-	6	12.0	(7.6-16.4)	-	-	-
C54-C55 Uterus	-	-	-	6	11.4	(7.3-15.6)	-	-	-
C56 Ovary	-	-	-	13	21.8	(16.1-27.5)	-	-	-
C61 Prostate	35	71.9	(61.1-82.6)	-	-	-	-	-	-
C64 Kidney	6	12.3	(7.8-16.9)	5	7.6	(4.2-10.9)	10	9.6	(6.9-12.3)
C67 Bladder	9	19.9	(14.1-25.6)	4	5.7	(3.2-8.3)	14	11.8	(8.9-14.7)
C71 Brain	4	9.7	(5.6-13.9)	3	4.8	(2.1-7.6)	7	7.1	(4.7-9.5)
C81-96 Haematol	17	37.6	(29.6-45.6)	17	27.2	(21.0-33.5)	34	31.8	(26.8-36.7)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Bradford PCT (5CH) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



North Bradford PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male			Female			All		
	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI	Deaths	Mortality Rate ASM	95% CI
C15 Oesophagus	4	8.6	(4.9-12.3)	4	5.0	(2.7-7.2)	8	6.8	(4.7-8.9)
C16 Stomach	7	13.5	(9.0-18.1)	5	7.4	(4.2-10.6)	12	9.6	(7.1-12.2)
C18-20 Colorectal	11	22.5	(16.5-28.6)	13	16.6	(12.2-21.1)	24	19.3	(15.7-22.9)
C25 Pancreas	4	8.9	(5.1-12.7)	9	12.4	(8.7-16.2)	14	11.1	(8.4-13.8)
C33-C34 Lung	36	75.0	(63.8-86.1)	25	36.3	(29.6-43.1)	61	52.5	(46.4-58.7)
C43 Melanoma	1	2.4	(0.3-4.5)	1	1.7	(0.1-3.3)	2	2.1	(0.8-3.4)
C50 Breast	-	-	-	21	33.1	(26.4-39.9)	-	-	-
C53 Cervix	-	-	-	2	4.3	(1.6-7.1)	-	-	-
C54-C55 Uterus	-	-	-	1	1.8	(0.3-3.3)	-	-	-
C56 Ovary	-	-	-	8	11.7	(7.8-15.6)	-	-	-
C61 Prostate	11	22.8	(16.8-28.8)	-	-	-	-	-	-
C64 Kidney	4	7.7	(4.1-11.2)	2	2.1	(0.6-3.7)	5	4.5	(2.7-6.3)
C67 Bladder	5	10.5	(6.4-14.7)	3	4.4	(2.2-6.7)	8	6.7	(4.6-8.8)
C71 Brain	3	7.1	(3.6-10.6)	1	2.8	(0.7-4.9)	5	4.7	(2.7-6.7)
C81-96 Haematol	7	15.3	(10.2-20.3)	7	10.8	(7.1-14.6)	15	12.9	(9.9-16.0)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Bradford PCT (5CH) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

North Bradford PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Cases	Rate	ASR	95% CI			
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI					Cases	Rate	ASR
C00-C96 All Sites xNMS	192	458.7	<b>400.6</b>	(374.9-426.3)	221	486.2	<b>369.3</b>	(346.1-392.5)	413	473.0	<b>375.4</b>	(358.6-392.2)					
C18-20 Colorectal	27	65.5	<b>56.0</b>	(46.5-65.5)	27	60.2	<b>39.4</b>	(32.3-46.5)	55	62.7	<b>46.6</b>	(40.9-52.3)					
C33-C34 Lung	38	91.3	<b>80.3</b>	(68.8-91.9)	26	57.5	<b>39.0</b>	(31.8-46.1)	64	73.7	<b>56.5</b>	(50.1-62.9)					
C50 Breast	-	-	-	-	60	132.6	<b>113.7</b>	(100.2-127.1)	-	-	-	-					
C61 Prostate	35	84.1	<b>71.9</b>	(61.1-82.6)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Cases	Rate	ASR	95% CI			
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI					Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)					
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)					
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)					
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-					
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Cases	Rate	ASR	95% CI			
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI					Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)					
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-					

# North Bradford PCT (5CH) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Bradford PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Deaths	Rate	ASM	95% CI			
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI					Deaths	Rate	ASM
C00-C96 All Sites xNMS	119	284.3	<b>246.2</b>	(226.1-266.2)	121	265.7	<b>174.3</b>	(159.4-189.3)	240	274.6	<b>202.4</b>	(190.5-214.3)					
C18-20 Colorectal	11	26.3	<b>22.5</b>	(16.5-28.6)	13	28.1	<b>16.6</b>	(12.2-21.1)	24	27.2	<b>19.3</b>	(15.7-22.9)					
C33-C34 Lung	36	85.0	<b>75.0</b>	(63.8-86.1)	25	55.3	<b>36.3</b>	(29.6-43.1)	61	69.6	<b>52.5</b>	(46.4-58.7)					
C50 Breast	-	-	-	-	21	46.6	<b>33.1</b>	(26.4-39.9)	-	-	-	-					
C61 Prostate	11	27.2	<b>22.8</b>	(16.8-28.8)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Deaths	Rate	ASM	95% CI			
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI					Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)					
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)					
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)					
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-					
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		Deaths	Rate	ASM	95% CI			
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI					Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)					
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# North Bradford PCT (5CH)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

