


Eastern Wakefield PCT (5E7) - Incidence



Eastern Wakefield PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	11	11.9	(8.7-15.1)	9	6.5	(4.6-8.5)	20	9.2	(7.4-11.1)
C16 Stomach	24	23.9	(19.6-28.3)	11	8.5	(6.2-10.9)	35	15.0	(12.7-17.3)
C18-20 Colorectal	57	59.7	(52.7-66.7)	43	33.8	(29.0-38.6)	100	45.7	(41.6-49.8)
C25 Pancreas	11	11.6	(8.5-14.7)	8	6.2	(4.1-8.3)	19	8.6	(6.8-10.4)
C33-C34 Lung	84	85.5	(77.2-93.8)	59	50.2	(44.2-56.2)	143	64.9	(60.1-69.8)
C43 Melanoma	9	10.6	(7.5-13.7)	9	8.7	(6.0-11.4)	18	9.6	(7.6-11.7)
C50 Breast	-	-	-	112	110.1	(100.7-119.5)	-	-	-
C53 Cervix	-	-	-	15	15.1	(11.6-18.6)	-	-	-
C54-C55 Uterus	-	-	-	19	17.6	(13.9-21.3)	-	-	-
C56 Ovary	-	-	-	19	18.0	(14.3-21.8)	-	-	-
C61 Prostate	83	82.9	(74.8-91.1)	-	-	-	-	-	-
C64 Kidney	10	10.9	(7.8-13.9)	6	5.7	(3.7-7.8)	16	8.3	(6.4-10.1)
C67 Bladder	21	22.1	(17.8-26.4)	10	7.5	(5.3-9.6)	32	13.6	(11.4-15.8)
C71 Brain	5	5.9	(3.6-8.2)	3	2.2	(0.9-3.4)	8	4.1	(2.8-5.4)
C81-96 Haematol	37	40.0	(34.2-45.9)	32	26.8	(22.4-31.2)	70	32.8	(29.3-36.4)


Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Wakefield PCT (5E7) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Eastern Wakefield PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	10	10.3	(7.4-13.2)	8	5.6	(3.8-7.4)	18	7.9	(6.2-9.6)
C16 Stomach	16	16.9	(13.1-20.6)	9	6.4	(4.4-8.3)	25	10.7	(8.8-12.6)
C18-20 Colorectal	26	27.2	(22.5-31.9)	25	18.2	(14.8-21.6)	51	22.2	(19.4-25.0)
C25 Pancreas	11	12.0	(8.8-15.1)	7	5.1	(3.3-7.0)	18	8.2	(6.4-9.9)
C33-C34 Lung	75	75.1	(67.3-82.8)	50	40.8	(35.5-46.1)	124	55.1	(50.6-59.5)
C43 Melanoma	1	1.3	(0.3-2.3)	3	2.6	(1.2-4.0)	4	2.0	(1.1-2.8)
C50 Breast	-	-	-	33	28.6	(24.1-33.2)	-	-	-
C53 Cervix	-	-	-	6	5.8	(3.6-7.9)	-	-	-
C54-C55 Uterus	-	-	-	4	3.0	(1.6-4.5)	-	-	-
C56 Ovary	-	-	-	16	13.8	(10.6-17.0)	-	-	-
C61 Prostate	25	26.0	(21.4-30.7)	-	-	-	-	-	-
C64 Kidney	5	5.7	(3.5-7.9)	3	2.6	(1.2-3.9)	9	4.1	(2.8-5.3)
C67 Bladder	11	11.6	(8.5-14.8)	5	3.4	(2.0-4.7)	17	6.7	(5.2-8.1)
C71 Brain	4	4.8	(2.7-6.9)	2	1.7	(0.6-2.7)	6	3.2	(2.1-4.4)
C81-96 Haematol	17	17.1	(13.3-20.8)	13	9.4	(6.9-11.9)	29	12.7	(10.6-14.8)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Wakefield PCT (5E7) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Eastern Wakefield PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 All Sites xNMS	426	506.9	442.8	(423.7-461.9)	407	460.5	358.4	(342.1-374.8)	833	483.2	389.1	(376.9-401.2)					
C18-20 Colorectal	57	68.1	59.7	(52.7-66.7)	43	48.9	33.8	(29.0-38.6)	100	58.2	45.7	(41.6-49.8)					
C33-C34 Lung	84	100.4	85.5	(77.2-93.8)	59	66.8	50.2	(44.2-56.2)	143	83.2	64.9	(60.1-69.8)					
C50 Breast	-	-	-	-	112	127.0	110.1	(100.7-119.5)	-	-	-	-					
C61 Prostate	83	98.3	82.9	(74.8-91.1)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)					
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)					
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)					
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-					
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI					
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)					
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-					

Eastern Wakefield PCT (5E7) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Eastern Wakefield PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 All Sites xNMS	249	295.8	256.7	(242.1-271.2)	223	252.4	175.9	(165.0-186.8)	472	273.6	207.8	(199.2-216.4)					
C18-20 Colorectal	26	31.4	27.2	(22.5-31.9)	25	28.3	18.2	(14.8-21.6)	51	29.8	22.2	(19.4-25.0)					
C33-C34 Lung	75	88.8	75.1	(67.3-82.8)	50	56.4	40.8	(35.5-46.1)	124	72.2	55.1	(50.6-59.5)					
C50 Breast	-	-	-	-	33	37.8	28.6	(24.1-33.2)	-	-	-	-					
C61 Prostate	25	30.2	26.0	(21.4-30.7)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)					
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)					
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)					
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-					
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All		Crude		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI					
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)					
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-					

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Eastern Wakefield PCT (5E7)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

