


Wakefield West (5E8) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service




| Wakefield West | | Mean Annual Cases 1998-2002 | | | | | Incidence | | |
|-------------------|-------|-----------------------------|--------------|--------|----------------|---------------|-----------|----------------|-------------|
| ICD-10 Code | Male | Incidence Rate | | Female | Incidence Rate | | All | Incidence Rate | |
| | Cases | ASR | 95% CI | Cases | ASR | 95% CI | Cases | ASR | 95% CI |
| C15 Oesophagus | 12 | 16.6 | (12.4-20.7) | 7 | 6.2 | (3.9-8.5) | 19 | 11.0 | (8.7-13.3) |
| C16 Stomach | 15 | 19.2 | (14.8-23.6) | 12 | 9.8 | (7.1-12.5) | 26 | 14.2 | (11.7-16.7) |
| C18-20 Colorectal | 50 | 64.9 | (56.8-73.0) | 37 | 35.3 | (29.9-40.7) | 87 | 48.6 | (43.9-53.3) |
| C25 Pancreas | 9 | 11.6 | (8.2-15.0) | 8 | 7.5 | (5.1-10.0) | 17 | 9.4 | (7.4-11.4) |
| C33-C34 Lung | 61 | 79.5 | (70.5-88.5) | 48 | 50.2 | (43.5-56.9) | 109 | 61.5 | (56.2-66.8) |
| C43 Melanoma | 8 | 10.6 | (7.3-14.0) | 10 | 11.7 | (8.3-15.2) | 18 | 11.2 | (8.8-13.6) |
| C50 Breast | - | - | - | 111 | 132.1 | (120.7-143.5) | - | - | - |
| C53 Cervix | - | - | - | 12 | 15.0 | (11.1-18.8) | - | - | - |
| C54-C55 Uterus | - | - | - | 16 | 18.6 | (14.4-22.8) | - | - | - |
| C56 Ovary | - | - | - | 17 | 20.1 | (15.6-24.5) | - | - | - |
| C61 Prostate | 72 | 93.0 | (83.3-102.7) | - | - | - | - | - | - |
| C64 Kidney | 8 | 11.3 | (7.8-14.7) | 6 | 6.1 | (3.8-8.3) | 14 | 8.6 | (6.6-10.6) |
| C67 Bladder | 17 | 22.0 | (17.2-26.7) | 8 | 7.6 | (5.1-10.1) | 25 | 13.5 | (11.1-16.0) |
| C71 Brain | 4 | 6.3 | (3.6-8.9) | 4 | 4.8 | (2.7-7.0) | 9 | 5.6 | (3.9-7.3) |
| C81-96 Haematol | 35 | 46.4 | (39.4-53.4) | 29 | 30.1 | (24.9-35.4) | 64 | 37.6 | (33.3-41.8) |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Wakefield West (5E8) - Mortality



| Wakefield West | | Mean Annual Deaths 1998-2002 | | | | | Mortality | | | | | |
|-------------------|--------|------------------------------|-------------|--|--------|----------------|-------------|--|--------|----------------|-------------|--|
| ICD-10 Code | Male | Mortality Rate | | | Female | Mortality Rate | | | All | Mortality Rate | | |
| | Deaths | ASM | 95% CI | | Deaths | ASM | 95% CI | | Deaths | ASM | 95% CI | |
| C15 Oesophagus | 11 | 14.1 | (10.3-18.0) | | 6 | 5.1 | (3.1-7.2) | | 17 | 9.3 | (7.2-11.4) | |
| C16 Stomach | 8 | 10.6 | (7.3-13.8) | | 9 | 7.0 | (4.8-9.2) | | 17 | 8.8 | (6.8-10.7) | |
| C18-20 Colorectal | 19 | 24.7 | (19.6-29.8) | | 17 | 14.3 | (11.1-17.6) | | 36 | 19.1 | (16.2-22.0) | |
| C25 Pancreas | 8 | 10.9 | (7.6-14.2) | | 8 | 7.0 | (4.6-9.4) | | 16 | 8.7 | (6.8-10.7) | |
| C33-C34 Lung | 54 | 69.2 | (60.9-77.6) | | 39 | 39.8 | (33.9-45.7) | | 93 | 51.5 | (46.7-56.4) | |
| C43 Melanoma | 3 | 3.8 | (1.8-5.8) | | 1 | 0.9 | (0.0-1.8) | | 4 | 2.3 | (1.2-3.3) | |
| C50 Breast | - | - | | | 31 | 32.9 | (27.4-38.4) | | - | - | | |
| C53 Cervix | - | - | | | 4 | 4.9 | (2.8-7.1) | | - | - | | |
| C54-C55 Uterus | - | - | | | 3 | 2.7 | (1.3-4.0) | | - | - | | |
| C56 Ovary | - | - | | | 11 | 12.0 | (8.7-15.3) | | - | - | | |
| C61 Prostate | 21 | 26.9 | (21.6-32.1) | | - | - | | | - | - | | |
| C64 Kidney | 3 | 4.2 | (2.1-6.2) | | 3 | 2.8 | (1.3-4.3) | | 6 | 3.4 | (2.2-4.6) | |
| C67 Bladder | 8 | 9.8 | (6.7-13.0) | | 5 | 4.8 | (2.8-6.7) | | 13 | 6.8 | (5.1-8.5) | |
| C71 Brain | 2 | 3.4 | (1.5-5.3) | | 3 | 3.5 | (1.7-5.3) | | 5 | 3.5 | (2.2-4.8) | |
| C81-96 Haematol | 14 | 18.2 | (13.9-22.5) | | 12 | 11.3 | (8.3-14.4) | | 26 | 14.2 | (11.7-16.7) | |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Wakefield West PCT (5E8) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

| Wakefield West PCT | | | | | | | | | | Mean Annual Cases 1998-2002 | | | | Incidence | | | |
|------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|-----------------------------|--------------|---------------|----------------|-----------|-----|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | All Crude | Incidence Rate | | | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | | Rate | ASR | | 95% CI | Rate | ASR | 95% CI | |
| C00-C96 All Sites xNMS | 345 | 499.2 | 452.7 | (431.1-474.2) | 369 | 504.7 | 401.1 | (381.9-420.4) | 714 | 502.0 | 415.2 | (401.2-429.2) | | | | | |
| C18-20 Colorectal | 50 | 72.3 | 64.9 | (56.8-73.0) | 37 | 51.1 | 35.3 | (29.9-40.7) | 87 | 61.4 | 48.6 | (43.9-53.3) | | | | | |
| C33-C34 Lung | 61 | 88.8 | 79.5 | (70.5-88.5) | 48 | 65.1 | 50.2 | (43.5-56.9) | 109 | 76.6 | 61.5 | (56.2-66.8) | | | | | |
| C50 Breast | - | - | - | - | 111 | 151.7 | 132.1 | (120.7-143.5) | - | - | - | - | | | | | |
| C61 Prostate | 72 | 104.1 | 93.0 | (83.3-102.7) | - | - | - | - | - | - | - | - | | | | | |

| Yorkshire Cancer Network | | | | | | | | | | | | |
|--------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|----------------|--------------|---------------|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | | Rate | ASR | 95% CI |
| C00-C96 exc C44 | 5850 | 475.3 | 423.1 | (418.2-428.0) | 5956 | 453.4 | 352.5 | (348.2-356.7) | 11806 | 464.0 | 377.1 | (373.9-380.2) |
| C18-20 Colorectal | 819 | 66.5 | 58.9 | (57.1-60.7) | 672 | 51.1 | 34.1 | (32.9-35.4) | 1491 | 58.6 | 45.1 | (44.0-46.2) |
| C33-C34 Lung | 1070 | 87.0 | 76.4 | (74.3-78.4) | 742 | 56.5 | 41.4 | (40.0-42.8) | 1812 | 71.2 | 56.0 | (54.8-57.2) |
| C50 Breast | - | - | - | - | 1695 | 129.0 | 113.5 | (111.0-116.0) | - | - | - | - |
| C61 Prostate | 1145 | 93.0 | 80.2 | (78.1-82.3) | - | - | - | - | - | - | - | - |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|----------------|--------------|---------------|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | |
| | Cases | Rate | ASR | 95% CI | Cases | Rate | ASR | 95% CI | | Rate | ASR | 95% CI |
| C00-C96 exc C44 | 16130 | 510.2 | 434.1 | (431.0-437.1) | 15963 | 475.7 | 357.1 | (354.4-359.7) | 32093 | 492.4 | 384.5 | (382.6-386.5) |
| C18-20 Colorectal | 2306 | 72.9 | 61.5 | (60.4-62.7) | 1848 | 55.1 | 35.9 | (35.1-36.7) | 4154 | 63.7 | 47.3 | (46.6-47.9) |
| C33-C34 Lung | 3121 | 98.7 | 82.3 | (81.0-83.7) | 2165 | 64.5 | 44.9 | (44.0-45.8) | 5287 | 81.1 | 60.7 | (60.0-61.5) |
| C50 Breast | - | - | - | - | 4416 | 131.6 | 111.7 | (110.1-113.2) | - | - | - | - |
| C61 Prostate | 3095 | 97.9 | 80.5 | (79.2-81.8) | - | - | - | - | - | - | - | - |

Wakefield West PCT (5E8) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

| Wakefield West PCT | | | | | | | | | | Mean Annual Deaths 1998-2002 | | | | Mortality | | | |
|------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|------------------------------|--------------|---------------|----------------|-----------|-----|--------|--|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | All Crude | Incidence Rate | | | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | | Rate | ASM | | 95% CI | Rate | ASM | 95% CI | |
| C00-C96 All Sites xNMS | 186 | 269.3 | 242.0 | (226.3-257.7) | 189 | 257.8 | 181.6 | (169.2-193.9) | 375 | 263.4 | 204.4 | (194.8-213.9) | | | | | |
| C18-20 Colorectal | 19 | 26.9 | 24.7 | (19.6-29.8) | 17 | 23.5 | 14.3 | (11.1-17.6) | 36 | 25.2 | 19.1 | (16.2-22.0) | | | | | |
| C33-C34 Lung | 54 | 78.1 | 69.2 | (60.9-77.6) | 39 | 53.9 | 39.8 | (33.9-45.7) | 93 | 65.6 | 51.5 | (46.7-56.4) | | | | | |
| C50 Breast | 0 | 0.3 | 0.2 | (0.0-0.6) | 31 | 42.1 | 32.9 | (27.4-38.4) | - | - | - | - | | | | | |
| C61 Prostate | 21 | 30.1 | 26.9 | (21.6-32.1) | - | - | - | - | - | - | - | - | | | | | |

| Yorkshire Cancer Network | | | | | | | | | | | | |
|--------------------------|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|----------------|--------------|---------------|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | | Rate | ASM | 95% CI |
| C00-C96 exc C44 | 3358 | 272.8 | 238.3 | (234.7-242.0) | 3178 | 242.0 | 164.6 | (161.9-167.4) | 6536 | 256.9 | 193.9 | (191.7-196.1) |
| C18-20 Colorectal | 342 | 27.8 | 24.1 | (22.9-25.2) | 317 | 24.1 | 14.6 | (13.8-15.4) | 659 | 25.9 | 18.7 | (18.1-19.4) |
| C33-C34 Lung | 967 | 78.6 | 68.6 | (66.7-70.6) | 644 | 49.1 | 35.0 | (33.7-36.3) | 1611 | 63.3 | 49.0 | (47.9-50.1) |
| C50 Breast | - | - | - | - | 497 | 37.8 | 28.4 | (27.2-29.6) | - | - | - | - |
| C61 Prostate | 373 | 30.3 | 25.2 | (24.1-26.4) | - | - | - | - | - | - | - | - |

| Northern & Yorkshire Region (inc South Humber) | | | | | | | | | | | | |
|--|------------|-------|----------------|---------------|--------------|-------|----------------|---------------|-----------|----------------|--------------|---------------|
| ICD-10 Code | Male Crude | | Incidence Rate | | Female Crude | | Incidence Rate | | All Crude | Incidence Rate | | |
| | Deaths | Rate | ASM | 95% CI | Deaths | Rate | ASM | 95% CI | | Rate | ASM | 95% CI |
| C00-C96 exc C44 | 9614 | 304.1 | 254.8 | (252.5-257.1) | 8765 | 261.2 | 172.3 | (170.5-174.0) | 18379 | 282.0 | 205.4 | (204.1-206.8) |
| C18-20 Colorectal | 1024 | 32.4 | 27.1 | (26.3-27.8) | 857 | 25.6 | 15.1 | (14.6-15.6) | 1881 | 28.9 | 20.3 | (19.9-20.7) |
| C33-C34 Lung | 2818 | 89.1 | 74.0 | (72.7-75.2) | 1901 | 56.6 | 38.4 | (37.6-39.2) | 4719 | 72.4 | 53.3 | (52.6-54.0) |
| C50 Breast | - | - | - | - | 1367 | 40.7 | 29.7 | (28.9-30.5) | - | - | - | - |
| C61 Prostate | 1017 | 32.1 | 25.9 | (25.2-26.7) | - | - | - | - | - | - | - | - |

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Wakefield West PCT (5E8)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

