


# Leeds West PCT (5HH) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Leeds West PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	9	15.7	(11.1-20.3)	4	5.0	(2.7-7.2)	14	9.8	(7.4-12.2)
C16 Stomach	16	26.5	(20.6-32.3)	9	8.4	(5.8-11.0)	25	16.4	(13.4-19.4)
C18-20 Colorectal	34	56.1	(47.5-64.7)	28	31.1	(25.5-36.6)	61	42.1	(37.2-47.0)
C25 Pancreas	6	10.9	(7.0-14.7)	7	8.6	(5.6-11.6)	14	9.7	(7.3-12.1)
C33-C34 Lung	57	95.5	(84.3-106.8)	42	55.4	(47.5-63.3)	99	72.5	(65.9-79.1)
C43 Melanoma	5	8.8	(5.3-12.3)	7	9.8	(6.4-13.2)	12	9.2	(6.8-11.6)
C50 Breast	-	-	-	67	107.6	(95.7-119.6)	-	-	-
C53 Cervix	-	-	-	7	11.6	(7.7-15.6)	-	-	-
C54-C55 Uterus	-	-	-	9	13.6	(9.5-17.8)	-	-	-
C56 Ovary	-	-	-	9	13.2	(9.1-17.2)	-	-	-
C61 Prostate	50	83.0	(72.6-93.3)	-	-	-	-	-	-
C64 Kidney	6	9.8	(6.1-13.5)	5	6.9	(4.1-9.8)	11	8.2	(6.0-10.5)
C67 Bladder	15	24.8	(19.1-30.6)	5	5.8	(3.4-8.2)	20	14.1	(11.2-17.0)
C71 Brain	6	10.2	(6.4-14.0)	3	5.2	(2.6-7.8)	9	7.7	(5.4-10.0)
C81-96 Haematol	24	42.7	(35.0-50.4)	19	26.2	(20.6-31.8)	43	33.2	(28.6-37.7)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Leeds West PCT (5HH) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Leeds West PCT		Mean Annual Deaths 1998-2002			Mortality				
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	9	14.3	(9.9-18.6)	4	3.9	(2.0-5.8)	12	8.6	(6.4-10.9)
C16 Stomach	9	15.1	(10.7-19.5)	6	4.6	(2.8-6.4)	15	9.2	(7.1-11.4)
C18-20 Colorectal	15	25.1	(19.4-30.8)	15	17.3	(13.1-21.5)	31	20.2	(16.9-23.6)
C25 Pancreas	5	8.7	(5.3-12.1)	6	6.2	(3.7-8.6)	11	7.2	(5.2-9.2)
C33-C34 Lung	49	80.9	(70.6-91.1)	37	47.9	(40.5-55.3)	86	61.4	(55.3-67.4)
C43 Melanoma	1	2.3	(0.6-4.1)	1	0.9	(0.0-2.0)	2	1.5	(0.5-2.4)
C50 Breast	-	-	-	21	27.7	(22.1-33.3)	-	-	-
C53 Cervix	-	-	-	3	5.0	(2.5-7.5)	-	-	-
C54-C55 Uterus	-	-	-	3	2.8	(1.2-4.3)	-	-	-
C56 Ovary	-	-	-	6	8.8	(5.4-12.1)	-	-	-
C61 Prostate	15	22.9	(17.6-28.3)	-	-	-	-	-	-
C64 Kidney	4	6.2	(3.3-9.0)	3	3.7	(1.7-5.8)	6	4.8	(3.1-6.5)
C67 Bladder	6	9.4	(5.9-12.9)	4	3.5	(1.9-5.1)	10	5.8	(4.2-7.5)
C71 Brain	2	3.6	(1.4-5.9)	2	2.7	(0.9-4.6)	4	3.2	(1.7-4.6)
C81-96 Haematol	11	18.9	(13.8-24.0)	10	12.9	(9.1-16.7)	21	15.1	(12.1-18.2)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Leeds West PCT (5HH) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

Leeds West PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 All Sites xNMS	281	518.0	<b>475.2</b>	(450.0-500.4)	261	451.5	<b>357.6</b>	(336.9-378.2)	542	483.7	<b>402.8</b>	(387.1-418.5)					
C18-20 Colorectal	34	62.0	<b>56.1</b>	(47.5-64.7)	28	47.7	<b>31.1</b>	(25.5-36.6)	61	54.7	<b>42.1</b>	(37.2-47.0)					
C33-C34 Lung	57	105.2	<b>95.5</b>	(84.3-106.8)	42	73.3	<b>55.4</b>	(47.5-63.3)	99	88.8	<b>72.5</b>	(65.9-79.1)					
C50 Breast	-	-	-	-	67	115.6	<b>107.6</b>	(95.7-119.6)	-	-	-	-					
C61 Prostate	50	93.0	<b>83.0</b>	(72.6-93.3)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-

# Leeds West PCT (5HH) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Leeds West PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 All Sites xNMS	159	293.9	<b>264.2</b>	(245.7-282.8)	148	256.4	<b>179.6</b>	(165.7-193.6)	307	274.5	<b>212.2</b>	(201.1-223.2)					
C18-20 Colorectal	15	28.4	<b>25.1</b>	(19.4-30.8)	15	26.3	<b>17.3</b>	(13.1-21.5)	31	27.3	<b>20.2</b>	(16.9-23.6)					
C33-C34 Lung	49	90.1	<b>80.9</b>	(70.6-91.1)	37	64.0	<b>47.9</b>	(40.5-55.3)	86	76.6	<b>61.4</b>	(55.3-67.4)					
C50 Breast	-	-	-	-	21	36.3	<b>27.7</b>	(22.1-33.3)	-	-	-	-					
C61 Prostate	15	27.0	<b>22.9</b>	(17.6-28.3)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Leeds West PCT (5HH)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

