


Leeds North East PCT (5HJ) - Incidence



Leeds North East PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	8	11.4	(7.7-15.1)	2	3.0	(1.1-4.9)	10	6.6	(4.7-8.5)
C16 Stomach	12	17.6	(13.1-22.2)	9	9.4	(6.3-12.4)	21	13.0	(10.3-15.7)
C18-20 Colorectal	40	59.0	(50.6-67.4)	34	35.2	(29.3-41.0)	73	45.5	(40.6-50.5)
C25 Pancreas	7	11.0	(7.3-14.8)	10	9.4	(6.5-12.4)	17	10.3	(7.9-12.6)
C33-C34 Lung	40	58.4	(50.1-66.7)	27	30.2	(24.7-35.7)	67	42.2	(37.4-47.0)
C43 Melanoma	8	14.0	(9.5-18.4)	11	16.4	(11.8-21.1)	18	15.2	(12.0-18.4)
C50 Breast	-	-	-	86	122.4	(110.2-134.7)	-	-	-
C53 Cervix	-	-	-	5	7.3	(4.3-10.3)	-	-	-
C54-C55 Uterus	-	-	-	12	16.0	(11.6-20.4)	-	-	-
C56 Ovary	-	-	-	15	19.0	(14.4-23.7)	-	-	-
C61 Prostate	63	91.7	(81.4-102.1)	-	-	-	-	-	-
C64 Kidney	8	12.8	(8.7-16.8)	6	7.4	(4.5-10.2)	14	9.8	(7.4-12.2)
C67 Bladder	16	22.6	(17.5-27.6)	7	6.6	(4.3-8.9)	23	13.4	(10.8-15.9)
C71 Brain	6	10.0	(6.3-13.6)	4	6.1	(3.3-8.9)	10	8.0	(5.7-10.2)
C81-96 Haematol	27	41.0	(33.8-48.1)	25	28.9	(23.3-34.5)	51	34.4	(30.0-38.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North East PCT (5HJ) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Leeds North East PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI			
C15 Oesophagus	8	12.7	(8.7-16.6)	2	2.0	(0.7-3.4)	11	6.7	(4.8-8.7)			
C16 Stomach	9	12.8	(9.0-16.6)	7	6.7	(4.2-9.2)	16	9.2	(7.1-11.4)			
C18-20 Colorectal	18	25.3	(20.0-30.7)	15	14.2	(10.6-17.8)	33	18.9	(15.9-22.0)			
C25 Pancreas	6	9.8	(6.3-13.2)	8	7.3	(4.7-10.0)	14	8.5	(6.4-10.7)			
C33-C34 Lung	37	52.6	(44.8-60.4)	24	27.4	(22.1-32.7)	61	37.9	(33.4-42.4)			
C43 Melanoma	2	2.6	(0.8-4.4)	2	2.1	(0.6-3.6)	3	2.2	(1.1-3.4)			
C50 Breast	-	-	-	26	30.4	(24.6-36.1)	-	-	-			
C53 Cervix	-	-	-	3	4.0	(2.0-6.1)	-	-	-			
C54-C55 Uterus	-	-	-	2	1.2	(0.4-2.0)	-	-	-			
C56 Ovary	-	-	-	10	10.7	(7.4-14.0)	-	-	-			
C61 Prostate	17	22.5	(17.7-27.3)	-	-	-	-	-	-			
C64 Kidney	5	6.4	(3.7-9.1)	3	2.9	(1.2-4.6)	7	4.4	(2.9-5.9)			
C67 Bladder	5	6.1	(3.5-8.6)	3	2.4	(1.2-3.7)	8	3.9	(2.6-5.2)			
C71 Brain	5	8.0	(4.7-11.3)	3	3.5	(1.6-5.4)	7	5.7	(3.8-7.6)			
C81-96 Haematol	12	16.9	(12.4-21.4)	13	11.7	(8.5-14.9)	25	14.2	(11.6-16.9)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North East PCT (5HJ) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Leeds North East PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Rate	ASR		95% CI	Rate	ASR	95% CI	
C00-C96 All Sites xNMS	280	521.8	422.3	(399.7-445.0)	284	487.8	353.5	(333.5-373.5)	565	504.1	378.6	(363.8-393.3)					
C18-20 Colorectal	40	73.7	59.0	(50.6-67.4)	34	58.0	35.2	(29.3-41.0)	73	65.5	45.5	(40.6-50.5)					
C33-C34 Lung	40	74.4	58.4	(50.1-66.7)	27	46.3	30.2	(24.7-35.7)	67	59.8	42.2	(37.4-47.0)					
C50 Breast	-	-	-	-	86	147.6	122.4	(110.2-134.7)	-	-	-	-					
C61 Prostate	63	117.6	91.7	(81.4-102.1)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Rate	ASR	95% CI
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Leeds North East PCT (5HJ) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Leeds North East PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Rate	ASM		95% CI	Rate	ASM	95% CI	
C00-C96 All Sites xNMS	153	284.0	219.8	(203.8-235.8)	145	248.5	147.8	(135.8-159.8)	297	265.5	177.7	(168.1-187.3)					
C18-20 Colorectal	18	33.9	25.3	(20.0-30.7)	15	26.1	14.2	(10.6-17.8)	33	29.8	18.9	(15.9-22.0)					
C33-C34 Lung	37	68.1	52.6	(44.8-60.4)	24	41.9	27.4	(22.1-32.7)	61	54.5	37.9	(33.4-42.4)					
C50 Breast	-	-	-	-	26	45.0	30.4	(24.6-36.1)	-	-	-	-					
C61 Prostate	17	32.0	22.5	(17.7-27.3)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Rate	ASM	95% CI
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North East PCT (5HJ)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

