


# East LeedsPCT (5HK) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



East LeedsPCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	10	11.0	(7.9-14.1)	7	4.6	(2.9-6.3)	17	7.7	(6.0-9.5)
C16 Stomach	27	29.6	(24.6-34.7)	14	11.5	(8.6-14.3)	41	19.5	(16.7-22.2)
C18-20 Colorectal	61	66.3	(58.8-73.9)	46	36.2	(31.2-41.2)	107	49.5	(45.2-53.8)
C25 Pancreas	9	9.9	(6.9-12.9)	10	7.0	(4.9-9.1)	19	8.5	(6.7-10.3)
C33-C34 Lung	87	94.2	(85.3-103.2)	69	60.6	(53.9-67.3)	157	74.4	(69.0-79.8)
C43 Melanoma	8	10.4	(7.2-13.5)	10	10.5	(7.5-13.4)	19	10.5	(8.3-12.6)
C50 Breast	-	-	-	105	109.0	(99.3-118.7)	-	-	-
C53 Cervix	-	-	-	13	13.3	(9.9-16.7)	-	-	-
C54-C55 Uterus	-	-	-	15	14.7	(11.2-18.1)	-	-	-
C56 Ovary	-	-	-	17	17.0	(13.2-20.8)	-	-	-
C61 Prostate	74	80.0	(71.8-88.3)	-	-	-	-	-	-
C64 Kidney	9	10.6	(7.5-13.7)	8	8.6	(5.9-11.4)	18	9.4	(7.4-11.4)
C67 Bladder	26	28.3	(23.4-33.3)	14	10.6	(7.9-13.2)	40	18.4	(15.7-21.0)
C71 Brain	7	8.1	(5.3-10.8)	5	5.7	(3.5-7.9)	12	6.8	(5.1-8.6)
C81-96 Haematol	31	35.0	(29.4-40.6)	28	26.2	(21.5-30.8)	59	29.9	(26.4-33.5)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# East LeedsPCT (5HK) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



East LeedsPCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	11	12.3	(9.0-15.6)	6	4.4	(2.7-6.1)	17	8.0	(6.2-9.8)
C16 Stomach	17	18.3	(14.4-22.3)	9	7.0	(4.8-9.2)	26	11.7	(9.6-13.7)
C18-20 Colorectal	23	25.1	(20.4-29.7)	21	14.7	(11.7-17.7)	44	19.3	(16.7-22.0)
C25 Pancreas	9	9.8	(6.9-12.8)	10	6.9	(4.9-8.9)	19	8.4	(6.6-10.1)
C33-C34 Lung	78	85.6	(77.0-94.2)	57	49.0	(43.0-55.0)	136	64.3	(59.4-69.3)
C43 Melanoma	2	2.4	(0.9-3.9)	1	1.2	(0.3-2.2)	3	1.8	(0.9-2.7)
C50 Breast	-	-	-	28	23.9	(19.6-28.1)	-	-	-
C53 Cervix	-	-	-	6	5.8	(3.6-8.0)	-	-	-
C54-C55 Uterus	-	-	-	3	2.5	(1.2-3.8)	-	-	-
C56 Ovary	-	-	-	10	9.2	(6.5-11.9)	-	-	-
C61 Prostate	24	24.8	(20.3-29.4)	-	-	-	-	-	-
C64 Kidney	5	5.4	(3.3-7.6)	2	1.9	(0.8-3.1)	7	3.5	(2.3-4.7)
C67 Bladder	10	11.0	(8.0-14.1)	7	4.9	(3.1-6.7)	17	7.3	(5.7-8.9)
C71 Brain	6	7.4	(4.8-10.0)	4	4.0	(2.2-5.8)	10	5.6	(4.0-7.2)
C81-96 Haematol	14	15.5	(11.8-19.2)	13	10.9	(8.1-13.8)	27	12.7	(10.5-15.0)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# East Leeds PCT (5HK) - Incidence

Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

East Leeds PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate					
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR	95% CI				
C00-C96 All Sites xNMS	429	527.7	<b>474.0</b>	(453.6-494.3)	414	476.6	<b>381.5</b>	(364.1-398.9)	843	501.3	<b>417.4</b>	(404.3-430.4)					
C18-20 Colorectal	61	75.0	<b>66.3</b>	(58.8-73.9)	46	52.7	<b>36.2</b>	(31.2-41.2)	107	63.5	<b>49.5</b>	(45.2-53.8)					
C33-C34 Lung	87	107.3	<b>94.2</b>	(85.3-103.2)	69	79.9	<b>60.6</b>	(53.9-67.3)	157	93.1	<b>74.4</b>	(69.0-79.8)					
C50 Breast	-	-	-	-	105	121.1	<b>109.0</b>	(99.3-118.7)	-	-	-	-					
C61 Prostate	74	91.3	<b>80.0</b>	(71.8-88.3)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network													
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR	95% CI
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)	
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)	
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)	
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-	
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)													
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)	
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-	
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-	

# East Leeds PCT (5HK) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

East Leeds PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate					
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM	95% CI				
C00-C96 All Sites xNMS	248	304.8	<b>270.4</b>	(255.1-285.7)	216	249.1	<b>176.9</b>	(165.6-188.1)	464	276.0	<b>215.9</b>	(206.8-225.0)					
C18-20 Colorectal	23	28.5	<b>25.1</b>	(20.4-29.7)	21	23.7	<b>14.7</b>	(11.7-17.7)	44	26.0	<b>19.3</b>	(16.7-22.0)					
C33-C34 Lung	78	96.2	<b>85.6</b>	(77.0-94.2)	57	66.1	<b>49.0</b>	(43.0-55.0)	136	80.6	<b>64.3</b>	(59.4-69.3)					
C50 Breast	-	-	-	-	28	32.2	<b>23.9</b>	(19.6-28.1)	-	-	-	-					
C61 Prostate	24	29.0	<b>24.8</b>	(20.3-29.4)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network													
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)	
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)	
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)	
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-	
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)													
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Crude		Incidence Rate	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)	
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-	
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-	

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# East Leeds PCT (5HK)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

