


South Leeds PCT (5HL) - Incidence



South Leeds PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	9	12.1	(8.5-15.6)	4	4.0	(2.1-5.9)	13	7.6	(5.7-9.5)
C16 Stomach	16	20.2	(15.7-24.7)	14	11.6	(8.7-14.5)	30	15.5	(12.9-18.0)
C18-20 Colorectal	52	67.5	(59.2-75.9)	34	32.5	(27.3-37.8)	86	47.9	(43.2-52.5)
C25 Pancreas	9	12.2	(8.7-15.7)	5	3.9	(2.2-5.6)	14	7.8	(5.9-9.7)
C33-C34 Lung	85	110.7	(100.0-121.3)	55	58.1	(50.8-65.4)	140	80.5	(74.3-86.6)
C43 Melanoma	7	9.9	(6.7-13.2)	9	11.2	(7.8-14.5)	17	10.6	(8.3-13.0)
C50 Breast	-	-	-	96	116.6	(105.6-127.5)	-	-	-
C53 Cervix	-	-	-	12	15.0	(11.1-18.9)	-	-	-
C54-C55 Uterus	-	-	-	11	12.4	(9.0-15.8)	-	-	-
C56 Ovary	-	-	-	12	14.4	(10.6-18.2)	-	-	-
C61 Prostate	60	74.8	(66.2-83.4)	-	-	-	-	-	-
C64 Kidney	10	13.1	(9.4-16.9)	7	7.5	(4.8-10.2)	16	10.0	(7.7-12.2)
C67 Bladder	19	23.8	(18.9-28.7)	9	8.2	(5.7-10.7)	28	15.0	(12.4-17.5)
C71 Brain	8	10.6	(7.2-13.9)	5	5.3	(3.1-7.6)	13	7.8	(5.8-9.8)
C81-96 Haematol	29	38.4	(32.1-44.7)	30	32.0	(26.5-37.5)	60	34.9	(30.8-39.0)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Leeds PCT (5HL) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



South Leeds PCT		Mean Annual Deaths 1998-2002					Mortality					
ICD-10 Code	Male	Mortality Rate			Female	Mortality Rate			All	Mortality Rate		
	Deaths	ASM	95% CI		Deaths	ASM	95% CI		Deaths	ASM	95% CI	
C15 Oesophagus	7	9.2	(6.2-12.3)		4	2.9	(1.5-4.3)		11	5.8	(4.2-7.3)	
C16 Stomach	10	11.9	(8.5-15.2)		11	9.2	(6.5-11.8)		21	10.2	(8.2-12.2)	
C18-20 Colorectal	19	24.2	(19.2-29.1)		15	11.8	(8.9-14.8)		34	17.5	(14.7-20.2)	
C25 Pancreas	8	9.6	(6.5-12.7)		5	4.0	(2.3-5.8)		12	6.7	(4.9-8.4)	
C33-C34 Lung	74	94.2	(84.5-103.9)		48	47.9	(41.5-54.4)		122	67.6	(62.0-73.1)	
C43 Melanoma	2	2.8	(1.1-4.6)		2	1.3	(0.4-2.2)		4	2.1	(1.1-3.1)	
C50 Breast	-	-			26	28.2	(23.0-33.4)		-	-		
C53 Cervix	-	-			3	4.1	(2.1-6.2)		-	-		
C54-C55 Uterus	-	-			3	2.4	(1.0-3.8)		-	-		
C56 Ovary	-	-			10	11.1	(7.8-14.4)		-	-		
C61 Prostate	18	22.2	(17.6-26.8)		-	-			-	-		
C64 Kidney	5	6.7	(4.1-9.4)		3	3.3	(1.5-5.1)		8	4.8	(3.2-6.3)	
C67 Bladder	6	8.3	(5.4-11.2)		3	2.6	(1.3-3.9)		10	4.7	(3.4-6.1)	
C71 Brain	7	9.2	(6.1-12.3)		3	3.8	(1.9-5.7)		10	6.3	(4.5-8.1)	
C81-96 Haematol	16	20.2	(15.7-24.7)		14	13.5	(10.0-16.9)		30	16.2	(13.5-18.9)	

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Leeds PCT (5HL) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

South Leeds PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 All Sites xNMS	364	516.9	474.7	(452.6-496.7)	350	470.0	377.9	(359.1-396.8)	714	492.8	414.8	(400.7-428.9)					
C18-20 Colorectal	52	73.8	67.5	(59.2-75.9)	34	46.1	32.5	(27.3-37.8)	86	59.6	47.9	(43.2-52.5)					
C33-C34 Lung	85	121.0	110.7	(100.0-121.3)	55	73.8	58.1	(50.8-65.4)	140	96.7	80.5	(74.3-86.6)					
C50 Breast	-	-	-	-	96	128.2	116.6	(105.6-127.5)	-	-	-	-					
C61 Prostate	60	84.6	74.8	(66.2-83.4)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

South Leeds PCT (5HL) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

South Leeds PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 All Sites xNMS	210	297.6	268.5	(252.1-284.9)	185	248.4	177.7	(165.4-190.1)	395	272.3	215.1	(205.2-224.9)					
C18-20 Colorectal	19	26.7	24.2	(19.2-29.1)	15	19.9	11.8	(8.9-14.8)	34	23.2	17.5	(14.7-20.2)					
C33-C34 Lung	74	104.8	94.2	(84.5-103.9)	48	64.9	47.9	(41.5-54.4)	122	84.3	67.6	(62.0-73.1)					
C50 Breast	-	-	-	-	26	34.9	28.2	(23.0-33.4)	-	-	-	-					
C61 Prostate	18	26.1	22.2	(17.6-26.8)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

South Leeds PCT (5HL)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

