


Leeds North West PCT (5HM) - Incidence



Leeds North West PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	12	13.6	(10.2-17.1)	6	4.3	(2.5-6.0)	18	8.3	(6.5-10.1)
C16 Stomach	16	17.6	(13.7-21.5)	10	6.7	(4.6-8.8)	26	11.3	(9.3-13.4)
C18-20 Colorectal	44	46.7	(40.4-53.0)	45	33.2	(28.5-38.0)	89	38.9	(35.0-42.7)
C25 Pancreas	8	8.9	(6.2-11.7)	9	6.1	(4.1-8.1)	17	7.4	(5.7-9.1)
C33-C34 Lung	67	70.4	(62.7-78.1)	50	38.6	(33.4-43.8)	118	51.7	(47.3-56.1)
C43 Melanoma	9	10.1	(7.1-13.2)	15	15.2	(11.6-18.8)	24	12.7	(10.4-15.1)
C50 Breast	-	-	-	111	115.6	(105.4-125.7)	-	-	-
C53 Cervix	-	-	-	8	8.3	(5.6-11.0)	-	-	-
C54-C55 Uterus	-	-	-	14	13.0	(9.8-16.3)	-	-	-
C56 Ovary	-	-	-	20	19.1	(15.1-23.1)	-	-	-
C61 Prostate	69	70.0	(62.5-77.5)	-	-	-	-	-	-
C64 Kidney	8	9.2	(6.3-12.0)	9	7.7	(5.2-10.2)	17	8.2	(6.4-10.1)
C67 Bladder	17	17.1	(13.4-20.9)	10	6.6	(4.6-8.6)	27	11.0	(9.0-13.0)
C71 Brain	10	11.8	(8.5-15.2)	5	5.1	(3.0-7.3)	15	8.3	(6.3-10.3)
C81-96 Haematol	32	35.3	(29.7-40.8)	33	27.8	(23.2-32.5)	65	31.0	(27.4-34.6)


Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North West PCT (5HM) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Leeds North West PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	10	11.1	(8.0-14.2)	6	4.2	(2.5-5.9)	16	7.1	(5.5-8.7)
C16 Stomach	11	11.4	(8.4-14.5)	6	3.8	(2.4-5.3)	17	7.0	(5.5-8.6)
C18-20 Colorectal	18	19.1	(15.0-23.2)	19	12.0	(9.3-14.7)	37	15.3	(13.0-17.7)
C25 Pancreas	9	9.6	(6.7-12.5)	9	5.8	(3.9-7.8)	17	7.6	(5.9-9.3)
C33-C34 Lung	61	64.4	(57.0-71.8)	44	33.9	(29.0-38.7)	106	46.9	(42.6-51.1)
C43 Melanoma	2	2.9	(1.3-4.6)	2	1.9	(0.6-3.1)	5	2.4	(1.4-3.4)
C50 Breast	-	-	-	30	25.4	(21.0-29.9)	-	-	-
C53 Cervix	-	-	-	3	2.9	(1.3-4.5)	-	-	-
C54-C55 Uterus	-	-	-	2	1.6	(0.5-2.7)	-	-	-
C56 Ovary	-	-	-	13	10.8	(7.9-13.6)	-	-	-
C61 Prostate	26	25.0	(20.6-29.4)	-	-	-	-	-	-
C64 Kidney	4	3.8	(2.0-5.7)	5	3.7	(2.1-5.3)	9	3.7	(2.5-4.9)
C67 Bladder	9	9.3	(6.5-12.1)	4	2.5	(1.4-3.7)	13	5.2	(3.9-6.5)
C71 Brain	9	10.5	(7.3-13.6)	4	4.3	(2.3-6.2)	13	7.2	(5.4-9.0)
C81-96 Haematol	17	19.1	(15.0-23.2)	16	12.3	(9.3-15.3)	33	15.4	(12.9-17.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North West PCT (5HM) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

Leeds North West PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 All Sites xNMS	356	408.6	379.9	(361.8-397.9)	401	431.7	351.1	(334.4-367.8)	758	420.6	355.8	(343.8-367.7)					
C18-20 Colorectal	44	50.7	46.7	(40.4-53.0)	45	48.6	33.2	(28.5-38.0)	89	49.6	38.9	(35.0-42.7)					
C33-C34 Lung	67	77.0	70.4	(62.7-78.1)	50	54.2	38.6	(33.4-43.8)	118	65.3	51.7	(47.3-56.1)					
C50 Breast	-	-	-	-	111	119.4	115.6	(105.4-125.7)	-	-	-	-					
C61 Prostate	69	79.3	70.0	(62.5-77.5)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Leeds North West PCT (5HM) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Leeds North West PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 All Sites xNMS	214	245.4	226.9	(213.0-240.8)	201	216.2	149.7	(139.5-160.0)	415	230.3	181.8	(173.5-190.1)					
C18-20 Colorectal	18	20.4	19.1	(15.0-23.2)	19	20.4	12.0	(9.3-14.7)	37	20.4	15.3	(13.0-17.7)					
C33-C34 Lung	61	70.2	64.4	(57.0-71.8)	44	47.8	33.9	(29.0-38.7)	106	58.6	46.9	(42.6-51.1)					
C50 Breast	-	-	-	-	30	32.1	25.4	(21.0-29.9)	-	-	-	-					
C61 Prostate	26	29.6	25.0	(20.6-29.4)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Leeds North West PCT (5HM)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

