


# Calderdale PCT (5J6) - Incidence

Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



Calderdale PCT		Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	15	14.7	(11.4-18.1)	9	5.6	(3.9-7.4)	24	9.8	(8.0-11.7)
C16 Stomach	18	17.5	(13.8-21.1)	14	7.9	(5.8-9.9)	32	12.2	(10.3-14.2)
C18-20 Colorectal	55	52.2	(46.0-58.4)	46	29.0	(25.0-33.1)	101	39.3	(35.7-42.8)
C25 Pancreas	11	9.8	(7.1-12.5)	16	10.9	(8.3-13.5)	26	10.2	(8.4-12.1)
C33-C34 Lung	79	75.3	(67.8-82.8)	47	35.0	(30.2-39.7)	126	52.3	(48.1-56.5)
C43 Melanoma	10	9.9	(7.1-12.7)	11	9.5	(6.9-12.1)	21	9.7	(7.8-11.6)
C50 Breast	-	-	-	129	107.5	(98.7-116.2)	-	-	-
C53 Cervix	-	-	-	13	11.3	(8.4-14.2)	-	-	-
C54-C55 Uterus	-	-	-	17	13.8	(10.7-16.9)	-	-	-
C56 Ovary	-	-	-	21	17.4	(13.9-21.0)	-	-	-
C61 Prostate	79	73.3	(66.0-80.6)	-	-	-	-	-	-
C64 Kidney	10	10.1	(7.3-12.9)	9	6.4	(4.4-8.5)	19	8.1	(6.4-9.8)
C67 Bladder	24	21.6	(17.6-25.5)	12	6.4	(4.6-8.2)	35	12.6	(10.6-14.5)
C71 Brain	6	5.7	(3.6-7.8)	5	4.6	(2.8-6.5)	11	5.1	(3.8-6.5)
C81-96 Haematol	34	33.4	(28.3-38.5)	27	21.6	(17.8-25.5)	61	26.6	(23.5-29.7)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Calderdale PCT (5J6) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service



Calderdale PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	16	15.2	(11.9-18.6)	9	5.2	(3.6-6.9)	25	9.8	(8.0-11.6)
C16 Stomach	15	14.4	(11.1-17.7)	10	5.1	(3.5-6.8)	25	9.3	(7.6-11.0)
C18-20 Colorectal	28	25.3	(21.1-29.6)	23	12.9	(10.3-15.5)	51	18.4	(16.1-20.8)
C25 Pancreas	9	8.6	(6.1-11.2)	13	8.7	(6.4-11.0)	22	8.5	(6.9-10.2)
C33-C34 Lung	69	65.6	(58.6-72.6)	44	32.2	(27.7-36.7)	113	46.1	(42.2-50.0)
C43 Melanoma	2	1.8	(0.7-2.9)	3	1.8	(0.8-2.9)	5	1.8	(1.0-2.5)
C50 Breast	-	-	-	36	25.3	(21.3-29.4)	-	-	-
C53 Cervix	-	-	-	6	5.0	(3.2-6.9)	-	-	-
C54-C55 Uterus	-	-	-	4	2.2	(1.1-3.3)	-	-	-
C56 Ovary	-	-	-	13	10.5	(7.8-13.2)	-	-	-
C61 Prostate	27	24.6	(20.4-28.8)	-	-	-	-	-	-
C64 Kidney	6	6.2	(4.0-8.3)	6	3.0	(1.8-4.2)	12	4.6	(3.4-5.8)
C67 Bladder	12	11.2	(8.3-14.1)	7	3.9	(2.5-5.3)	19	6.6	(5.2-8.0)
C71 Brain	4	4.4	(2.5-6.3)	4	3.2	(1.7-4.7)	8	3.8	(2.6-5.0)
C81-96 Haematol	18	17.4	(13.7-21.0)	16	11.2	(8.6-13.8)	34	13.5	(11.4-15.6)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Calderdale PCT (5J6) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Calderdale PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	
C00-C96 All Sites xNMS	414	446.4	<b>394.4</b>	(377.2-411.6)	439	442.2	<b>329.4</b>	(314.6-344.2)	854	444.2	<b>351.4</b>	(340.4-362.4)					
C18-20 Colorectal	55	59.5	<b>52.2</b>	(46.0-58.4)	46	46.5	<b>29.0</b>	(25.0-33.1)	101	52.8	<b>39.3</b>	(35.7-42.8)					
C33-C34 Lung	79	85.1	<b>75.3</b>	(67.8-82.8)	47	47.5	<b>35.0</b>	(30.2-39.7)	126	65.7	<b>52.3</b>	(48.1-56.5)					
C50 Breast	-	-	-	-	129	130.1	<b>107.5</b>	(98.7-116.2)	-	-	-	-					
C61 Prostate	79	85.5	<b>73.3</b>	(66.0-80.6)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)				
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)				
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)				
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-				
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-				

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI	
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)				
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)				
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)				
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-				
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-				

# Calderdale PCT (5J6) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Calderdale PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	
C00-C96 All Sites xNMS	255	274.7	<b>238.9</b>	(225.6-252.2)	245	246.5	<b>161.5</b>	(151.6-171.3)	500	260.1	<b>191.8</b>	(183.9-199.7)					
C18-20 Colorectal	28	30.2	<b>25.3</b>	(21.1-29.6)	23	23.6	<b>12.9</b>	(10.3-15.5)	51	26.7	<b>18.4</b>	(16.1-20.8)					
C33-C34 Lung	69	74.8	<b>65.6</b>	(58.6-72.6)	44	44.3	<b>32.2</b>	(27.7-36.7)	113	59.0	<b>46.1</b>	(42.2-50.0)					
C50 Breast	-	-	-	-	36	36.0	<b>25.3</b>	(21.3-29.4)	-	-	-	-					
C61 Prostate	27	29.3	<b>24.6</b>	(20.4-28.8)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)				
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)				
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)				
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-				
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-				

Northern & Yorkshire Region (inc South Humber)																
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		ASR		95% CI	
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)				
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)				
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)				
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-				
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-				

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Calderdale PCT (5J6)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

