


North Kirklees PCT (5J7) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



North Kirklees PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI
C15 Oesophagus	11	13.2	(9.7-16.7)	6	5.3	(3.3-7.2)	18	8.8	(6.9-10.7)
C16 Stomach	19	22.2	(17.6-26.7)	11	8.8	(6.3-11.3)	30	14.7	(12.3-17.2)
C18-20 Colorectal	49	58.5	(51.1-65.9)	41	33.5	(28.6-38.4)	90	44.6	(40.4-48.9)
C25 Pancreas	10	12.7	(9.2-16.2)	11	9.9	(7.2-12.6)	21	11.0	(8.8-13.1)
C33-C34 Lung	67	79.0	(70.4-87.5)	49	45.1	(39.1-51.0)	116	58.4	(53.5-63.3)
C43 Melanoma	6	7.2	(4.6-9.8)	9	8.9	(6.2-11.7)	15	8.2	(6.3-10.1)
C50 Breast	-	-	-	95	99.0	(89.8-108.3)	-	-	-
C53 Cervix	-	-	-	18	18.4	(14.4-22.3)	-	-	-
C54-C55 Uterus	-	-	-	16	15.3	(11.7-18.9)	-	-	-
C56 Ovary	-	-	-	20	20.3	(16.1-24.4)	-	-	-
C61 Prostate	54	62.2	(54.7-69.7)	-	-	-	-	-	-
C64 Kidney	8	10.2	(7.1-13.2)	7	7.1	(4.7-9.6)	16	8.5	(6.5-10.4)
C67 Bladder	25	29.1	(23.9-34.2)	10	7.5	(5.3-9.7)	35	16.5	(14.0-19.0)
C71 Brain	7	7.8	(5.1-10.4)	6	6.6	(4.1-9.0)	12	6.9	(5.1-8.6)
C81-96 Haematol	33	39.8	(33.7-45.9)	25	24.0	(19.5-28.4)	58	30.9	(27.3-34.6)


Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Kirklees PCT (5J7) - Mortality

Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire Cancer Registry and Information Service



North Kirklees PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	10	11.7	(8.4-15.0)	7	5.0	(3.2-6.7)	17	8.1	(6.3-9.8)
C16 Stomach	12	13.4	(9.9-16.9)	9	6.5	(4.4-8.6)	20	9.6	(7.6-11.5)
C18-20 Colorectal	20	23.7	(19.0-28.3)	18	13.3	(10.3-16.3)	38	17.7	(15.1-20.3)
C25 Pancreas	10	12.4	(9.0-15.9)	10	8.7	(6.2-11.3)	20	10.1	(8.1-12.2)
C33-C34 Lung	63	73.8	(65.6-82.0)	42	38.3	(32.8-43.8)	105	52.5	(47.9-57.1)
C43 Melanoma	3	3.2	(1.5-5.0)	1	1.1	(0.2-2.0)	4	2.1	(1.1-3.0)
C50 Breast	-	-	-	30	27.6	(22.8-32.3)	-	-	-
C53 Cervix	-	-	-	6	5.7	(3.6-7.9)	-	-	-
C54-C55 Uterus	-	-	-	4	3.4	(1.9-4.9)	-	-	-
C56 Ovary	-	-	-	13	11.8	(8.7-14.9)	-	-	-
C61 Prostate	22	24.4	(19.7-29.0)	-	-	-	-	-	-
C64 Kidney	5	5.9	(3.6-8.2)	3	2.4	(1.1-3.8)	8	3.9	(2.6-5.1)
C67 Bladder	11	13.1	(9.6-16.7)	7	4.6	(3.0-6.3)	18	7.4	(5.8-9.0)
C71 Brain	5	5.6	(3.3-7.9)	4	4.1	(2.2-5.9)	9	4.7	(3.3-6.1)
C81-96 Haematol	14	16.4	(12.5-20.3)	11	9.6	(6.9-12.3)	25	12.6	(10.3-14.9)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Kirklees PCT (5J7) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service

North Kirklees PCT					Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Cases	Male Crude Rate	Incidence Rate ASR	95% CI	Female Crude Cases	Female Crude Rate	Incidence Rate ASR	95% CI	All Crude Cases	All Crude Rate	Incidence Rate ASR	95% CI
C00-C96 All Sites xNMS	353	425.7	418.2	(398.6-437.9)	373	425.4	349.8	(333.0-366.6)	726	425.5	373.0	(360.6-385.5)
C18-20 Colorectal	49	59.0	58.5	(51.1-65.9)	41	47.0	33.5	(28.6-38.4)	90	52.9	44.6	(40.4-48.9)
C33-C34 Lung	67	80.7	79.0	(70.4-87.5)	49	56.2	45.1	(39.1-51.0)	116	68.1	58.4	(53.5-63.3)
C50 Breast	-	-	-	-	95	108.7	99.0	(89.8-108.3)	-	-	-	-
C61 Prostate	54	64.6	62.2	(54.7-69.7)	-	-	-	-	-	-	-	-

Yorkshire Cancer Network					Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Cases	Male Crude Rate	Incidence Rate ASR	95% CI	Female Crude Cases	Female Crude Rate	Incidence Rate ASR	95% CI	All Crude Cases	All Crude Rate	Incidence Rate ASR	95% CI
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)					Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude Cases	Male Crude Rate	Incidence Rate ASR	95% CI	Female Crude Cases	Female Crude Rate	Incidence Rate ASR	95% CI	All Crude Cases	All Crude Rate	Incidence Rate ASR	95% CI
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

North Kirklees PCT (5J7) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

North Kirklees PCT					Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Deaths	Male Crude Rate	Incidence Rate ASM	95% CI	Female Crude Deaths	Female Crude Rate	Incidence Rate ASM	95% CI	All Crude Deaths	All Crude Rate	Incidence Rate ASM	95% CI
C00-C96 All Sites xNMS	212	254.9	248.3	(233.2-263.4)	199	227.4	169.1	(157.9-180.4)	411	240.8	199.8	(190.9-208.7)
C18-20 Colorectal	20	24.3	23.7	(19.0-28.3)	18	20.1	13.3	(10.3-16.3)	38	22.2	17.7	(15.1-20.3)
C33-C34 Lung	63	76.1	73.8	(65.6-82.0)	42	48.0	38.3	(32.8-43.8)	105	61.7	52.5	(47.9-57.1)
C50 Breast	-	-	-	-	30	34.3	27.6	(22.8-32.3)	-	-	-	-
C61 Prostate	22	26.0	24.4	(19.7-29.0)	-	-	-	-	-	-	-	-

Yorkshire Cancer Network					Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Deaths	Male Crude Rate	Incidence Rate ASM	95% CI	Female Crude Deaths	Female Crude Rate	Incidence Rate ASM	95% CI	All Crude Deaths	All Crude Rate	Incidence Rate ASM	95% CI
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)					Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude Deaths	Male Crude Rate	Incidence Rate ASM	95% CI	Female Crude Deaths	Female Crude Rate	Incidence Rate ASM	95% CI	All Crude Deaths	All Crude Rate	Incidence Rate ASM	95% CI
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

North Kirklees PCT (5J7)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

