


Craven Harrogate & Rural PCT (5KJ) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Craven Harrogate & Rural PCT		Mean Annual Cases 1998-2002					Incidence					
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate		
	Cases	ASR	95% CI	Cases	ASR	95% CI	Cases	ASR	95% CI			
C15 Oesophagus	16	12.6	(9.8-15.4)	13	5.7	(4.2-7.2)	29	8.8	(7.3-10.4)			
C16 Stomach	19	14.6	(11.6-17.6)	14	6.7	(4.9-8.4)	33	10.2	(8.6-11.8)			
C18-20 Colorectal	77	59.1	(53.1-65.2)	67	35.9	(31.6-40.2)	144	46.0	(42.5-49.6)			
C25 Pancreas	13	10.0	(7.5-12.5)	14	6.8	(5.0-8.6)	27	8.2	(6.7-9.6)			
C33-C34 Lung	69	51.8	(46.2-57.3)	45	25.8	(22.1-29.5)	114	36.4	(33.3-39.6)			
C43 Melanoma	15	12.6	(9.7-15.5)	18	14.4	(11.3-17.6)	33	13.4	(11.3-15.5)			
C50 Breast	-	-	-	166	121.9	(113.1-130.8)	-	-	-			
C53 Cervix	-	-	-	9	7.1	(5.0-9.3)	-	-	-			
C54-C55 Uterus	-	-	-	23	15.8	(12.7-18.9)	-	-	-			
C56 Ovary	-	-	-	24	17.1	(13.8-20.3)	-	-	-			
C61 Prostate	121	91.2	(83.9-98.6)	-	-	-	-	-	-			
C64 Kidney	11	9.2	(6.8-11.7)	7	4.6	(2.9-6.3)	18	6.7	(5.2-8.1)			
C67 Bladder	29	22.1	(18.5-25.8)	15	7.3	(5.4-9.1)	44	13.5	(11.6-15.4)			
C71 Brain	11	9.2	(6.7-11.8)	7	5.8	(3.8-7.9)	18	7.4	(5.8-9.0)			
C81-96 Haematol	46	37.1	(32.1-42.0)	40	24.8	(21.0-28.6)	86	30.0	(27.0-33.0)			

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Craven Harrogate & Rural PCT (5KJ) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire
Cancer Registry and Information Service



Craven Harrogate & Rural PCT							Mortality		
Mean Annual Deaths 1998-2002									
ICD-10 Code	Male Mortality Rate			Female Mortality Rate			All Mortality Rate		
	Deaths	ASM	95% CI	Deaths	ASM	95% CI	Deaths	ASM	95% CI
C15 Oesophagus	17	13.1	(10.2-15.9)	12	4.8	(3.4-6.1)	28	8.7	(7.1-10.2)
C16 Stomach	11	8.0	(5.9-10.2)	11	4.6	(3.2-6.0)	22	6.1	(4.8-7.3)
C18-20 Colorectal	32	23.8	(20.0-27.5)	27	12.2	(9.9-14.6)	59	17.1	(15.1-19.2)
C25 Pancreas	12	9.0	(6.6-11.3)	13	6.6	(4.8-8.3)	25	7.6	(6.2-9.0)
C33-C34 Lung	64	48.1	(42.8-53.5)	42	23.1	(19.7-26.5)	106	33.5	(30.5-36.5)
C43 Melanoma	3	1.9	(0.9-3.0)	3	2.1	(1.0-3.2)	6	2.0	(1.2-2.7)
C50 Breast	-	-	-	52	33.1	(28.7-37.5)	-	-	-
C53 Cervix	-	-	-	5	3.7	(2.1-5.3)	-	-	-
C54-C55 Uterus	-	-	-	4	1.6	(0.9-2.3)	-	-	-
C56 Ovary	-	-	-	20	12.4	(9.8-15.1)	-	-	-
C61 Prostate	35	24.4	(20.7-28.0)	-	-	-	-	-	-
C64 Kidney	5	3.7	(2.2-5.2)	4	2.0	(1.0-3.0)	9	2.8	(1.9-3.6)
C67 Bladder	15	11.0	(8.4-13.5)	9	3.6	(2.4-4.7)	24	6.4	(5.2-7.6)
C71 Brain	8	6.6	(4.4-8.7)	5	4.4	(2.7-6.2)	13	5.4	(4.1-6.8)
C81-96 Haematol	23	17.7	(14.4-21.0)	20	10.2	(8.0-12.4)	44	13.3	(11.4-15.2)

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Craven Harrogate and Rural PCT (5KJ) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire Cancer Registry and Information Service

Craven Harrogate and Rural PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI			
C00-C96 All Sites xNMS	503	515.2	393.4	(377.7-409.1)	529	501.6	337.9	(323.8-352.0)	1032	508.1	355.8	(345.5-366.0)					
C18-20 Colorectal	77	78.7	59.1	(53.1-65.2)	67	63.5	35.9	(31.6-40.2)	144	70.8	46.0	(42.5-49.6)					
C33-C34 Lung	69	70.3	51.8	(46.2-57.3)	45	42.8	25.8	(22.1-29.5)	114	56.0	36.4	(33.3-39.6)					
C50 Breast	-	-	-	-	166	157.1	121.9	(113.1-130.8)	-	-	-	-					
C61 Prostate	121	123.9	91.2	(83.9-98.6)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	5850	475.3	423.1	(418.2-428.0)	5956	453.4	352.5	(348.2-356.7)	11806	464.0	377.1	(373.9-380.2)
C18-20 Colorectal	819	66.5	58.9	(57.1-60.7)	672	51.1	34.1	(32.9-35.4)	1491	58.6	45.1	(44.0-46.2)
C33-C34 Lung	1070	87.0	76.4	(74.3-78.4)	742	56.5	41.4	(40.0-42.8)	1812	71.2	56.0	(54.8-57.2)
C50 Breast	-	-	-	-	1695	129.0	113.5	(111.0-116.0)	-	-	-	-
C61 Prostate	1145	93.0	80.2	(78.1-82.3)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI		Cases	Rate	ASR
C00-C96 exc C44	16130	510.2	434.1	(431.0-437.1)	15963	475.7	357.1	(354.4-359.7)	32093	492.4	384.5	(382.6-386.5)
C18-20 Colorectal	2306	72.9	61.5	(60.4-62.7)	1848	55.1	35.9	(35.1-36.7)	4154	63.7	47.3	(46.6-47.9)
C33-C34 Lung	3121	98.7	82.3	(81.0-83.7)	2165	64.5	44.9	(44.0-45.8)	5287	81.1	60.7	(60.0-61.5)
C50 Breast	-	-	-	-	4416	131.6	111.7	(110.1-113.2)	-	-	-	-
C61 Prostate	3095	97.9	80.5	(79.2-81.8)	-	-	-	-	-	-	-	-

Craven Harrogate and Rural PCT (5KJ) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Craven Harrogate and Rural PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI			
C00-C96 All Sites xNMS	272	278.8	203.4	(192.4-214.4)	279	264.5	150.3	(141.5-159.1)	551	271.4	169.8	(163.1-176.6)					
C18-20 Colorectal	32	33.0	23.8	(20.0-27.5)	27	25.2	12.2	(9.9-14.6)	59	28.9	17.1	(15.1-19.2)					
C33-C34 Lung	64	65.5	48.1	(42.8-53.5)	42	40.2	23.1	(19.7-26.5)	106	52.4	33.5	(30.5-36.5)					
C50 Breast	-	-	-	-	52	49.3	33.1	(28.7-37.5)	-	-	-	-					
C61 Prostate	35	36.1	24.4	(20.7-28.0)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	3358	272.8	238.3	(234.7-242.0)	3178	242.0	164.6	(161.9-167.4)	6536	256.9	193.9	(191.7-196.1)
C18-20 Colorectal	342	27.8	24.1	(22.9-25.2)	317	24.1	14.6	(13.8-15.4)	659	25.9	18.7	(18.1-19.4)
C33-C34 Lung	967	78.6	68.6	(66.7-70.6)	644	49.1	35.0	(33.7-36.3)	1611	63.3	49.0	(47.9-50.1)
C50 Breast	-	-	-	-	497	37.8	28.4	(27.2-29.6)	-	-	-	-
C61 Prostate	373	30.3	25.2	(24.1-26.4)	-	-	-	-	-	-	-	-

Northern & Yorkshire Region (inc South Humber)												
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude	Incidence Rate		
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI		Deaths	Rate	ASM
C00-C96 exc C44	9614	304.1	254.8	(252.5-257.1)	8765	261.2	172.3	(170.5-174.0)	18379	282.0	205.4	(204.1-206.8)
C18-20 Colorectal	1024	32.4	27.1	(26.3-27.8)	857	25.6	15.1	(14.6-15.6)	1881	28.9	20.3	(19.9-20.7)
C33-C34 Lung	2818	89.1	74.0	(72.7-75.2)	1901	56.6	38.4	(37.6-39.2)	4719	72.4	53.3	(52.6-54.0)
C50 Breast	-	-	-	-	1367	40.7	29.7	(28.9-30.5)	-	-	-	-
C61 Prostate	1017	32.1	25.9	(25.2-26.7)	-	-	-	-	-	-	-	-

Notes: The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at infomanager@nycris.org.uk.

Craven Harrogate and Rural PCT (5KJ)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire
Cancer Registry and Information Service

