


# Huddersfield Central PCT (5LJ) - Incidence



Huddersfield Central PCT		Mean Annual Cases 1998-2002					Incidence		
ICD-10 Code	Male	Incidence Rate		Female	Incidence Rate		All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR		95% CI	Cases
C15 Oesophagus	7	9.3	(6.2-12.5)	5	4.2	(2.3-6.0)	11	6.3	(4.6-8.0)
C16 Stomach	15	19.0	(14.6-23.4)	8	7.0	(4.6-9.4)	23	12.2	(9.9-14.5)
C18-20 Colorectal	42	55.1	(47.5-62.7)	36	32.6	(27.4-37.7)	78	43.1	(38.6-47.5)
C25 Pancreas	7	9.8	(6.6-13.0)	9	8.4	(5.8-11.0)	17	9.1	(7.0-11.1)
C33-C34 Lung	56	73.4	(64.7-82.1)	39	40.2	(34.2-46.3)	95	54.1	(49.0-59.1)
C43 Melanoma	5	7.6	(4.6-10.5)	8	9.8	(6.5-13.0)	13	8.6	(6.5-10.8)
C50 Breast	-	-	-	90	115.2	(104.1-126.4)	-	-	-
C53 Cervix	-	-	-	8	9.6	(6.4-12.7)	-	-	-
C54-C55 Uterus	-	-	-	12	14.3	(10.5-18.2)	-	-	-
C56 Ovary	-	-	-	13	16.3	(12.1-20.4)	-	-	-
C61 Prostate	58	73.8	(65.2-82.5)	-	-	-	-	-	-
C64 Kidney	6	8.9	(5.8-12.0)	2	1.9	(0.7-3.2)	8	5.2	(3.6-6.8)
C67 Bladder	15	20.3	(15.7-24.9)	8	6.5	(4.4-8.7)	23	12.3	(10.0-14.6)
C71 Brain	5	7.3	(4.3-10.2)	4	5.0	(2.7-7.3)	9	6.2	(4.3-8.0)
C81-96 Haematol	23	31.4	(25.6-37.3)	22	23.2	(18.6-27.9)	45	27.0	(23.3-30.6)


**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Huddersfield Central PCT (5LJ) - Mortality



Huddersfield Central PCT							Mortality		
							Mean Annual Deaths 1998-2002		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	7	10.2	(6.9-13.5)	5	4.0	(2.2-5.8)	12	6.6	(4.9-8.3)
C16 Stomach	8	10.2	(7.0-13.3)	5	3.9	(2.2-5.7)	13	6.6	(4.9-8.2)
C18-20 Colorectal	17	21.1	(16.5-25.7)	18	14.8	(11.4-18.1)	35	17.7	(14.9-20.4)
C25 Pancreas	7	9.3	(6.2-12.4)	8	7.1	(4.7-9.4)	16	8.1	(6.2-10.0)
C33-C34 Lung	50	65.5	(57.2-73.7)	35	35.6	(29.9-41.2)	85	48.0	(43.3-52.8)
C43 Melanoma	0	0.3	(0.0-0.9)	1	1.2	(0.1-2.4)	1	0.8	(0.1-1.4)
C50 Breast	-	-	-	27	29.3	(23.9-34.6)	-	-	-
C53 Cervix	-	-	-	4	4.1	(2.1-6.1)	-	-	-
C54-C55 Uterus	-	-	-	3	3.2	(1.5-4.9)	-	-	-
C56 Ovary	-	-	-	8	10.0	(6.8-13.2)	-	-	-
C61 Prostate	21	26.1	(21.1-31.2)	-	-	-	-	-	-
C64 Kidney	4	5.7	(3.3-8.1)	2	1.8	(0.5-3.2)	6	3.5	(2.3-4.8)
C67 Bladder	7	8.6	(5.7-11.6)	5	3.4	(1.9-4.9)	11	5.5	(4.0-6.9)
C71 Brain	4	6.3	(3.6-9.1)	3	3.1	(1.4-4.8)	7	4.8	(3.2-6.4)
C81-96 Haematol	11	13.9	(10.2-17.7)	12	11.2	(8.2-14.3)	23	12.6	(10.2-15.0)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Huddersfield Central PCT (5LJ) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

Huddersfield Central PCT						Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate
C00-C96 All Sites xNMS	292	443.5	<b>388.2</b>	(367.9-408.4)	309	437.8	<b>339.0</b>	(320.8-357.1)	601	440.6	<b>354.1</b>	(340.9-367.3)	
C18-20 Colorectal	42	63.7	<b>55.1</b>	(47.5-62.7)	36	51.4	<b>32.6</b>	(27.4-37.7)	78	57.3	<b>43.1</b>	(38.6-47.5)	
C33-C34 Lung	56	85.2	<b>73.4</b>	(64.7-82.1)	39	55.6	<b>40.2</b>	(34.2-46.3)	95	69.9	<b>54.1</b>	(49.0-59.1)	
C50 Breast	-	-	-	-	90	127.7	<b>115.2</b>	(104.1-126.4)	-	-	-	-	
C61 Prostate	58	88.0	<b>73.8</b>	(65.2-82.5)	-	-	-	-	-	-	-	-	

Yorkshire Cancer Network						Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)	
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)	
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)	
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-	
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)						Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Cases	Rate	ASR	95% CI		Cases	Rate		ASR	95% CI		Cases	Rate
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)	
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)	
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)	
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-	
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-	

# Huddersfield Central PCT (5LJ) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

Huddersfield Central PCT						Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate
C00-C96 All Sites xNMS	173	263.0	<b>224.6</b>	(209.4-239.8)	168	238.6	<b>161.6</b>	(149.7-173.5)	342	250.4	<b>186.4</b>	(177.2-195.7)	
C18-20 Colorectal	17	25.5	<b>21.1</b>	(16.5-25.7)	18	25.3	<b>14.8</b>	(11.4-18.1)	35	25.4	<b>17.7</b>	(14.9-20.4)	
C33-C34 Lung	50	75.5	<b>65.5</b>	(57.2-73.7)	35	49.4	<b>35.6</b>	(29.9-41.2)	85	62.0	<b>48.0</b>	(43.3-52.8)	
C50 Breast	-	-	-	-	27	38.0	<b>29.3</b>	(23.9-34.6)	-	-	-	-	
C61 Prostate	21	32.5	<b>26.1</b>	(21.1-31.2)	-	-	-	-	-	-	-	-	

Yorkshire Cancer Network						Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)	
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)	
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)	
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-	
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-	

Northern & Yorkshire Region (inc South Humber)						Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude	Incidence Rate		All Crude	Incidence Rate		All Crude	Incidence Rate	
	Deaths	Rate	ASM	95% CI		Deaths	Rate		ASM	95% CI		Deaths	Rate
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)	
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)	
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)	
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-	
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-	

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# Huddersfield Central PCT (5LJ)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002



Northern and Yorkshire  
Cancer Registry and Information Service

