


# South Huddersfield PCT (5LK) - Incidence



Age-Standardised Incidence Rates (ASR) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



South Huddersfield PCT		Mean Annual Cases 1998-2002					Incidence				
ICD-10 Code	Male	Incidence Rate			Female	Incidence Rate			All	Incidence Rate	
	Cases	ASR	95% CI		Cases	ASR	95% CI		Cases	ASR	95% CI
C15 Oesophagus	3	6.7	(3.1-10.2)		3	3.7	(1.5-5.8)		5	5.1	(3.1-7.1)
C16 Stomach	11	25.3	(18.5-32.1)		6	8.6	(5.1-12.1)		16	16.3	(12.7-20.0)
C18-20 Colorectal	29	64.8	(54.1-75.6)		17	27.2	(20.9-33.5)		45	44.4	(38.4-50.4)
C25 Pancreas	4	8.0	(4.2-11.7)		3	5.7	(2.6-8.9)		6	6.7	(4.3-9.1)
C33-C34 Lung	29	66.5	(55.6-77.5)		16	27.4	(20.9-33.8)		45	44.6	(38.6-50.7)
C43 Melanoma	4	9.7	(5.4-14.0)		7	14.9	(9.7-20.1)		11	12.3	(8.9-15.6)
C50 Breast	-	-			54	109.6	(95.9-123.2)		-	-	
C53 Cervix	-	-			5	10.7	(6.4-14.9)		-	-	
C54-C55 Uterus	-	-			10	21.2	(15.2-27.3)		-	-	
C56 Ovary	-	-			8	16.0	(10.8-21.2)		-	-	
C61 Prostate	34	76.3	(64.6-88.0)		-	-			-	-	
C64 Kidney	4	8.1	(4.3-11.9)		3	4.9	(2.1-7.7)		6	6.3	(4.0-8.5)
C67 Bladder	11	24.5	(18.0-31.0)		4	5.3	(2.6-7.9)		15	13.8	(10.6-17.1)
C71 Brain	4	8.5	(4.5-12.4)		3	5.1	(2.2-8.0)		6	6.8	(4.3-9.2)
C81-96 Haematol	16	36.5	(28.3-44.7)		16	31.8	(24.3-39.3)		31	33.4	(28.0-38.9)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.


Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits. Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# South Huddersfield PCT (5LK) - Mortality



Age-Standardised Mortality Rates (ASM) by Cancer Network & Primary Care Trust 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service



South Huddersfield PCT		Mean Annual Deaths 1998-2002					Mortality		
ICD-10 Code	Male	Mortality Rate		Female	Mortality Rate		All	Mortality Rate	
	Deaths	ASM	95% CI		Deaths	ASM		95% CI	Deaths
C15 Oesophagus	3	7.4	(3.7-11.1)	2	4.1	(1.6-6.6)	6	5.4	(3.3-7.4)
C16 Stomach	6	14.2	(9.2-19.3)	4	5.3	(2.6-8.0)	10	9.5	(6.7-12.2)
C18-20 Colorectal	9	20.5	(14.5-26.4)	9	12.1	(8.2-16.0)	18	16.0	(12.6-19.4)
C25 Pancreas	3	6.6	(3.2-10.0)	2	4.7	(1.9-7.6)	5	5.4	(3.3-7.5)
C33-C34 Lung	26	59.7	(49.3-70.0)	13	23.9	(17.7-30.0)	39	39.3	(33.6-45.0)
C43 Melanoma	1	2.2	(0.3-4.1)	1	2.8	(0.6-5.0)	2	2.5	(1.1-4.0)
C50 Breast	-	-	-	17	30.9	(23.8-38.0)	-	-	-
C53 Cervix	-	-	-	2	4.1	(1.6-6.6)	-	-	-
C54-C55 Uterus	-	-	-	2	3.6	(1.4-5.8)	-	-	-
C56 Ovary	-	-	-	5	9.7	(5.7-13.6)	-	-	-
C61 Prostate	11	26.5	(19.6-33.4)	-	-	-	-	-	-
C64 Kidney	3	5.7	(2.6-8.8)	1	2.4	(0.5-4.2)	4	3.7	(2.0-5.4)
C67 Bladder	6	12.8	(8.1-17.5)	1	1.8	(0.3-3.2)	7	6.2	(4.1-8.3)
C71 Brain	3	7.1	(3.5-10.8)	2	3.6	(1.1-6.1)	5	5.2	(3.1-7.4)
C81-96 Haematol	6	13.1	(8.3-17.9)	7	12.7	(8.3-17.2)	13	12.7	(9.5-15.9)

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRIS, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Graphs have been uniformly scaled to accommodate the highest PCT 95% confidence limits.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals.

Care should be taken when interpreting results. For further information contact NYCRIS at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# South Huddersfield PCT (5LK) - Incidence



Crude & Age-Standardised Incidence Rates (ASR) by PCT, Cancer Network & Region, 1998-2002

Northern and Yorkshire  
Cancer Registry and Information Service

South Huddersfield PCT										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 All Sites xNMS	171	441.9	<b>393.4</b>	(366.7-420.1)	173	426.1	<b>327.5</b>	(304.3-350.7)	344	433.8	<b>351.1</b>	(334.0-368.3)					
C18-20 Colorectal	29	73.8	<b>64.8</b>	(54.1-75.6)	17	40.9	<b>27.2</b>	(20.9-33.5)	45	57.0	<b>44.4</b>	(38.4-50.4)					
C33-C34 Lung	29	74.9	<b>66.5</b>	(55.6-77.5)	16	39.5	<b>27.4</b>	(20.9-33.8)	45	56.7	<b>44.6</b>	(38.6-50.7)					
C50 Breast	-	-	-	-	54	132.7	<b>109.6</b>	(95.9-123.2)	-	-	-	-					
C61 Prostate	34	86.7	<b>76.3</b>	(64.6-88.0)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	5850	475.3	<b>423.1</b>	(418.2-428.0)	5956	453.4	<b>352.5</b>	(348.2-356.7)	11806	464.0	<b>377.1</b>	(373.9-380.2)					
C18-20 Colorectal	819	66.5	<b>58.9</b>	(57.1-60.7)	672	51.1	<b>34.1</b>	(32.9-35.4)	1491	58.6	<b>45.1</b>	(44.0-46.2)					
C33-C34 Lung	1070	87.0	<b>76.4</b>	(74.3-78.4)	742	56.5	<b>41.4</b>	(40.0-42.8)	1812	71.2	<b>56.0</b>	(54.8-57.2)					
C50 Breast	-	-	-	-	1695	129.0	<b>113.5</b>	(111.0-116.0)	-	-	-	-					
C61 Prostate	1145	93.0	<b>80.2</b>	(78.1-82.3)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Cases 1998-2002				Incidence			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	Cases	Rate	ASR	95% CI	ASR	95% CI			
C00-C96 exc C44	16130	510.2	<b>434.1</b>	(431.0-437.1)	15963	475.7	<b>357.1</b>	(354.4-359.7)	32093	492.4	<b>384.5</b>	(382.6-386.5)					
C18-20 Colorectal	2306	72.9	<b>61.5</b>	(60.4-62.7)	1848	55.1	<b>35.9</b>	(35.1-36.7)	4154	63.7	<b>47.3</b>	(46.6-47.9)					
C33-C34 Lung	3121	98.7	<b>82.3</b>	(81.0-83.7)	2165	64.5	<b>44.9</b>	(44.0-45.8)	5287	81.1	<b>60.7</b>	(60.0-61.5)					
C50 Breast	-	-	-	-	4416	131.6	<b>111.7</b>	(110.1-113.2)	-	-	-	-					
C61 Prostate	3095	97.9	<b>80.5</b>	(79.2-81.8)	-	-	-	-	-	-	-	-					

# South Huddersfield PCT (5LK) - Mortality

Crude & Age-Standardised Mortality Rates (ASM) by PCT, Cancer Network & Region, 1998-2002

South Huddersfield PCT										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 All Sites xNMS	92	237.5	<b>207.3</b>	(188.1-226.5)	89	219.9	<b>151.5</b>	(136.3-166.6)	181	228.5	<b>172.5</b>	(160.9-184.2)					
C18-20 Colorectal	9	24.3	<b>20.5</b>	(14.5-26.4)	9	21.2	<b>12.1</b>	(8.2-16.0)	18	22.7	<b>16.0</b>	(12.6-19.4)					
C33-C34 Lung	26	67.6	<b>59.7</b>	(49.3-70.0)	13	32.5	<b>23.9</b>	(17.7-30.0)	39	49.7	<b>39.3</b>	(33.6-45.0)					
C50 Breast	-	-	-	-	17	41.4	<b>30.9</b>	(23.8-38.0)	-	-	-	-					
C61 Prostate	11	29.4	<b>26.5</b>	(19.6-33.4)	-	-	-	-	-	-	-	-					

Yorkshire Cancer Network										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	3358	272.8	<b>238.3</b>	(234.7-242.0)	3178	242.0	<b>164.6</b>	(161.9-167.4)	6536	256.9	<b>193.9</b>	(191.7-196.1)					
C18-20 Colorectal	342	27.8	<b>24.1</b>	(22.9-25.2)	317	24.1	<b>14.6</b>	(13.8-15.4)	659	25.9	<b>18.7</b>	(18.1-19.4)					
C33-C34 Lung	967	78.6	<b>68.6</b>	(66.7-70.6)	644	49.1	<b>35.0</b>	(33.7-36.3)	1611	63.3	<b>49.0</b>	(47.9-50.1)					
C50 Breast	-	-	-	-	497	37.8	<b>28.4</b>	(27.2-29.6)	-	-	-	-					
C61 Prostate	373	30.3	<b>25.2</b>	(24.1-26.4)	-	-	-	-	-	-	-	-					

Northern & Yorkshire Region (inc South Humber)										Mean Annual Deaths 1998-2002				Mortality			
ICD-10 Code	Male Crude		Incidence Rate		Female Crude		Incidence Rate		All Crude		Incidence Rate		Incidence Rate				
	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	Deaths	Rate	ASM	95% CI	ASM	95% CI			
C00-C96 exc C44	9614	304.1	<b>254.8</b>	(252.5-257.1)	8765	261.2	<b>172.3</b>	(170.5-174.0)	18379	282.0	<b>205.4</b>	(204.1-206.8)					
C18-20 Colorectal	1024	32.4	<b>27.1</b>	(26.3-27.8)	857	25.6	<b>15.1</b>	(14.6-15.6)	1881	28.9	<b>20.3</b>	(19.9-20.7)					
C33-C34 Lung	2818	89.1	<b>74.0</b>	(72.7-75.2)	1901	56.6	<b>38.4</b>	(37.6-39.2)	4719	72.4	<b>53.3</b>	(52.6-54.0)					
C50 Breast	-	-	-	-	1367	40.7	<b>29.7</b>	(28.9-30.5)	-	-	-	-					
C61 Prostate	1017	32.1	<b>25.9</b>	(25.2-26.7)	-	-	-	-	-	-	-	-					

**Notes:** The figures above are based on PCT resident populations, using postcode mappings supplied on ONS Gridlink (Feb 2004). Incidence data supplied by NYCRI, mortality data supplied by ONS (incidence & mortality rates per 100,000 directly standardised to the European population). Population data derived from ONS 2001 Census data.

Although figures are quoted over a five year period, numbers and rates by PCT are still quite small with wide confidence intervals. Care should be taken when interpreting results. For further information contact NYCRI at [infomanager@nycris.org.uk](mailto:infomanager@nycris.org.uk).

# South Huddersfield PCT (5LK)

Age-Standardised Cancer Rates by PCT, Cancer Network & Region, 1998-2002





Northern and Yorkshire  
Cancer Registry and Information Service



## Incidence

## Mortality



C00-C96 exc C44





C18-20 Colorectal



C33-C34 Lung



C50 Breast (Female)



C61 Prostate

